

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 August 2003 (07.08.2003)

PCT

(10) International Publication Number
WO 03/064599 A2

(51) International Patent Classification⁷: **C12N**

(21) International Application Number: PCT/US03/01943

(22) International Filing Date: 24 January 2003 (24.01.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

10/054,935	25 January 2002 (25.01.2002)	US
60/356,130	14 February 2002 (14.02.2002)	US
10/102,946	22 March 2002 (22.03.2002)	US
10/117,229	8 April 2002 (08.04.2002)	US
10/144,198	14 May 2002 (14.05.2002)	US
10/197,824	19 July 2002 (19.07.2002)	US

(71) Applicant (for all designated States except US): **ORIGENE TECHNOLOGIES, INC** [US/US]; 6 Taft Court, Suite 100, Rockville, MD 20850 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SUN, Zairen** [CN/US]; 1083 Copperstone Court, Rockville, MD 20852 (US). **LI, Xuan** [US/US]; 14808 Carona Drive, Silver Spring, MD 20905 (US). **JAY, Gilbert** [US/US]; 5801 Nicholson Lane, North Bethesda, MD 20852 (US). **KOVACS, Karl, F.** [US/US]; 5 Gruenther Court, Rockville, MD 20851 (US). **FAN, Wufang** [US/US]; 10790 Roselle Street, San Diego, CA 92121 (US). **SHU, Youmin** [US/US]; 2508 Chilham Place, Potomac, MD 20854 (US).

(74) Agent: **LEBOVITZ, Richard, M.**; Origene Technologies, Inc, Suite 100, 6 Taft Court, Rockville, MD 20850 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),

Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— of inventorship (Rule 4.17(iv)) for US only

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **CANCER GENES**

(57) Abstract: The present invention relates to all facets of novel polynucleotides, the polypeptides they encode, antibodies and specific binding partners thereto, and their applications to research, diagnosis, drug discovery, therapy, clinical medicine, forensic science and medicine, etc. The polynucleotides are differentially expressed in prostate and breast cancers and are therefore useful in variety of ways, including, but not limited to, as molecular markers, as drug targets, and for detecting, diagnosing, staging, monitoring, prognosticating, preventing or treating, determining predisposition to, etc., cancers.

BEST AVAILABLE COPY

WO 03/064599 A2

CANCER GENES

This application claims the benefit of U.S. Application Serial No. 10/054,935, filed 2002-01-25; 60/356,130, filed 2002-02-14; 10/102,946, filed 2002-03-22; 10/117,229, filed 2002-04-08; US 10/144,198, 2002-05-14; 10/197,824, 2002-07-19, which are hereby incorporated by reference in their entirety.

DESCRIPTION OF THE DRAWINGS

Figs. 1-18 show amino acid sequence alignments between polypeptides of the present invention, and polypeptides listed in public databases. SEQ ID NOS for the polypeptides of the present invention are listed in Tables 3 and 4. Others are as follows: KIAA0803 (SEQ ID NO 31); KIAA0408 (SEQ ID NO 32); NM_030817 (SEQ ID NO 33); NM_015384 (SEQ ID NO 34); NM_133433 (SEQ ID NO 35); XM_033473 (SEQ ID NO 36); XM_059862 (SEQ ID NO 37); NM_012062 (SEQ ID NO 38); NM_012063 (SEQ ID NO 39); NM_005690 (SEQ ID NO 40); XM_042775 (SEQ ID NO 41); NM_000125 (SEQ ID NO 42); XM_094949 (SEQ ID NO 43); XM_050424 (SEQ ID NO 44); KIAA0534 (SEQ ID NO 76); KIAA1217 (SEQ ID NO 77); KIAA0301 (SEQ ID NO 78); AF441770 (SEQ ID NO 79); XM_085817 (SEQ ID NO 80); AK001276 (SEQ ID NO 81); XM_033473 (SEQ ID NO 82); AK022207 (SEQ ID NO 83).

Fig 19 shows differential display patterns for genes of the present invention. The white arrowhead indicates the position of a DNA fragment derived from a differentially regulated gene of the present invention. The experiments were performed in duplicate. Each sample set (4 lanes) contains a duplicate from normal (left) prostate tissue and a duplicate tumor (right) prostate tissue from the same individual. There are several sample sets for each gene.

Fig. 20 (A-G) shows the amino acid alignments of human kidins2220 variants (XM_045362, SEQ ID NO 90; and AB033076, SEQ ID NO 91) and rat variants (AF239045, SEQ ID NO 94; and AF313464, SEQ ID NO 93). The referenced numbers are GenBank identifiers.

Fig. 21 shows amino acid alignments between Urb-ctf ("BCU1041," SEQ ID NO 96), AK014463 (mouse, SEQ ID NO 98) and XM_058887 (human, SEQ ID NO 97). Regions of

sequence identity are shaded.

Fig. 22 is the alignment of the amino acid sequences of human BCU399 (SEQ ID NO 100), human XM_059670 (SEQ ID NO 101), a partial sequence for BCU399, and monkey AB071059 (SEQ ID NO 104).

5

DESCRIPTION OF THE INVENTION

The present invention relates to all facets of genes which are differentially regulated in cancer, polypeptides encoded by them, antibodies and specific binding partners thereto, and their applications to research, diagnosis, drug discovery, therapy, clinical medicine, forensic science and medicine, etc. The polynucleotides and polypeptides are useful in variety of ways, including, but not limited to, as molecular markers, as drug targets, and for detecting, diagnosing, staging, monitoring, prognosticating, preventing or treating, determining predisposition to, etc., diseases and conditions of the breast and prostate, especially cancer. The identification of specific genes, and groups of genes, expressed in pathways physiologically relevant to prostate and breast permits the definition of functional and disease pathways, and the delineation of targets in these pathways which are useful in diagnostic, therapeutic, and clinical applications. The present invention also relates to methods of using the polynucleotides and related products (proteins, antibodies, etc.) in business and computer-related methods, e.g., advertising, displaying, offering, selling, etc., such products for sale, commercial use, licensing, etc.

No single gene or protein has been identified which is responsible for the etiology of all prostate and breast cancers. For example, although prostate specific antigen ("PSA") is widely used as a diagnostic reagent, it has limitations in its sensitivity and its ability to detect early cancers. It is estimated that approximately 20% to 30% of tumors will be missed when PSA is used alone. As a result, diagnostic and prognostic markers for cancer will involve the identification and use of many different genes and gene products to reflect its multifactorial origin. With this in mind, combinations of the differentially-expressed genes of the present invention can be used as diagnostic and prognostic markers for prostate and breast cancers.

A continuing goal is to characterize the gene expression patterns of the various cancers to genetically differentiate them, providing important guidance in preventing, diagnosing, and treating cancers. Molecular pictures of cancer, such as the pattern of

30

differentially-regulated genes identified herein, provide an important tool for molecularly dissecting and classifying cancer, identifying drug targets, providing prognosis and therapeutic information, etc. For instance, an array of polynucleotides corresponding to genes differentially regulated in prostate or breast cancer can be used to screen tissue samples for the existence of cancer, to categorize the cancer (e.g., by the particular pattern observed), to grade the cancer (e.g., by the number of up- or down-regulated genes and their amounts of expression), to identify the source of a secondary tumor, to screen for metastatic cells, etc. These arrays can be used in combination with other markers, e.g., PSA, PMSA (prostate membrane specific antigen), or any of the grading systems used in clinical medicine.

As indicated by these studies, cancer is a highly diverse disease. Although all cancers share certain characteristics, the underlying cause and disease progression can differ significantly from patient to patient. So far, over a dozen distinct genes have been identified which, when mutant, result in a cancer. In breast cancer, alone, a handful of different genes have been isolated which either cause the cancer, or produce a predisposition to it. As a consequence, disease phenotypes for a particular cancer do not look all the same. In addition to the differences in the gene(s) responsible for the cancer, heterogeneity among individuals, e.g., in age, health, sex, and genetic background, can also influence the disease and its progression. Gene penetrance, in particular, can vary widely among population members. Recent studies have shown tremendous diversity in gene expression patterns among cancer patients. For these and other reasons, one gene/polypeptide target alone can be insufficient to diagnose or treat a cancer. Even a gene which is highly differentially-expressed and penetrant in cancer patients may not be so highly expressed in all patients and at all stages of the cancer. By selecting a set of genes and/or the polypeptides they encode, cancer diagnostics and therapeutics can be designed which effectively diagnose and treat a population of diseased individuals, rather than only a small handful when single genes are targeted.

In accordance with the present invention, genes have been identified which are differentially expressed in prostate cancer. See, e.g., Tables 1-5 and below. These genes can be further divided into groups based on additional characteristics of their expression and the tissues in which they are expressed. For instance, genes can be further subdivided based on the stage and/or grade of the cancer in which they are expressed. Genes can also be grouped

based on their penetrance in a cancer, e.g., expressed in all cancer examined, expressed in a certain percentage of cancers examined, etc. Additionally, genes can be categorized by their function and/or the polypeptides they encode. This includes, but is not limited to, cellular localization, functional activity (e.g., kinase, cytoskeletal element, or transcriptional factor),
5 functional pathway (e.g., protein manufacture, cell signaling, cell movement, cell adhesion, responsiveness to cAMP, energy production, etc.), etc. These groupings do not restrict or limit the use such genes in therapeutic, diagnostic, prognostic, etc., applications. For instance, a gene which is expressed in only some cancers (e.g., incompletely penetrant) may be useful in therapeutic applications to treat a subset of cancers. Similarly, a co-penetrant gene, or a gene
10 which is expressed in prostate cancer and other normal tissues, may be useful as a therapeutic or diagnostic, even if its expression pattern is not highly prostate specific. Thus, the uses of the genes or their products are not limited by their patterns of expression.

In developing reagents for the diagnosis and treatment of a disease, it may be useful to know the cellular localization of a differentially expressed polypeptide to determine how
15 to use it as a target. Proteins which are secreted or on the cell-surface are more readily accessible than intracellular proteins, and can be, e.g., blocked or inhibited to restore levels to normal.

In recent years, there have been numerous reports on specific targeting of tumor cells with monoclonal antibody-drug conjugates using cell-surface proteins. See, e.g., Chari., *Adv. Drug Deliv. Res.*, 31: 89-104 (1998); Pietersz and Krauer, *J. Drug Targeting*, 2: 183-215
20 (1994); Sela et al., in *Immunoconjugates*, 189-216 (C. Vogel, ed. 1987); Ghose et al., in *Targeted Drugs*, 1-22 (E. Goldberg, ed. 1983); Diener et al., in *Antibody mediated delivery systems*, 1-23 (J. Rodwell, ed. 1988); Pietersz et al., in *Antibody mediated delivery systems*, 25-53 (J. Rodwell, ed. 1988); Bumol et al., in *Antibody mediated delivery system*, 55-79 (J.
25 Rodwell, ed. 1988). Cytotoxic drugs such as methotrexate, daunorubicin, doxorubicin, vincristine, vinblastine, melphalan, mitomycin C, and chlorambucil have been conjugated to a variety of monoclonal antibodies. Therapeutic agents can be directly conjugated to the antibody, or through cleavable linkers which facilitate the release of the agent in active form only when it is inside the cell. See, e.g., U.S. Pat. No. 6,333,410.

30 By the phrase "differential expression," it is meant that the levels of expression of a gene, as measured by its transcription or translation product, are different depending upon the

specific cell-type or tissue (e.g., in an averaging assay that looks at a population of cells). There are no absolute amounts by which the gene expression levels must vary, as long as the differences are measurable.

The phrase "up-regulated" indicates that an mRNA transcript or other nucleic acid corresponding to a polynucleotide of the present invention is expressed in larger amounts in a cancer as compared to the same transcript expressed in normal cells from which the cancer was derived. The phrase "down-regulated" indicates that an mRNA transcript or other nucleic acid corresponding to a polynucleotide of the present invention is expressed in lower amounts in a cancer as compared to the same transcript expressed in normal cells from which the cancer was derived. In general, differential-regulation can be assessed by any suitable method, including any of the nucleic acid detection and hybridization methods mentioned below, as well as polypeptide-based methods. Up-regulation also includes going from substantially no expression in a normal tissue, from detectable expression in a normal tissue, from significant expression in a normal tissue, to higher levels in the cancer. Down-regulation also includes going from substantially no expression in a normal tissue, from detectable expression in a normal tissue, from significant expression in a normal tissue, to higher levels in the cancer.

Differential regulation can be determined by any suitable method, e.g., by comparing its abundance per gram of RNA (e.g., total RNA, polyadenylated mRNA, etc.) extracted from a prostate tissue in comparison to the corresponding normal tissue. The normal tissue can be from the same or different individual or source. For convenience, it can be supplied as a separate component or in a kit in combination with probes and other reagents for detecting genes. The quantity by which a nucleic acid is differentially-regulated can be any value, e.g., about 10% more or less of normal expression, about 50% more or less of normal expression, 2-fold more or less, 5-fold more or less, 10-fold more or less, etc.

The amount of transcript can also be compared to a different gene in the same sample, especially a gene whose abundance is known and substantially no different in its expression between normal and cancer cells (e.g., a "control" gene). If represented as a ratio, with the quantity of differentially-regulated gene transcript in the numerator and the control gene transcript in the denominator, the ratio would be larger, e.g., in prostate cancer than in a sample from normal prostate tissue.

Differential-regulation can arise through a number of different mechanisms. The present invention is not bound by any specific way through which it occurs. Differential-regulation of a polynucleotide can occur, e.g., by modulating (1) transcriptional rate of the gene (e.g., increasing its rate, inducing or stimulating its transcription from a basal, low-level rate, etc.), (2) the post-transcriptional processing of RNA transcripts, (3) the transport of RNA from the nucleus into the cytoplasm, (4) RNA nuclear and cytoplasmic turnover, and polypeptide turnover (e.g., by virtue of having higher stability or resistance to degradation), and combinations thereof. See, e.g., Tollervey and Caceras, *Cell*, 103:703-709, 2000.

A differentially-regulated polynucleotide is useful in a variety of different applications as described in greater details below. Because it is more abundant in cancer, it and its expression products can be used in a diagnostic test to assay for the presence of cancer, e.g., in tissue sections, in a biopsy sample, in total RNA, in lymph, in blood, etc. Differentially-regulated polynucleotides and polypeptides can be used individually, or in groups, to assess the cancer, e.g., to determine the specific type of cancer, its stage of development, the nature of the genetic defect, etc., or to assess the efficacy of a treatment modality. How to use polynucleotides in diagnostic and prognostic assays is discussed below. In addition, the polynucleotides and the polypeptides they encode, can serve as a target for therapy or drug discovery. A polypeptide, coded for by a differentially-regulated polynucleotide, which is displayed on the cell-surface, can be a target for immunotherapy to destroy, inhibit, etc., the diseased tissue. Differentially-regulated transcripts can also be used in drug discovery schemes to identify pharmacological agents which modulate, suppress, inhibit, activate, increase, etc., their differential-regulation, thereby preventing the phenotype associated with their expression. Thus, a differentially-regulated polynucleotide and its expression products of the present invention have significant applications in diagnostic, therapeutic, prognostic, drug development, and related areas.

The expression patterns of the selectively expressed genes disclosed herein can be described as a "fingerprint" in that they are a distinctive pattern displayed by a tissue. Just as with a fingerprint, an expression pattern can be used as a unique identifier to characterize the status of a tissue sample. The list of expressed sequences disclosed herein provides an example of such a tissue expression profile. It can be used as a point of reference to compare and characterize samples. Tissue fingerprints can be used in many ways, e.g., to classify a

tissue as prostate cancer, to determine the origin of a metastatic cells, to assess the physiological status of a tissue, to determine the effect of a particular treatment regime on a tissue, and to evaluate the toxicity of a compound on a tissue of interest, to determine the presence of a cancer in a biopsy sample, to assess the efficacy of a cancer therapy in a human patient or a non-human animal model, to detect circulating cancer cells in blood or a lymph node biopsy, etc. While the expression profile of the complete gene set represented in the present invention may be most informative, a fingerprint containing expression information from less than the full collection can be useful, as well. In the same way that an incomplete fingerprint may contain enough of the pattern of whorls, arches, loops, and ridges, to identify the individual, a cell expression fingerprint containing less than the full complement may be adequate to provide useful and unique identifying and other information about the sample. Moreover, cancer is a multifactorial disease, involving genetic aberrations in more than gene locus. This multifaceted nature may be reflected in different cell expression profiles associated with prostate cancers arising in different individuals, in different locations in the same individual, or even within the same cancer locus. As a result, a complete match with a particular cell expression profile, as shown herein, is not necessary to classify a cancer as being of the same type or stage. Similarity to one cell expression profile, e.g., as compared to another, can be adequate to classify cancer types, grades, and stages.

For example, the tissue-selective genes disclosed herein represent the configuration of genes expressed by a cancer tissue. To determine the effect of a toxin on a tissue, a sample of tissue is obtained prior to toxin exposure ("control") and then at one or more time points after toxin exposure ("experimental"). An array of tissue-selective probes can be used to assess the expression patterns for both the control and experimental samples. Methods of making and using arrays are described below.

Urb-ctf (BCU1041FB)

Urb-ctf ("Up-Regulated Breast Cancer Transcription Factor" or BCU1041FB or FB2847A11) codes for a transcription regulatory factor having 614 amino acids which is up-regulated in breast cancer. The nucleotide and amino acid sequences of Urb-ctf are shown in SEQ ID NOS 95 and 96. It contains a bZIP domain at about amino acid positions 228-275, conferring DNA-binding activity. It also has a leucine zipper providing a dimerization

activity. There are a number of UniGene clusters that map close to the gene, including, e.g., Hs.350229, Hs.272458, Hs.350229, Hs.255286, Hs.184779, and Hs.276916. Predictions using GenomeScan (e.g., Yeh et al., *Genome Res.* 11: 803-816, 2001) revealed at least two different predicted genes, Hs17_11001_27_4_1 and Hs17_11001_27_5_2, instead of the single gene, Urb-ctf, described herein. A partial human cDNA (AL049450; XM_058887; SEQ ID NO 97) for Urb-ctf was previously identified, but this coded for only 198 amino acids and contained only a part of the bZIP domain, as well as missing significant portions of the N- and C-termini. A mouse homolog, AK_014463 (SEQ ID NO 98), has been cloned.

All or part of Urb-ctf is located in genomic DNA represented by GenBank ID:

AC068669, BAC-ID: RP11-749I16, and Contig ID: NT_010844. The present invention relates to any isolated introns and exons that are present in the gene. Intron and exon boundaries can be routinely determined, e.g., using the polypeptide and genomic sequences disclosed herein. Using UniSTS probes, Urb-ctf can be chromosomally mapped at its 5' end with UniSTS: 155813 to 40.144Mb, and its 3' end with UniSTS: 619 to 40.084Mb.

Strikingly, the Urb-ctf overlaps with the thyroid hormone receptor alpha 2 gene (CAB57886).

As indicated by the presence of a bZIP domain, Urb-ctf has transcriptional regulatory activity, DNA-binding activity, and dimerization activity. These activities can be determined routinely. For example, DNA-binding activity can be determined using gel-shift assays, e.g., as carried out in, e.g., U.S. Pat. No. 6,333,407 and 5,789,538. Transcriptional activity can be determined using conventional transcriptional assays, including in vivo and in vitro assays, such as those described in F.M. Ausubel et al., Eds., *CURRENT PROTOCOLS IN MOLECULAR BIOLOGY* (John Wiley & Sons, New York, 1994); de Wet et al., *Mol. Cell Biol.* 7:725 (1987); U.S. Pat. 6,306,649; U.S. Pat. No. 6,214,588; Liao, S. M. et al., *Genes. Dev.* 5:2431-2440 (1991); Nonet, M., et al., *Cell* 50:909-915 (1987). The phrase

"transcriptional regulatory activity" indicates that the polypeptide modulates transcription in analogy to the activity of other bZIP proteins, e.g., by binding to DNA and interacting with other proteins of the transcription apparatus. For example, both c-Jun and c-Fos are bZIP proteins that form a dimer known as the transcriptional activator AP-1, a transcriptional activator. See, e.g., *Genes VII*, Lewin, Pages 649-665, 2000. Dimerization activity, i.e., the ability to form hetero- or homodimers with other proteins (in analogy to the c-fos and c-jun system), can be measured routinely, e.g., using the yeast two-hybrid system.

Nucleic acids of the present invention map to chromosomal band 17q21.1. There are a number of different disorders which have been mapped to, or in close proximity to, this chromosome location. These include, e.g., Dementia, frontotemporal, with parkinsonism; Neuroblastoma; Osteoporosis, idiopathic; Ehlers-Danlos syndrome, types I and VIIA; Osteogenesis imperfecta; Glanzmann thrombasthenia, type B; Renal cell carcinoma, papillary; Thrombocytopenia, neonatal alloimmune; Trichodontoosseous syndrome; Hypertension; Epidermolytic hyperkeratosis; Hemolytic anemia due to band 3 defect; Spherocytosis, hereditary; Gliosis, familial progressive subcortical; Renal tubular acidosis, distal; Patella aplasia or hypoplasia; and Pseudohypoaldosteronism type II. Nucleic acids of the present invention can be used as linkage markers, diagnostic targets, therapeutic targets, for any of the mentioned disorders, as well as any disorders or genes mapping in proximity to it.

In addition to its expression in breast cancer, Urb-ctf can be detected in most tissues examined, but either none, or at very low levels, in normal breast tissue. Multiple forms of it can be detected in the brain, muscle, testes, and thymus. As these results indicate, Urb-ctf has a normal functional role in most tissues, and can consequently be involved with diseases associated with them, as well. For instance, Urb-ctf can be involved in renal cell carcinoma and familial gliosis disease. As discussed earlier, no single gene is responsible for all breast cancers. Thus, the fact that Urb-ctf is up-regulated in the breast cancers examined herein does necessarily mean that it will be up-regulated in all human breast cancers.

BCU399

Human BCU399 codes for a polypeptide of 487 amino acids, which is upregulated in breast cancer, in both early stage ductile carcinoma and in late stage invasive carcinoma. The nucleotide and amino acid sequences of human BCU399 are shown in SEQ ID NOS 99 and 100. It contains seven transmembrane domains at about amino acids 106-128, 135-157, 172-194, 231-253, 268-285, 367-389 and 458-480 of SEQ ID NO 100, a signature of the G protein-coupled receptor family. It contains a nucleotide-binding site motif (P-loop) at about amino acids 53-60, indicating that it is a purinergic receptor liganded by nucleotides, including ATP, ADP, GTP, GDP, UTP, and/or UDP. It contains a G-protein binding motif at about amino acids 63-75. It contains N-glycosylation motifs at about amino acids 34-37,

135-138, 203-206 and 397-400. It contains phosphorylation motifs, important for regulatory functions, including PKC phosphorylation motifs at about amino acids 36-38, 227-229, 262-264, 313-315, and 445-447 of SEQ ID NO 100; CK2 phosphorylation motifs at about amino acids 44-47, 60-63, 89-92, 91-94, and 356-359; and a tyrosine kinase phosphorylation motif at about amino acids 59-66. The human BCU399 contains 12 exons. The present invention relates to any isolated introns and exons that are present in the gene. Intron and exon boundaries can be routinely determined, e.g., using the sequences disclosed herein.

A partial sequence for human BCU399 was previously identified (Accession Number XM_059670), but this sequence (SEQ ID 101) was incomplete, coding for only 153 amino acids (See Fig. 22, "Human"). Its homolog was identified in monkey (Accession Number AB071059), but this sequence was also incomplete, coding for only 360 amino acids (See Fig 22, "Monkey"). Monkey BCU399 (SEQ ID NO 102) lacks the first 127 amino acids of human BCU399 (SEQ ID NO 100) but shares about 99% amino acid sequence identity to human BCU399 along its entire length of 360 amino acids, with three amino acids different from human BCU399 at about positions 187, 238, and 412 (See Fig 22). Related genes have been identified in human, mouse, and Drosophila. Bcu0399 shares 48% identity with the related full-length human sequence XM_009330; 46% identity with its mouse homolog BC021367; and 41% identity with its fly homolog AE003546. The functions of these homologs are unknown, and all three lack the nucleotide-binding site of BCU399, indicating that they are functionally different from BCU399.

Because of the upregulation of BCU399 in breast cancer tissue, its polynucleotides, polypeptides, and peptides can be used as diagnostic, therapeutic, and research tools in breast cancer. Upregulation can be routinely assessed by, e.g., RT-PCR. Antibodies and other BCU399 ligands can be used to selectively target agents to breast tissue for purposes including, but not limited to, imaging, diagnostic, therapeutics, etc. In addition to its association with breast cancer, BCU399 is also expressed in lymphocytes and in adrenal, brain, kidney, lung, lymph node, breast, muscle, ovary, prostate, stomach, testis, thymus and thyroid tissue.

Imaging of tissues can be facilitated using agents such as BCU399 ligands that can be used to target contrast agents to a specific site in the body. Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET,

SPECT, and scintographic. A reporter agent can be conjugated or associated routinely with a BCU399 ligand. Ultrasound contrast agents combined with ligands such as antibodies are described in, e.g., U.S. Pat. Nos 6,264,917; 6,254,852; 6,245,318; and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate BCU399 and ligands thereof with an agent for any desired purpose.

An active agent can be associated in any manner with a BCU399 ligand that is effective to achieve its delivery to the target. The association of the active agent and the ligand ("coupling") can be direct, e.g., through chemical bonds between the binding ligand and the agent or via a linking agent, or the association can be less direct, e.g., where the active agent is in a liposome, or other carrier, and the ligand is associated with the liposome surface. In such case, the ligand can be oriented in such a way that it is able to bind to BCU399 on the surfaces of breast tissue cells.

BCU399 maps to the chromosomal region 5q14.3. Consistent with its neuronal expression, a susceptibility to febrile seizures (Febrile Convulsions, Familial, 4) was mapped to this same chromosomal locus. Nakayama et al., *Human Molecular Genetics*, 9:87-91, 2000. In addition, several other diseases mapped to this location, including, e.g., Wagner syndrome and Usher syndrome, both disorders involved in eye disease. Black et al., *Ophthalmology*, 106:2074-2081, 1999. Pieke-Dahl et al., *Journal of Medical Genetics*, 37:256-262, 2000. Nucleic acids of the present invention can be used, e.g., as linkage markers, diagnostic targets, and therapeutic targets for any of the mentioned disorders, as well as any disorders or genes mapping in proximity of BCU399.

Its nucleotide binding properties make BCU399 polypeptides useful for assaying nucleotides such as ATP, GTP, etc. Various assay methods can be used, including filtration assays, column chromatography, etc. where labeled BCU399 polypeptides and/or nucleotides are used. BCU399 polypeptides or portions thereof including, e.g., the nucleotide binding motif and other motifs important in nucleotide binding can be used as a capture moiety. Various detection methods can be used. For example, nucleotide binding and relative concentration can be measured spectroscopically (e.g., EPR spectroscopy). BCU399 polypeptides or portions thereof can also be incorporated into column

chromatography resins. After binding to the column resin, nucleotides can be chemically released and measured by commercially available bioluminescence assays (e.g., BioWhittaker ViaLight HS kit). Competitive binding assays can also be utilized, where concentration in an unknown sample is determined by its ability to compete with labeled nucleotide.

Useful human BCU399 polypeptides and corresponding nucleic acids include polypeptides comprising amino acids 1-127, 150-487, 170-200, 230-250, 400-420 and fragments thereof (See SEQ ID NO 100 and Fig. 22). Useful human BCU399 polypeptides and corresponding nucleic acids also include the nucleotide binding motif at about amino acids 53-60; extra-membrane loop sequences at about amino acids 1-105, 129-134, 158-171, 195-230, 254-267, 286-366, 390-457, and 481-487, and the motif for binding proteins, including G-proteins, at about amino acids 63-75 (See SEQ ID NO 100 and Fig. 22). The nucleic acids that code for BCU399 can be used for the generation of, e.g., nucleic acid probes, mutant sequences, including, e.g., chimeric sequences and antisense sequences, by PCR. BCU399 polypeptides and corresponding nucleic acids can be used, e.g., to generate antibodies for distinguishing between the human and monkey forms of BCU399. Its polypeptides and corresponding nucleic acids can be used to generate antibodies to the receptor surface to be used, e.g., as blocking agents in signal transduction pathways. The polypeptides or portions of them may be incorporated into resins for purification of ligands, e.g., G proteins, nucleotides, naturally-occurring ligands. The polypeptides can be used as competitors for ligand binding, e.g., ATP and G proteins, in ligand-binding assays.

BCU399 has several activities, including, e.g., nucleotide binding, ligand binding, signal transduction, phosphorylation, conformational change, etc. By "nucleotide binding" and "ligand binding" is meant the covalent or non-covalent association of a nucleotide, protein, or other molecule with one or more amino acids of BCU399, for example, as described in Merighi et al., *British Journal of Pharmacology*, 134:1215-26, 2001. By "signal transduction" is meant the activation of a chain of events that alters the concentration of one or more small intracellular signaling molecules (second messengers), e.g., cyclic AMP, calcium ions, as described in Sabala et al., *British Journal of Pharmacology*, 132:393-402, 2001. By "phosphorylation" is meant the covalent attachment to an amino acid, e.g., serine, threonine, tyrosine, etc., of a phosphate group

from a nucleotide, e.g., ATP, GTP, etc., by means of a kinase, e.g., PK2, PKC, tyrosine kinase, etc. Hausdorff et al., *FASEB Journal*, 4:2881-2889, 1990. By "conformational change" is meant a change in the tertiary or quaternary structure of a polypeptide.

Ballesteros et al., *Molecular Pharmacology*, 60:1-19, 2001. These activities can be determined routinely. For instance the binding affinity of nucleotides and other ligands can be measured with ligands fused to radioactive or fluorescent markers (e.g., $\gamma^{32}\text{P}$ -ATP or green fluorescent protein) and visualized by phosphorimager analysis or fluorimetry. Signal transduction can be assessed by expression of BCU399 in cells, stimulation by appropriate ligands, e.g., nucleotides such as ATP, GTP, etc., or their analogs, and measurement of the concentrations of elicited second messengers or byproducts, e.g., Ca^{2+} or cAMP, by, e.g., atomic absorption spectrometry (ThermoElemental SOLAAR AA spectrometers), radioimmunoassay, etc. Phosphorylation can be assessed by, e.g., phosphorylation assay systems, (Perkin Elmer FlashPlate Plus). Conformational change can be assessed spectroscopically (circular dichroism, NMR spectroscopy) or using antibodies to specific conformations.

Human Kidins (PC473)

Human Kidins220Pc (kinase D-interacting substrate of 220 kDa) codes for a polypeptide containing 1715 amino acid. The nucleotide and amino acid sequences of Kidins220 are shown in SEQ ID NOS 88 and 89. It contains 11 ANK domains at about amino acid positions 37-66, 70-99, 103-132, 137-166, 170-199, 203-232, 236-265, 269-298, 302-331, 335-364, and 368-399. Four transmembrane domains are located at about amino acid positions 496-518, 525-547, 659- 681, and 688-707. There is a SAM domain at about amino acids 1151-1223. It contains cAMP and cGMP protein kinase phosphorylation site motifs at about 880-883, 901-904, 1250-1253, 1438-1441, and 1524-1527; protein kinase C phosphorylation site motifs at about 167-169, 219-221, 233-235, 381-383, 471-473, 562-564, 590-592, 722-724, 791-793, 904-906, 939-941, 950-952, 998-1000, 1012-1014, 1034-1036, 1180-1182, 1298-1300, 1320-1322, 1351-1353, 1441-1443, 1567-1569, 1677-1679, and 1681-1683; ATP/GTP-binding site motif A (P-loop) at about amino acid positions 467-474; and tyrosine phosphorylation site motifs at 403-409 and 1397-1404. Its N- and C-terminus are cytoplasmic. A UniGene cluster is represented by Hs.9873.

There are several alternative forms of Kidins220Pc (e.g., different sequences as a

result of alternative splicing, etc.). AB033076 (Fig. 20; SEQ ID NOS 91) appears to a complete cDNA having an insertion of about 57 amino acids after human Kidins220Pc residue 1138, as well as containing an addition amino acid residue, Q, at about amino acid position 136. See, Fig. 20. AB033076 also has a six-amino acid extension at its N-terminus, 5 LQLSVK (SEQ ID NO 92), which is not shown. XM_045362 (Fig. 20; SEQ ID NOS 90) is a partial and incomplete EST for human Kidins220Pc, missing from about amino acid 1138. See, Fig. 20. It contains the above-mentioned insertion, making it closer to the AB033076 variant. In addition to the Q residue at position 136, the following sequences (polypeptide and corresponding nucleotide) can be used to distinguish the different forms: 1138-1184 10 (SEQ ID NO 90), 1138-1176(SEQ ID NO 90), 1177-1184 (SEQ ID NO 90), 1138-1194 (SEQ ID NO 91), or 1177-1194 (SEQ ID NO 91).

There are several rat homologs of human Kidins220. AF313464 (Fig. 20; SEQ ID NO 93) shares about 92% amino acid sequence identity and 95% amino acid homology along its entire length. Like the human Kidins220Pcform, this rat homolog does not contain the 15 amino acid insertion present in AB033076, but it does contain the Q residue at 136. AF239045 (Fig. 20; SEQ ID NO 94) is another rat homolog, closer to the AB033076 form, having about 91% amino acid sequence identity and 93% amino acid homology along its entire length to human kidins220Pc. A *C. elegans* homolog is NM_069656 and a *Drosophila* homolog is AE003453.

20 All or part of Kidins220 is located in genomic DNA represented by GenBank ID: AC012495.8 and Contig ID: NT_022194. The present invention relates to any isolated introns and exons that are present in the gene. Intron and exon boundaries can be routinely determined, e.g., using the polypeptide and genomic sequences disclosed herein.

Human Kidins220Pc maps to chromosomal band 2p25.1. Hereditary essential tremor 25 (OMIM 602134) maps to this location. Nucleic acids of the present invention can be used as linkage markers, diagnostic targets, therapeutic targets, for this disorder, as well as any disorders or genes mapping in proximity to it.

Kidins220 was originally identified as a substrate protein kinase D ("PKD"), a serine/threonine kinase regulated by diacylglycerol signaling pathways. See, Iglesias, J. Biol. 30 Chem., 275:40048-40056, 2000. It is phosphorylated by PKD at the serine at position 919, and its first physiologically-occurring substrate. See, Iglesias et al.. Thus, human

Kidin220Pc can be used as a substrate in assays for PKD activity. See, e.g., Iglesias et al. for how such assays can be carried out.

In addition to its association with prostate cancer, Kidins220Pc expression can be affected in other tissues, as well. For example, Iglesias et al. reported that it is expressed at very high levels in the brain and has a role in neurite outgrowth, making it useful for the treatment and analysis of neurodegenerative diseases, including spinal cord injuries, Parkinson's disease, Alzheimer's disease, multiple sclerosis, traumatic head injury, etc. For example, modulation of human kidins220Pc can be utilized to regulate neurite outgrowth and subsequent synaptogenesis.

DEPTA genes

DEPTA-1, -2, and -3 (Pcp409, Pcp461, and Pcp578, respectively) are differentially expressed prostate tumor antigen genes ("DEPTA") that are highly up-regulated in prostate cancers. DEPTA-1 (SEQ ID NO 84) and DEPTA-2 (SEQ ID NO 85) are non-coding transcripts. DEPTA-2 is encoded by three exons. DEPTA-1 is only a single exon and is located in the intron region of DEPTA-2. The present invention relates to the nucleic acid fragments comprising the individual introns and exons of the DEPTA-1/2 cluster. Expression of DEPTA-1 is highly restricted to the prostate, and substantially no other tissues. DEPTA-2 is not as highly restricted to prostate, but is expressed in testis and stomach tissue, as well.

DEPTA-3 codes for a polypeptide containing 139 amino acids. The nucleotide and amino acid sequences of DEPTA-3 are shown in SEQ ID NOS 86 and 87. DEPTA-3 is a highly-charged polypeptide having a putative phosphorylation site at about amino acid residues 49-51. It has homology to other proteins which have binding activity, suggesting that it binds to a nucleic acid or protein binding partner. DEPTA-3 is expressed in normal prostate, as well as kidney, heart, stomach, pancreas, and thyroid.

All or part of DEPTA-3 is located in genomic DNA represented by GenBank ID: AC018601, BAC-ID: RP11-28G15, and Contig ID: NT_0054207. Its 5' end is associated with UniGene cluster Hs.135941. The present invention relates to any isolated introns and exons that are present in the gene. Intron and exon boundaries can be routinely determined, e.g., using the polypeptide and genomic sequences disclosed herein. DEPTA-3 maps to

chromosomal band 2p13.

Other genes

Membrane (i.e., cell-surface) proteins coded for by up-regulated genes (e.g., PCP0816) are useful targets for antibodies and other binding partners (e.g., ligands, aptamers, small peptides, etc.) to selectively target agents to a breast cancer tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. Membrane (e.g., PCP0405 when shed into the blood and other fluid) and extracellular proteins (e.g., PCP0389 or PCP0664) can also be used as diagnostic markers for cancer, and to assess the progress of the disease, e.g., in analogy to how PSA levels are used to diagnose prostate cancer. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly as indicated in Table 1 and 4. Tables 3 and 4 summarize the expression profile of these genes.

Polynucleotides of the present invention can also be used to detect metastatic cells in the blood. For instance, PCP0389, PCP0814, PCP0424, PC0382, PCP0840, PCP0842, PCP0405, PC0177, PCP0677, and PCP0806 are absent from peripheral blood cells, and can therefore be used in diagnostic tests to assess whether prostate cancer cells have metastasized from the primary site.

Polynucleotides of the present invention have been mapped to specific chromosomal bands. Different human disorders are associated with these chromosome locations. See, Tables 2 and 5. The polynucleotides and polypeptides they encode can be used as linkage markers, diagnostic targets, therapeutic targets, for any of the mentioned disorders, as well as any disorders or genes mapping in proximity to them. Of particular interest are those genes which map to cancer loci, such as PCP0749, PCP0814, PCP0816, PCP0405, PCP0459, PCP0677, and PCP0762.

The present invention relates to the complete polynucleotide and polypeptide sequences disclosed herein, as well as fragments thereof. Useful fragments include those which are unique and which do not overlap any known gene (e.g., amino acid residues 1-394 of SEQ ID NO 2 of PCP0749), which overlap with a known sequence (e.g., amino acids

residues 395-1564 of SEQ ID NO 2 of PCP0749, which span alternative splice junctions (e.g., comprising amino acid residues 585-586 of PCP0424A of SEQ ID NO 18), which are unique to a public sequence as indicated in the figures (e.g., e.g., amino acids residues 2149-2265 of NM_133433 of SEQ ID NO 35), which span an alternative splice junction of a public sequence (e.g., 532-533 of NM_005690 of SEQ ID NO 40), etc. Unique sequences can also be described as being specific for a gene because they are characteristic of the gene, but not related genes. The unique or specific sequences included polypeptide sequences, coding nucleotide sequences (e.g., as illustrated in the figures), and non-coding nucleotide sequences.

Below, for illustration, are some examples of polypeptides (included are the polynucleotides which encode them); however, the present invention includes all fragments, especially of the categories mentioned above are exemplified below.

PCP0749 (SEQ ID NO 1-2): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-394, polypeptide fragments thereof, and polynucleotides encoding said polypeptides;

PCP0389 (SEQ ID NO 5-6): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-117, polypeptide fragments thereof, and polynucleotides encoding said polypeptides;

PCP0814 (SEQ ID NO 9-10): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-33, polypeptide fragments thereof, and polynucleotides encoding said polypeptides;

PCP0623 (SEQ ID NO 11-12): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-539, polypeptide fragments thereof, and polynucleotides encoding said polypeptides;

PCP0815 (SEQ ID NO 13-14): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-22, 964-1010, 1011-1041, polypeptide fragments thereof, and polynucleotides encoding said polypeptides;

PCP0840 (SEQ ID NO 15-16): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-129, polypeptide fragments thereof, and polynucleotides encoding said polypeptides;

PCP0424A (SEQ ID NO 17-18): polypeptides comprising, consisting of, or

consisting essentially of about amino acids 1-53, 585-586, 586-611, polypeptide fragments thereof, and polynucleotides encoding said polypeptides;

PCP0424B (SEQ ID NO 19-20): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-53, 585-586, polypeptide fragments thereof, and
5 polynucleotides encoding said polypeptides;

PCP0424C (SEQ ID NO 21-22): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-53, 585-586, polypeptide fragments thereof, and
polynucleotides encoding said polypeptides;

PCP0816 (SEQ ID NO 25-26): polypeptides comprising, consisting of, or consisting
10 essentially of about amino acids 268-317, 623, 992-1013, polypeptide fragments thereof, and
polynucleotides encoding said polypeptides;

PCP0480 (SEQ ID NO 27-28): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-151, 152-171, polypeptide fragments thereof, and
polynucleotides encoding said polypeptides;

15 PC0382 (SEQ ID NO 23-24): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-9, polypeptide fragments thereof, and polynucleotides encoding said polypeptides;

PCP0842 (SEQ ID NO 29-30): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-454, polypeptide fragments thereof, and polynucleotides
20 encoding said polypeptides.

PCP405 (SEQ ID NO 45-46): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-351, 941, polypeptide fragments thereof, and
polynucleotides encoding said polypeptides. PCP405 has high expression in the adrenal
gland, brain and pituitary gland, and codes for a polypeptide which comprises domains
25 characteristic of the attractins and other cell adhesion and guidance proteins. See, e.g., Duke-
Cohan et al., *Proc. Natl. Acad. Sci.*, 95:11336-11341, 1998.

PC0177A (SEQ ID NOS 54-55): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-85, 560-594, 1139-1167, 1167-1168, 1168-
1744, polypeptide fragments thereof, and polynucleotides encoding said polypeptides;

30 PC0177B (SEQ ID NOS 56-57): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-85, 559-560, 1104-1132, 1132-1133, 1132-1709,

polypeptide fragments thereof, and polynucleotides encoding said polypeptides; PC0177C (SEQ ID NOS 58-59): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-85, 559-560, 1104-1132, 1703-1908, polypeptide fragments thereof, and polynucleotides encoding said polypeptides; PC0177D (SEQ ID NOS 60-61): polypeptides
5 comprising, consisting of, or consisting essentially of about amino acids 1-85, 559-560, polypeptide fragments thereof, and polynucleotides encoding said polypeptides. PC0177 comprise coil-coil domains involved in protein interactions.

PCP454A (SEQ ID NO 50-51; Fig. 14): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-1890, polypeptide fragments thereof, and
10 polynucleotides encoding said polypeptides. PCP454B (SEQ ID NOS 48-49) codes for a 577-amino acid polypeptide. This polypeptide comprises a nucleotide binding site which can be used to assay for its activity, e.g., by a filtration-type assay using radioactive ATP or other nucleotides. Nucleotide binding can also be used to purify the polypeptide, e.g., using a column comprising a nucleotide. PCP454A and B are contiguous, and a transcript has also
15 been detected (SEQ ID NO 47) which comprises both open reading frames, where 454B is in the 5' region, and about 2 kb down from it is 454A.

PCP0557 (SEQ ID 62-63): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-237, polypeptide fragments thereof, and polynucleotides encoding said polypeptides. PCP0557 polypeptide has a phosphoacceptor domain indicating
20 that it is involved in signal transduction. This domain (e.g., amino acids 565-620) can be used as a substrate in kinase assays, e.g., as described in Kemp et al., "Design and use of peptide substrates for protein kinases," *Methods in Enzymol.*, 200:121-34, 1991; Wang et al., "Identification of the major site of rat prolactin phosphorylation as serine 177," *J. Biol. Chem.*, 271:2462-9, 1996; Yasuda et al., "A synthetic peptide substrate for selective assay of
25 protein kinase C," *Biochem. Biophys. Res. Comm.*, 166:1220-7, 1990; Gonzalez et al., "Use of the synthetic peptide neurogranin(28-43) as a selective protein kinase C substrate in assays of tissue homogenates," *Anal. Biochem.*, 215:184-9, 1993; Parker et al., "Development of high throughput screening assays using fluorescence polarization: nuclear receptor-ligand-binding and kinase/phosphatase assays," *J. Biomol. Screen.*, 5:77-88, April 2000. See, also,
30 U.S. Pat. Nos. 6,203,994, 6,074,861, 6,066,462, 6,004,757, and 5,741,689.

PCP0762 (SEQ ID NO 68-69): polypeptides comprising, consisting of, or consisting

essentially of about amino acids 82-86, 113-221, polypeptide fragments thereof, and polynucleotides encoding said polypeptides. It contains a SCAN domain involved in transcriptional regulation.

5 PCP0806 (SEQ ID NO 70-71): polypeptides comprising, consisting of, or consisting essentially of about amino acids 31-32, polypeptide fragments thereof, and polynucleotides encoding said polypeptides. PC0806 is in an intracellular protein that shows high expression in lung, pancreas, prostate, and stomach.

10 PCP0815A (SEQ ID NO 72-73): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-24, 131-1005, 744, polypeptide fragments thereof, and polynucleotides encoding said polypeptides; PCP0815C (SEQ ID NO 74-75): polypeptides comprising, consisting of, or consisting essentially of about amino acids 1-24, polypeptide fragments thereof, and polynucleotides encoding said polypeptides. The gene is expressed in many tissues, but is highest in brain and pituitary. PCP0815A comprises seven zinc finger domains, indicating that it is a transcriptional regulator. PCP0815C is missing
15 these transcriptional domains, indicating that it can be a regulator (e.g., a negative regulator) of PCP0815A.

20 PCP0664 (SEQ ID NO 64-65) is a 122 amino acid polypeptide comprising an N-terminal hydrophobic region. It has a signal peptide cleavage site at about between amino acids 18 and 19, indicating that it can be a secreted molecule.

Nucleic acids

A mammalian polynucleotide, or fragment thereof, of the present invention is a polynucleotide having a nucleotide sequence obtainable from a natural source. When the species name is used, e.g., a human, it indicates that the polynucleotide or polypeptide is
25 obtainable from a natural source. It therefore includes naturally-occurring normal, naturally-occurring mutant, and naturally-occurring polymorphic alleles (e.g., SNPs), differentially-spliced transcripts, splice-variants, etc. By the term "naturally-occurring," it is meant that the polynucleotide is obtainable from a natural source, e.g., animal tissue and cells, body fluids, tissue culture cells, forensic samples. Natural sources include, e.g., living cells obtained from
30 tissues and whole organisms, tumors, cultured cell lines, including primary and immortalized cell lines. Naturally-occurring mutations can include deletions (e.g., a truncated amino- or

carboxy-terminus), substitutions, inversions, or additions of nucleotide sequence. These genes can be detected and isolated by polynucleotide hybridization according to methods which one skilled in the art would know, e.g., as discussed below.

A polynucleotide according to the present invention can be obtained from a variety of
5 different sources. It can be obtained from DNA or RNA, such as polyadenylated mRNA or total RNA, e.g., isolated from tissues, cells, or whole organism. The polynucleotide can be obtained directly from DNA or RNA, from a cDNA library, from a genomic library, etc. The polynucleotide can be obtained from a cell or tissue (e.g., from an embryonic or adult tissues) at a particular stage of development, having a desired genotype, phenotype, disease status,
10 etc. A polynucleotide which "codes without interruption" refers to a polynucleotide having a continuous open reading frame ("ORF") as compared to an ORF which is interrupted by introns or other noncoding sequences.

Polynucleotides and polypeptides (including any part of a differentially regulated cancer gene) can be excluded as compositions from the present invention if, e.g., listed in a
15 publicly available databases on the day this application was filed and/or disclosed in a patent application having an earlier filing or priority date than this application and/or conceived and/or reduced to practice earlier than a polynucleotide in this application.

As described herein, the phrase "an isolated polynucleotide which is SEQ ID NO," or "an isolated polynucleotide which is selected from SEQ ID NO," refers to an isolated nucleic
20 acid molecule from which the recited sequence was derived (e.g., a cDNA derived from mRNA; cDNA derived from genomic DNA). Because of sequencing errors, typographical errors, etc., the actual naturally-occurring sequence may differ from a SEQ ID listed herein. Thus, the phrase indicates the specific molecule from which the sequence was derived, rather than a molecule having that exact recited nucleotide sequence, analogously to how a culture
25 depository number refers to a specific cloned fragment in a cryotube.

As explained in more detail below, a polynucleotide sequence of the invention can contain the complete sequence as shown in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99, degenerate sequences thereof, anti-sense, muteins thereof, genes comprising said
30 sequences, full-length cDNAs comprising said sequences, complete genomic sequences,

fragments thereof, homologs, primers, nucleic acid molecules which hybridize thereto, derivatives thereof, etc.

Genomic

5 The present invention also relates genomic DNA from which the polynucleotides of the present invention can be derived. A genomic DNA coding for a human, mouse, or other mammalian polynucleotide, can be obtained routinely, for example, by screening a genomic library (e.g., a YAC library) with a polynucleotide of the present invention, or by searching nucleotide databases, such as GenBank and EMBL, for matches. Promoter and other
10 regulatory regions (including both 5' and 3' regions, as well introns) can be identified upstream or downstream of coding and expressed RNAs, and assayed routinely for activity, e.g., by joining to a reporter gene (e.g., CAT, GFP, alkaline phosphatase, luciferase, galactosidase). A promoter obtained from a differentially regulated cancer gene can be used, e.g., in gene therapy to obtain tissue-specific expression of a heterologous gene (e.g., coding
15 for a therapeutic product or cytotoxin). 5' and 3' sequences (including, UTRs and introns) can be used to modulate or regulate stability, transcription, and translation of nucleic acids, including the sequence to which is attached in nature, as well as heterologous nucleic acids.

Constructs

20 A polynucleotide of the present invention can comprise additional polynucleotide sequences, e.g., sequences to enhance expression, detection, uptake, cataloging, tagging, etc. A polynucleotide can include only coding sequence; a coding sequence and additional non-naturally occurring or heterologous coding sequence (e.g., sequences coding for leader, signal, secretory, targeting, enzymatic, fluorescent, antibiotic resistance, and other functional
25 or diagnostic peptides); coding sequences and non-coding sequences, e.g., untranslated sequences at either a 5' or 3' end, or dispersed in the coding sequence, e.g., introns.

 A polynucleotide according to the present invention also can comprise an expression control sequence operably linked to a polynucleotide as described above. The phrase
"expression control sequence" means a polynucleotide sequence that regulates expression of
30 a polypeptide coded for by a polynucleotide to which it is functionally ("operably") linked. Expression can be regulated at the level of the mRNA or polypeptide. Thus, the expression

control sequence includes mRNA-related elements and protein-related elements. Such elements include promoters, enhancers (viral or cellular), ribosome binding sequences, transcriptional terminators, etc. An expression control sequence is operably linked to a nucleotide coding sequence when the expression control sequence is positioned in such a manner to effect or achieve expression of the coding sequence. For example, when a promoter is operably linked 5' to a coding sequence, expression of the coding sequence is driven by the promoter. Expression control sequences can include an initiation codon and additional nucleotides to place a partial nucleotide sequence of the present invention in-frame in order to produce a polypeptide (e.g., pET vectors from Promega have been designed to permit a molecule to be inserted into all three reading frames to identify the one that results in polypeptide expression). Expression control sequences can be heterologous or endogenous to the normal gene.

A polynucleotide of the present invention can also comprise nucleic acid vector sequences, e.g., for cloning, expression, amplification, selection, etc. Any effective vector can be used. A vector is, e.g., a polynucleotide molecule which can replicate autonomously in a host cell, e.g., containing an origin of replication. Vectors can be useful to perform manipulations, to propagate, and/or obtain large quantities of the recombinant molecule in a desired host. A skilled worker can select a vector depending on the purpose desired, e.g., to propagate the recombinant molecule in bacteria, yeast, insect, or mammalian cells. The following vectors are provided by way of example. Bacterial: pQE70, pQE60, pQE-9 (Qiagen), pBS, pD10, Phagescript, phiX174, pBK Phagemid, pNH8A, pNH16a, pNH18Z, pNH46A (Stratagene); Bluescript KS+II (Stratagene); ptrc99a, pKK223-3, pKK233-3, pDR54 0, pRIT5 (Pharmacia). Eukaryotic: PWLNEO, pSV2CAT, pOG44, pXT1, pSG (Stratagene), pSVK3, PBPV, PMSG, pSVL (Pharmacia), pCR2.1/TOPO, pCRII/TOPO, pCR4/TOPO, pTrcHisB, pCMV6-XL4, etc. However, any other vector, e.g., plasmids, viruses, or parts thereof, may be used as long as they are replicable and viable in the desired host. The vector can also comprise sequences which enable it to replicate in the host whose genome is to be modified.

30 Hybridization

Polynucleotide hybridization, as discussed in more detail below, is useful in a variety of applications, including, in gene detection methods, for identifying mutations, for making mutations, to identify homologs in the same and different species, to identify related members of the same gene family, in diagnostic and prognostic assays, in therapeutic applications (e.g., where an antisense polynucleotide is used to inhibit expression), etc.

The ability of two single-stranded polynucleotide preparations to hybridize together is a measure of their nucleotide sequence complementarity, e.g., base-pairing between nucleotides, such as A-T, G-C, etc. The invention thus also relates to polynucleotides, and their complements, which hybridize to a polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99 and genomic sequences thereof. A nucleotide sequence hybridizing to the latter sequence will have a complementary polynucleotide strand, or act as a template for one in the presence of a polymerase (i.e., an appropriate polynucleotide synthesizing enzyme). The present invention includes both strands of polynucleotide, e.g., a sense strand and an anti-sense strand.

Hybridization conditions can be chosen to select polynucleotides which have a desired amount of nucleotide complementarity with the nucleotide sequences set forth in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99 and genomic sequences thereof. A polynucleotide capable of hybridizing to such sequence, preferably, possesses, e.g., about 70%, 75%, 80%, 85%, 87%, 90%, 92%, 95%, 97%, 99%, or 100% complementarity, between the sequences. The present invention particularly relates to polynucleotide sequences which hybridize to the nucleotide sequences set forth in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99 or genomic sequences thereof, under low or high stringency conditions. These conditions can be used, e.g., to select corresponding homologs in non-human species.

Polynucleotides which hybridize to polynucleotides of the present invention can be selected in various ways. Filter-type blots (i.e., matrices containing polynucleotide, such as nitrocellulose), glass chips, and other matrices and substrates comprising polynucleotides (short or long) of interest, can be incubated in a prehybridization solution (e.g., 6X SSC,

0.5% SDS, 100 µg/ml denatured salmon sperm DNA, 5X Denhardt's solution, and 50% formamide), at 22-68°C, overnight, and then hybridized with a detectable polynucleotide probe under conditions appropriate to achieve the desired stringency. In general, when high
5 the homology drops, lower washing temperatures are used. For salt concentrations, the lower the salt concentration, the higher the stringency. The length of the probe is another consideration. Very short probes (e.g., less than 100 base pairs) are washed at lower temperatures, even if the homology is high. With short probes, formamide can be omitted. See, e.g., *Current Protocols in Molecular Biology*, Chapter 6, Screening of Recombinant
10 Libraries; Sambrook et al., *Molecular Cloning*, 1989, Chapter 9.

For instance, high stringency conditions can be achieved by incubating the blot overnight (e.g., at least 12 hours) with a polynucleotide probe in a hybridization solution containing, e.g., about 5X SSC, 0.5% SDS, 100 µg/ml denatured salmon sperm DNA and
15 50% formamide, at 42°C, or hybridizing at 42°C in 5X SSPE, 0.5% SDS, and 50% formamide, 100 µg/ml denatured salmon sperm DNA, and washing at 65°C in 0.1% SSC and 0.1% SDS.

Blots can be washed at high stringency conditions that allow, e.g., for less than 5% bp mismatch (e.g., wash twice in 0.1% SSC and 0.1% SDS for 30 min at 65°C), i.e., selecting sequences having 95% or greater sequence identity.

20 Other non-limiting examples of high stringency conditions includes a final wash at 65°C in aqueous buffer containing 30 mM NaCl and 0.5% SDS. Another example of high stringent conditions is hybridization in 7% SDS, 0.5 M NaPO₄, pH 7, 1 mM EDTA at 50°C, e.g., overnight, followed by one or more washes with a 1% SDS solution at 42°C. Whereas high stringency washes can allow for, e.g., less than 10%, less than 5% mismatch,
25 etc., reduced or low stringency conditions can permit up to 20% nucleotide mismatch. Hybridization at low stringency can be accomplished as above, but using lower formamide conditions, lower temperatures and/or lower salt concentrations, as well as longer periods of incubation time.

30 Hybridization can also be based on a calculation of melting temperature (T_m) of the hybrid formed between the probe and its target, as described in Sambrook et al.. Generally, the temperature T_m at which a short oligonucleotide (containing 18 nucleotides or fewer)

will melt from its target sequence is given by the following equation: $T_m = (\text{number of A's and T's}) \times 2^\circ\text{C} + (\text{number of C's and G's}) \times 4^\circ\text{C}$. For longer molecules, $T_m = 81.5 + 16.6 \log_{10}[\text{Na}^+] + 0.41(\%GC) - 600/N$ where $[\text{Na}^+]$ is the molar concentration of sodium ions, %GC is the percentage of GC base pairs in the probe, and N is the length. Hybridization can
5 be carried out at several degrees below this temperature to ensure that the probe and target can hybridize. Mismatches can be allowed for by lowering the temperature even further.

Stringent conditions can be selected to isolate sequences, and their complements, which have, e.g., at least about 90%, 95%, 97%, or more, etc., nucleotide complementarity between the probe (e.g., a short polynucleotide of SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17,
10 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99 or genomic sequences thereof) and a target polynucleotide.

Other homologs of polynucleotides of the present invention can be obtained from mammalian and non-mammalian sources according to various methods. For example, hybridization with a polynucleotide can be employed to select homologs, e.g., as described in
15 Sambrook et al., *Molecular Cloning*, Chapter 11, 1989. Such homologs can have varying amounts of nucleotide and amino acid sequence identity and similarity to such polynucleotides of the present invention. Mammalian organisms include, e.g., mice, rats, monkeys, pigs, cows, etc. Non-mammalian organisms include, e.g., vertebrates, invertebrates, zebra fish, chicken, *Drosophila*, *C. elegans*, *Xenopus*, yeast such as *S. pombe*,
20 *S. cerevisiae*, roundworms, prokaryotes, plants, *Arabidopsis*, *artemia*, viruses, etc. The degree of nucleotide sequence identity between human and mouse can be about, e.g. 70% or more, 85% or more for open reading frames, etc.

Alignment

Alignments can be accomplished by using any effective algorithm. For pairwise
25 alignments of DNA sequences, the methods described by Wilbur-Lipman (e.g., Wilbur and Lipman, *Proc. Natl. Acad. Sci.*, 80:726-730, 1983) or Martinez/Needleman-Wunsch (e.g., Martinez, *Nucleic Acid Res.*, 11:4629-4634, 1983) can be used. For instance, if the Martinez/Needleman-Wunsch DNA alignment is applied, the minimum match can be set at
30 9, gap penalty at 1.10, and gap length penalty at 0.33. The results can be calculated as a similarity index, equal to the sum of the matching residues divided by the sum of all residues

and gap characters, and then multiplied by 100 to express as a percent. Similarity index for related genes at the nucleotide level in accordance with the present invention can be greater than 70%, 80%, 85%, 90%, 95%, 99%, or more. Pairs of protein sequences can be aligned by the Lipman-Pearson method (e.g., Lipman and Pearson, *Science*, 227:1435-1441, 1985) with k-tuple set at 2, gap penalty set at 4, and gap length penalty set at 12. Results can be expressed as percent similarity index, where related genes at the amino acid level in accordance with the present invention can be greater than 65%, 70%, 75%, 80%, 85%, 90%, 95%, 99%, or more. Various commercial and free sources of alignment programs are available, e.g., MegAlign by DNA Star, BLAST (National Center for Biotechnology Information), BCM (Baylor College of Medicine) Launcher, etc. BLAST can be used to calculate amino acid sequence identity, amino acid sequence homology, and nucleotide sequence identity. These calculations can be made along the entire length of each of the target sequences which are to be compared.

After two sequences have been aligned, a "percent sequence identity" can be determined. For these purposes, it is convenient to refer to a Reference Sequence and a Compared Sequence, where the Compared Sequence is *compared* to the Reference Sequence. Percent sequence identity can be determined according to the following formula: Percent Identity = $100 [1 - (C/R)]$, wherein C is the number of differences between the Reference Sequence and the Compared Sequence over the length of alignment between the Reference Sequence and the Compared Sequence where (i) each base or amino acid in the Reference Sequence that does not have a corresponding aligned base or amino acid in the Compared Sequence, (ii) each gap in the Reference Sequence, (iii) each aligned base or amino acid in the Reference Sequence that is different from an aligned base or amino acid in the Compared Sequence, constitutes a difference; and R is the number of bases or amino acids in the Reference Sequence over the length of the alignment with the Compared Sequence with any gap created in the Reference Sequence also being counted as a base or amino acid.

Percent sequence identity can also be determined by other conventional methods, e.g., as described in Altschul et al., *Bull. Math. Bio.* 48: 603-616, 1986 and Henikoff and Henikoff, *Proc. Natl. Acad. Sci. USA* 89:10915-10919, 1992.

Specific polynucleotide probes

A polynucleotide of the present invention can comprise any continuous nucleotide sequence of SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99, sequences which share sequence identity thereto, or complements thereof. The term "probe" refers to any substance that can be used to detect, identify, isolate, etc., another substance. A polynucleotide probe is comprised of nucleic acid can be used to detect, identify, etc., other nucleic acids, such as DNA and RNA.

These polynucleotides can be of any desired size that is effective to achieve the specificity desired. For example, a probe can be from about 7 or 8 nucleotides to several thousand nucleotides, depending upon its use and purpose. For instance, a probe used as a primer PCR can be shorter than a probe used in an ordered array of polynucleotide probes. Probe sizes vary, and the invention is not limited in any way by their size, e.g., probes can be from about 7-2000 nucleotides, 7-1000, 8-700, 8-600, 8-500, 8-400, 8-300, 8-150, 8-100, 8-75, 7-50, 10-25, 14-16, at least about 8, at least about 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, or more, etc. The polynucleotides can have non-naturally-occurring nucleotides, e.g., inosine, AZT, 3TC, etc. The polynucleotides can have 100% sequence identity or complementarity to a sequence of SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99, or it can have mismatches or nucleotide substitutions, e.g., 1, 2, 3, 4, or 5 substitutions. The probes can be single-stranded or double-stranded.

In accordance with the present invention, a polynucleotide can be present in a kit, where the kit includes, e.g., one or more polynucleotides, a desired buffer (e.g., phosphate, tris, etc.), detection compositions, RNA or cDNA from different tissues to be used as controls, libraries, etc. The polynucleotide can be labeled or unlabeled, with radioactive or non-radioactive labels as known in the art. Kits can comprise one or more pairs of polynucleotides for amplifying nucleic acids specific for differentially regulated cancer genes, e.g., comprising a forward and reverse primer effective in PCR. These include both sense and anti-sense orientations. For instance, in PCR-based methods (such as RT-PCR), a pair of primers are typically used, one having a sense sequence and the other having an antisense sequence.

Another aspect of the present invention is a nucleotide sequence that is specific to, or for, a selective polynucleotide. The phrases "specific for" or "specific to" a polynucleotide have a functional meaning that the polynucleotide can be used to identify the presence of one or more target genes in a sample and distinguish them from non-target genes. It is specific in the sense that it can be used to detect polynucleotides above background noise ("non-specific binding"). A specific sequence is a defined order of nucleotides (or amino acid sequences, if it is a polypeptide sequence) which occurs in the polynucleotide, e.g., in the nucleotide sequences of SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99, and which is characteristic of that target sequence, and substantially no non-target sequences. A probe or mixture of probes can comprise a sequence or sequences that are specific to a plurality of target sequences, e.g., where the sequence is a consensus sequence, a functional domain, etc., e.g., capable of recognizing a family of related genes. Such sequences can be used as probes in any of the methods described herein or incorporated by reference. Both sense and antisense nucleotide sequences are included. A specific polynucleotide according to the present invention can be determined routinely.

A polynucleotide comprising a specific sequence can be used as a hybridization probe to identify the presence of, e.g., human or mouse polynucleotide, in a sample comprising a mixture of polynucleotides, e.g., on a Northern blot. Hybridization can be performed under high stringent conditions (see, above) to select polynucleotides (and their complements which can contain the coding sequence) having at least 90%, 95%, 99%, etc., identity (i.e., complementarity) to the probe, but less stringent conditions can also be used. A specific polynucleotide sequence can also be fused in-frame, at either its 5' or 3' end, to various nucleotide sequences as mentioned throughout the patent, including coding sequences for enzymes, detectable markers, GFP, etc, expression control sequences, etc.

A polynucleotide probe, especially one that is specific to a polynucleotide of the present invention, can be used in gene detection and hybridization methods as already described. In one embodiment, a specific polynucleotide probe can be used to detect whether a particular tissue or cell-type is present in a target sample. To carry out such a method, a selective polynucleotide can be chosen which is characteristic of the desired target tissue. Such polynucleotide is preferably chosen so that it is expressed or displayed in the

target tissue, but not in other tissues which are present in the sample. For instance, if detection of prostate or breast cancer is desired, it may not matter whether the selective polynucleotide is expressed in other tissues, as long as it is not expressed in cells normally present in blood, e.g., peripheral blood mononuclear cells. Starting from the selective
5 polynucleotide, a specific polynucleotide probe can be designed which hybridizes (if hybridization is the basis of the assay) under the hybridization conditions to the selective polynucleotide, whereby the presence of the selective polynucleotide can be determined.

Probes which are specific for polynucleotides of the present invention can also be prepared using involve transcription-based systems, e.g., incorporating an RNA polymerase
10 promoter into a selective polynucleotide of the present invention, and then transcribing anti-sense RNA using the polynucleotide as a template. See, e.g., U.S. Pat. No. 5,545,522.

Polynucleotide composition

A polynucleotide according to the present invention can comprise, e.g., DNA, RNA,
15 synthetic polynucleotide, peptide polynucleotide, modified nucleotides, dsDNA, ssDNA, ssRNA, dsRNA, and mixtures thereof. A polynucleotide can be single- or double-stranded, triplex, DNA:RNA, duplexes, comprise hairpins, and other secondary structures, etc. Nucleotides comprising a polynucleotide can be joined via various known linkages, e.g., ester, sulfamate, sulfamide, phosphorothioate, phosphoramidate, methylphosphonate,
20 carbamate, etc., depending on the desired purpose, e.g., resistance to nucleases, such as RNase H, improved in vivo stability, etc. See, e.g., U.S. Pat. No. 5,378,825. Any desired nucleotide or nucleotide analog can be incorporated, e.g., 6-mercaptoguanine, 8-oxo-guanine, etc.

Various modifications can be made to the polynucleotides, such as attaching
25 detectable markers (avidin, biotin, radioactive elements, fluorescent tags and dyes, energy transfer labels, energy-emitting labels, binding partners, etc.) or moieties which improve hybridization, detection, and/or stability. The polynucleotides can also be attached to solid supports, e.g., nitrocellulose, magnetic or paramagnetic microspheres (e.g., as described in U.S. Pat. No. 5,411,863; U.S. Pat. No. 5,543,289; for instance, comprising ferromagnetic,
30 supermagnetic, paramagnetic, superparamagnetic, iron oxide and polysaccharide), nylon,

agarose, diazotized cellulose, latex solid microspheres, polyacrylamides, etc., according to a desired method. See, e.g., U.S. Pat. Nos. 5,470,967, 5,476,925, and 5,478,893.

Polynucleotide according to the present invention can be labeled according to any desired method. The polynucleotide can be labeled using radioactive tracers such as ^{32}P , ^{35}S , ^3H , or ^{14}C , to mention some commonly used tracers. The radioactive labeling can be carried out according to any method, such as, for example, terminal labeling at the 3' or 5' end using a radiolabeled nucleotide, polynucleotide kinase (with or without dephosphorylation with a phosphatase) or a ligase (depending on the end to be labeled). A non-radioactive labeling can also be used, combining a polynucleotide of the present invention with residues having immunological properties (antigens, haptens), a specific affinity for certain reagents (ligands), properties enabling detectable enzyme reactions to be completed (enzymes or coenzymes, enzyme substrates, or other substances involved in an enzymatic reaction), or characteristic physical properties, such as fluorescence or the emission or absorption of light at a desired wavelength, etc.

Nucleic acid detection methods

Another aspect of the present invention relates to methods and processes for detecting differentially regulated cancer genes. Detection methods have a variety of applications, including for diagnostic, prognostic, forensic, and research applications. To accomplish gene detection, a polynucleotide in accordance with the present invention can be used as a "probe." The term "probe" or "polynucleotide probe" has its customary meaning in the art, e.g., a polynucleotide which is effective to identify (e.g., by hybridization), when used in an appropriate process, the presence of a target polynucleotide to which it is designed. Identification can involve simply determining presence or absence, or it can be quantitative, e.g., in assessing amounts of a gene or gene transcript present in a sample. Probes can be useful in a variety of ways, such as for diagnostic purposes, to identify homologs, and to detect, quantitate, or isolate a polynucleotide of the present invention in a test sample.

Assays can be utilized which permit quantification and/or presence/absence detection of a target nucleic acid in a sample. Assays can be performed at the single-cell level, or in a sample comprising many cells, where the assay is "averaging" expression over the entire collection of cells and tissue present in the sample. Any suitable assay format can be used,

including, but not limited to, e.g., Southern blot analysis, Northern blot analysis, polymerase chain reaction ("PCR") (e.g., Saiki et al., *Science*, 241:53, 1988; U.S. Pat. Nos. 4,683,195, 4,683,202, and 6,040,166; *PCR Protocols: A Guide to Methods and Applications*, Innis et al., eds., Academic Press, New York, 1990), reverse transcriptase polymerase chain reaction ("RT-PCR"), anchored PCR, rapid amplification of cDNA ends ("RACE") (e.g., Schaefer in *Gene Cloning and Analysis: Current Innovations*, Pages 99-115, 1997), ligase chain reaction ("LCR") (EP 320 308), one-sided PCR (Ohara et al., *Proc. Natl. Acad. Sci.*, 86:5673-5677, 1989), indexing methods (e.g., U.S. Pat. No. 5,508,169), *in situ* hybridization, differential display (e.g., Liang et al., *Nucl. Acid. Res.*, 21:3269-3275, 1993; U.S. Pat. Nos. 5,262,311, 5,599,672 and 5,965,409; WO97/18454; Prashar and Weissman, *Proc. Natl. Acad. Sci.*, 93:659-663, and U.S. Pat. Nos. 6,010,850 and 5,712,126; Welsh et al., *Nucleic Acid Res.*, 20:4965-4970, 1992, and U.S. Pat. No. 5,487,985) and other RNA fingerprinting techniques, nucleic acid sequence based amplification ("NASBA") and other transcription based amplification systems (e.g., U.S. Pat. Nos. 5,409,818 and 5,554,527; WO 88/10315), polynucleotide arrays (e.g., U.S. Pat. Nos. 5,143,854, 5,424,186; 5,700,637, 5,874,219, and 6,054,270; PCT WO 92/10092; PCT WO 90/15070), Qbeta Replicase (PCT/US87/00880), Strand Displacement Amplification ("SDA"), Repair Chain Reaction ("RCR"), nuclease protection assays, subtraction-based methods, Rapid-Scan™, etc. Additional useful methods include, but are not limited to, e.g., template-based amplification methods, competitive PCR (e.g., U.S. Pat. No. 5,747,251), redox-based assays (e.g., U.S. Pat. No. 5,871,918), Taqman-based assays (e.g., Holland et al., *Proc. Natl. Acad. Sci.*, 88:7276-7280, 1991; U.S. Pat. Nos. 5,210,015 and 5,994,063), real-time fluorescence-based monitoring (e.g., U.S. Pat. 5,928,907), molecular energy transfer labels (e.g., U.S. Pat. Nos. 5,348,853, 5,532,129, 5,565,322, 6,030,787, and 6,117,635; Tyagi and Kramer, *Nature Biotech.*, 14:303-309, 1996). Any method suitable for single cell analysis of gene or protein expression can be used, including *in situ* hybridization, immunocytochemistry, MACS, FACS, flow cytometry, etc. For single cell assays, expression products can be measured using antibodies, PCR, or other types of nucleic acid amplification (e.g., Brady et al., *Methods Mol. & Cell. Biol.* 2, 17-25, 1990; Eberwine et al., 1992, *Proc. Natl. Acad. Sci.*, 89, 3010-3014, 1992; U.S. Pat. No. 5,723,290). These and other methods can be carried out conventionally, e.g., as described in the mentioned publications.

Many of such methods may require that the polynucleotide is labeled, or comprises a particular nucleotide type useful for detection. The present invention includes such modified polynucleotides that are necessary to carry out such methods. Thus, polynucleotides can be DNA, RNA, DNA:RNA hybrids, PNA, etc., and can comprise any modification or
5 substituent which is effective to achieve detection.

Detection can be desirable for a variety of different purposes, including research, diagnostic, prognostic, and forensic. For diagnostic purposes, it may be desirable to identify the presence or quantity of a polynucleotide sequence in a sample, where the sample is obtained from tissue, cells, body fluids, etc. In a preferred method as described in more
10 detail below, the present invention relates to a method of detecting a polynucleotide comprising, contacting a target polynucleotide in a test sample with a polynucleotide probe under conditions effective to achieve hybridization between the target and probe; and detecting hybridization.

Any test sample in which it is desired to identify a polynucleotide or polypeptide
15 thereof can be used, including, e.g., blood, urine, saliva, stool (for extracting nucleic acid, see, e.g., U.S. Pat. No. 6,177,251), swabs comprising tissue, biopsied tissue, tissue sections, cultured cells, etc.

Polynucleotides can be used in wide range of methods and compositions, including for detecting, diagnosing, staging, grading, assessing, prognosticating, etc. diseases and
20 disorders associated with differentially regulated cancer genes, for monitoring or assessing therapeutic and/or preventative measures, in ordered arrays, etc. Any method of detecting genes and polynucleotides can be used; certainly, the present invention is not to be limited how such methods are implemented.

Along these lines, the present invention relates to methods of detecting differentially
25 regulated cancer genes in a sample comprising nucleic acid. Such methods can comprise one or more the following steps in any effective order, e.g., contacting said sample with a polynucleotide probe under conditions effective for said probe to hybridize specifically to nucleic acid in said sample, and detecting the presence or absence of probe hybridized to nucleic acid in said sample, wherein said probe is a polynucleotide which is selected from
30 SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99, a polynucleotide having, e.g.,

about 70%, 80%, 85%, 90%, 95%, 99%, or more sequence identity thereto, effective or specific fragments thereof, or complements thereto. The detection method can be applied to any sample, e.g., cultured primary, secondary, or established cell lines, tissue biopsy, blood, urine, stool, cerebral spinal fluid, and other bodily fluids, for any purpose.

5 Contacting the sample with probe can be carried out by any effective means in any effective environment. It can be accomplished in a solid, liquid, frozen, gaseous, amorphous, solidified, coagulated, colloid, etc., mixtures thereof, matrix. For instance, a probe in an aqueous medium can be contacted with a sample which is also in an aqueous medium, or which is affixed to a solid matrix, or vice-versa.

10 Generally, as used throughout the specification, the term "effective conditions" means, e.g., the particular milieu in which the desired effect is achieved. Such a milieu, includes, e.g., appropriate buffers, oxidizing agents, reducing agents, pH, co-factors, temperature, ion concentrations, suitable age and/or stage of cell (such as, in particular part of the cell cycle, or at a particular stage where particular genes are being expressed) where cells
15 are being used, culture conditions (including substrate, oxygen, carbon dioxide, etc.). When hybridization is the chosen means of achieving detection, the probe and sample can be combined such that the resulting conditions are functional for said probe to hybridize specifically to nucleic acid in said sample.

 The phrase "hybridize specifically" indicates that the hybridization between single-
20 stranded polynucleotides is based on nucleotide sequence complementarity. The effective conditions are selected such that the probe hybridizes to a preselected and/or definite target nucleic acid in the sample. For instance, if detection of a polynucleotide set forth in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99 is desired, a probe can be selected which
25 can hybridize to such target gene under high stringent conditions, without significant hybridization to other genes in the sample. To detect homologs of a polynucleotide set forth in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99, the effective hybridization conditions can be less stringent, and/or the probe can comprise codon degeneracy, such that a
30 homolog is detected in the sample.

As already mentioned, the methods can be carried out by any effective process, e.g., by Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, *in situ* hybridization, etc., as indicated above. When PCR based techniques are used, two or more probes are generally used. One probe can be specific for a defined
5 sequence which is characteristic of a selective polynucleotide, but the other probe can be specific for the selective polynucleotide, or specific for a more general sequence, e.g., a sequence such as polyA which is characteristic of mRNA, a sequence which is specific for a promoter, ribosome binding site, or other transcriptional features, a consensus sequence (e.g., representing a functional domain). For the former aspects, 5' and 3' probes (e.g., polyA,
10 Kozak, etc.) are preferred which are capable of specifically hybridizing to the ends of transcripts. When PCR is utilized, the probes can also be referred to as "primers" in that they can prime a DNA polymerase reaction.

In addition to testing for the presence or absence of polynucleotides, the present invention also relates to determining the amounts at which polynucleotides of the present
15 invention are expressed in sample and determining the differential expression of such polynucleotides in samples.. Such methods can involve substantially the same steps as described above for presence/absence detection, e.g., contacting with probe, hybridizing, and detecting hybridized probe, but using more quantitative methods and/or comparisons to standards.

20 The amount of hybridization between the probe and target can be determined by any suitable methods, e.g., PCR, RT-PCR, RACE PCR, Northern blot, polynucleotide microarrays, Rapid-Scan, etc., and includes both quantitative and qualitative measurements. For further details, see the hybridization methods described above and below. Determining by such hybridization whether the target is differentially expressed (e.g., up-regulated or
25 down-regulated) in the sample can also be accomplished by any effective means. For instance, the target's expression pattern in the sample can be compared to its pattern in a known standard, such as in a normal tissue, or it can be compared to another gene in the same sample. When a second sample is utilized for the comparison, it can be a sample of normal tissue that is known not to contain diseased cells. The comparison can be performed on
30 samples which contain the same amount of RNA (such as polyadenylated RNA or total RNA), or, on RNA extracted from the same amounts of starting tissue. Such a second

sample can also be referred to as a control or standard. Hybridization can also be compared to a second target in the same tissue sample. Experiments can be performed that determine a ratio between the target nucleic acid and a second nucleic acid (a standard or control), e.g., in a normal tissue. When the ratio between the target and control are substantially the same in a normal and sample, the sample is determined or diagnosed not to contain cells. However, if the ratio is different between the normal and sample tissues, the sample is determined to contain cancer cells. The approaches can be combined, and one or more second samples, or second targets can be used. Any second target nucleic acid can be used as a comparison, including "housekeeping" genes, such as beta-actin, alcohol dehydrogenase, or any other gene whose expression does not vary depending upon the disease status of the cell.

Methods of identifying polymorphisms, mutations, etc., of differentially regulated cancer genes

Polynucleotides of the present invention can also be utilized to identify mutant alleles, SNPs, gene rearrangements and modifications, and other polymorphisms of the wild-type gene. Mutant alleles, polymorphisms, SNPs, etc., can be identified and isolated from subjects with diseases that are known, or suspected to have, a genetic component. Identification of such genes can be carried out routinely (see, above for more guidance), e.g., using PCR, hybridization techniques, direct sequencing, mismatch reactions (see, e.g., above), RFLP analysis, SSCP (e.g., Orita et al., *Proc. Natl. Acad. Sci.*, 86:2766, 1992), etc., where a polynucleotide having a sequence selected from SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99 is used as a probe. The selected mutant alleles, SNPs, polymorphisms, etc., can be used diagnostically to determine whether a subject has, or is susceptible to a disorder associated with differentially regulated cancer genes, as well as to design therapies and predict the outcome of the disorder. Methods involve, e.g., diagnosing a disorder associated with differentially regulated cancer genes or determining susceptibility to a disorder, comprising, detecting the presence of a mutation in a gene represented by a polynucleotide selected from SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99. The detecting can be carried out by any effective method, e.g., obtaining cells from a subject,

determining the gene sequence or structure of a target gene (using, e.g., mRNA, cDNA, genomic DNA, etc), comparing the sequence or structure of the target gene to the structure of the normal gene, whereby a difference in sequence or structure indicates a mutation in the gene in the subject. Polynucleotides can also be used to test for mutations, SNPs, polymorphisms, etc., e.g., using mismatch DNA repair technology as described in U.S. Pat. No. 5,683,877; U.S. Pat. No. 5,656,430; Wu et al., *Proc. Natl. Acad. Sci.*, 89:8779-8783, 1992.

The present invention also relates to methods of detecting polymorphisms in differentially regulated cancer genes, comprising, e.g., comparing the structure of: genomic DNA comprising all or part of a differentially regulated cancer gene, mRNA comprising all or part of a differentially regulated cancer gene, cDNA comprising all or part of a differentially regulated cancer gene, or a polypeptide comprising all or part of differentially regulated cancer gene, with the structure of a differentially regulated cancer gene, e.g., as set forth in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99. The methods can be carried out on a sample from any source, e.g., cells, tissues, body fluids, blood, urine, stool, hair, egg, sperm, cerebral spinal fluid, etc.

These methods can be implemented in many different ways. For example, "comparing the structure" steps include, but are not limited to, comparing restriction maps, nucleotide sequences, amino acid sequences, RFLPs, DNAase sites, DNA methylation fingerprints (e.g., U.S. Pat. No. 6,214,556), protein cleavage sites, molecular weights, electrophoretic mobilities, charges, ion mobility, etc., between a standard differentially regulated cancer genes and a test differentially regulated cancer genes. The term "structure" can refer to any physical characteristics or configurations which can be used to distinguish between nucleic acids and polypeptides. The methods and instruments used to accomplish the comparing step depends upon the physical characteristics which are to be compared. Thus, various techniques are contemplated, including, e.g., sequencing machines (both amino acid and polynucleotide), electrophoresis, mass spectrometer (U.S. Pat. Nos. 6,093,541, 6,002,127), liquid chromatography, HPLC, etc.

To carry out such methods, "all or part" of the gene or polypeptide can be compared. For example, if nucleotide sequencing is utilized, the entire gene can be sequenced, including

promoter, introns, and exons, or only parts of it can be sequenced and compared, e.g., exon 1, exon 2, etc.

Mutagenesis

5 Mutated polynucleotide sequences of the present invention are useful for various purposes, e.g., to create mutations of the polypeptides they encode, to identify functional regions of genomic DNA, to produce probes for screening libraries, etc. Mutagenesis can be carried out routinely according to any effective method, e.g., oligonucleotide-directed (Smith, M., *Ann. Rev. Genet.* 19:423-463, 1985), degenerate oligonucleotide-directed (Hill et al.,
10 *Method Enzymology*, 155:558-568, 1987), region-specific (Myers et al., *Science*, 229:242-246, 1985; Derbyshire et al., *Gene*, 46:145, 1986; Ner et al., *DNA*, 7:127, 1988), linker-scanning (McKnight and Kingsbury, *Science*, 217:316-324, 1982), directed using PCR, recursive ensemble mutagenesis (Arkin and Yourvan, *Proc. Natl. Acad. Sci.*, 89:7811-7815, 1992), random mutagenesis (e.g., U.S. Pat. Nos. 5,096,815; 5,198,346; and 5,223,409), site-
15 directed mutagenesis (e.g., Walder et al., *Gene*, 42:133, 1986; Bauer et al., *Gene*, 37:73, 1985; Craik, *Bio Techniques*, January 1985, 12-19; Smith et al., *Genetic Engineering: Principles and Methods*, Plenum Press, 1981), phage display (e.g., Lowman et al., *Biochem.* 30:10832-10837, 1991; Ladner et al., U.S. Pat. No. 5,223,409; Huse, WIPO Publication WO 92/06204), etc. Desired sequences can also be produced by the assembly of target sequences
20 using mutually priming oligonucleotides (Uhlmann, *Gene*, 71:29-40, 1988). For directed mutagenesis methods, analysis of the three-dimensional structure of the differentially regulated cancer genes polypeptide can be used to guide and facilitate making mutants which effect polypeptide activity. Sites of substrate-enzyme interaction or other biological activities can also be determined by analysis of crystal structure as determined by such techniques as
25 nuclear magnetic resonance, crystallography or photoaffinity labeling. See, for example, de Vos et al., *Science* 255:306-312, 1992; Smith et al., *J. Mol. Biol.* 224:899-904, 1992; Wlodaver et al., *FEBS Lett.* 309:59-64, 1992.

In addition, libraries of differentially regulated cancer genes and fragments thereof can be used for screening and selection of differentially regulated cancer genes variants. For
30 instance, a library of coding sequences can be generated by treating a double-stranded DNA with a nuclease under conditions where the nicking occurs, e.g., only once per molecule,

denaturing the double-stranded DNA, renaturing it to form double-stranded DNA that can include sense/antisense pairs from different nicked products, removing single-stranded portions from reformed duplexes by treatment with S1 nuclease, and ligating the resulting DNAs into an expression vector. By this method, expression libraries can be made comprising "mutagenized" differentially regulated cancer genes. The entire coding sequence or parts thereof can be used.

Polynucleotide expression, polypeptides produced thereby, and specific-binding partners thereto.

10 A polynucleotide according to the present invention can be expressed in a variety of different systems, in vitro and in vivo, according to the desired purpose. For example, a polynucleotide can be inserted into an expression vector, introduced into a desired host, and cultured under conditions effective to achieve expression of a polypeptide coded for by the polynucleotide, to search for specific binding partners. Effective conditions include any culture conditions which are suitable for achieving production of the polypeptide by the host cell, including effective temperatures, pH, medium, additives to the media in which the host cell is cultured (e.g., additives which amplify or induce expression such as butyrate, or methotrexate if the coding polynucleotide is adjacent to a dhfr gene), cycloheximide, cell densities, culture dishes, etc. A polynucleotide can be introduced into the cell by any effective method including, e.g., naked DNA, calcium phosphate precipitation, electroporation, injection, DEAE-Dextran mediated transfection, fusion with liposomes, association with agents which enhance its uptake into cells, viral transfection. A cell into which a polynucleotide of the present invention has been introduced is a transformed host cell. The polynucleotide can be extrachromosomal or integrated into a chromosome(s) of the host cell. It can be stable or transient. An expression vector is selected for its compatibility with the host cell. Host cells include, mammalian cells, e.g., COS, CV1, BHK, CHO, HeLa, LTK, NIH 3T3,

PC-3 (CRL-1435), LNCaP (CRL-1740), CA-HPV-10 (CRL-2220), PZ-HPV-7 (CRL-2221), MDA-PCa 2b (CRL-2422), 22Rv1 (CRL-2505), NCI-H660 (CRL-5813), HS 804.Sk (CRL-7535), LNCaP-FGF (CRL-10995), RWPE-1 (CRL-11609), RWPE-2 (CRL-11610), PWR-1E (CRL 11611), rat MAT-Ly-LuB-2 (CRL-2376), and other primary and established

prostate and prostate cancer cell lines, ZR-75-1 (ATCC CRL-1500), ZR-75-30 (ATCC CRL-1504), UACC-812 (ATCC CRL-1897), UACC-893 (ATCC CRL-1902), HCC38 (ATCC CRL-2314), HCC70 (CRL-2315), and other HCC cell lines (e.g., as deposited with the ATCC), AU565 (ATCC CRL-2351), Hs 496.T (ATCC CRL-7303), Hs 748.T (ATCC CRL-7486), SW527 (ATCC CRL-7940), 184A1 (ATCC CRL-8798), MCF cell lines (e.g., 10A and others deposited with the ATCC), MDA-MB-134-VI (ATCC HTB-23 and other MDA cell lines), SK-BR-3 (ATCC HTB-30), ME-180 (ATCC HTB-33), Hs 578Bst (ATCC HTB-125), Hs 578T (ATCC HTB-126), T-47D (ATCC HTB-133), and other primary and established breast and breast cancer cell lines, insect cells, such as Sf9 (*S. frugipeda*) and *Drosophila*, bacteria, such as *E. coli*, *Streptococcus*, *Bacillus*, yeast, such as *Sacharomyces*, *S. cerevisiae*, fungal cells, plant cells, embryonic or adult stem cells (e.g., mammalian, such as mouse or human).

Expression control sequences are similarly selected for host compatibility and a desired purpose, e.g., high copy number, high amounts, induction, amplification, controlled expression. Other sequences which can be employed include enhancers such as from SV40, CMV, RSV, inducible promoters, cell-type specific elements, or sequences which allow selective or specific cell expression. Promoters that can be used to drive its expression, include, e.g., the endogenous promoter, MMTV, SV40, trp, lac, tac, or T7 promoters for bacterial hosts; or alpha factor, alcohol oxidase, or PGH promoters for yeast. RNA promoters can be used to produced RNA transcripts, such as T7 or SP6. See, e.g., Melton et al., *Polynucleotide Res.*, 12(18):7035-7056, 1984; Dunn and Studier. *J. Mol. Bio.*, 166:477-435, 1984; U.S. Pat. No. 5,891,636; Studier et al., *Gene Expression Technology, Methods in Enzymology*, 85:60-89, 1987. In addition, as discussed above, translational signals (including in-frame insertions) can be included.

When a polynucleotide is expressed as a heterologous gene in a transfected cell line, the gene is introduced into a cell as described above, under effective conditions in which the gene is expressed. The term "heterologous" means that the gene has been introduced into the cell line by the "hand-of-man." Introduction of a gene into a cell line is discussed above. The transfected (or transformed) cell expressing the gene can be lysed or the cell line can be used intact.

For expression and other purposes, a polynucleotide can contain codons found in a naturally-occurring gene, transcript, or cDNA, for example, e.g., as set forth in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99, or it can contain degenerate codons coding for the same amino acid sequences. For instance, it may be desirable to change the codons in the sequence to optimize the sequence for expression in a desired host. See, e.g., U.S. Pat. Nos. 5,567,600 and 5,567,862.

A polypeptide according to the present invention can be recovered from natural sources, transformed host cells (culture medium or cells) according to the usual methods, including, detergent extraction (e.g., non-ionic detergent, Triton X-100, CHAPS, octylglucoside, Igepal CA-630), ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, hydroxyapatite chromatography, lectin chromatography, gel electrophoresis. Protein refolding steps can be used, as necessary, in completing the configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for purification steps. Another approach is express the polypeptide recombinantly with an affinity tag (Flag epitope, HA epitope, myc epitope, 6xHis, maltose binding protein, chitinase, etc) and then purify by anti-tag antibody-conjugated affinity chromatography.

The present invention also relates to polypeptides of differentially regulated cancer genes, e.g., an isolated human differentially regulated cancer gene polypeptide comprising or having the amino acid sequence set forth in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99, an isolated mammalian differentially regulated cancer genes polypeptide comprising an amino acid sequence, e.g., having at least 90%, 95%, 99%, or more amino acid sequence identity to the amino acid sequence set forth in SEQ ID NOS 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 46, 51, 49, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 87, 89, 96 and/or 100, and optionally having one or more of differentially regulated cancer genes activities. Fragments specific to differentially regulated cancer genes can also used, e.g., to produce antibodies or other immune responses, as competitors, etc. These fragments can be referred to as being "specific for" a differentially regulated cancer gene. The latter phrase, as

already defined, indicates that the peptides are characteristic of a particular genes, and that the defined sequences are substantially absent from all other protein types. Such polypeptides can be of any size which is necessary to confer specificity, e.g., 5, 8, 10, 12, 15, 20, etc.

5 The present invention also relates to specific-binding partners. These include antibodies which are specific for polypeptides encoded by polynucleotides of the present invention, as well as other binding-partners which interact with polynucleotides and polypeptides of the present invention. Protein-protein interactions between differentially regulated cancer genes and other polypeptides and binding partners can be identified using
10 any suitable methods, e.g., protein binding assays (e.g., filtration assays, chromatography, etc.) , yeast two-hybrid system (Fields and Song, *Nature*, 340: 245-247, 1989), protein arrays, gel-shift assays, FRET (fluorescence resonance energy transfer) assays, etc. Nucleic acid interactions (e.g., protein-DNA or protein-RNA) can be assessed using gel-shift assays, e.g., as carried out in U.S. Pat. No. 6,333,407 and 5,789,538.

15 Antibodies, e.g., polyclonal, monoclonal, recombinant, chimeric, humanized, single-chain, Fab, and fragments thereof, can be prepared according to any desired method. See, also, screening recombinant immunoglobulin libraries (e.g., Orlandi et al., *Proc. Natl. Acad. Sci.*, 86:3833-3837, 1989; Huse et al., *Science*, 256:1275-1281, 1989); in vitro stimulation of lymphocyte populations; Winter and Milstein, *Nature*, 349: 293-299, 1991. The antibodies
20 can be IgM, IgG, subtypes, IgG2a, IgG1, etc. Antibodies, and immune responses, can also be generated by administering naked DNA See, e.g., U.S. Pat. Nos. 5,703,055; 5,589,466; 5,580,859. Antibodies can be used from any source, including, goat, rabbit, mouse, chicken (e.g., IgY; see, Duan, W0/029444 for methods of making antibodies in avian hosts, and harvesting the antibodies from the eggs). An antibody specific for a polypeptide means that
25 the antibody recognizes a defined sequence of amino acids within or including the polypeptide. Other specific binding partners include, e.g., aptamers and PNA. Antibodies can be prepared against specific epitopes or domains of a differentially regulated cancer gene. Antibodies can also be humanized, e.g., where they are to be used therapeutically.

30 The term "antibody" as used herein includes intact molecules as well as fragments thereof, such as Fab, F(ab')₂, and Fv which are capable of binding to an epitopic determinant present in Bin1 polypeptide. Such antibody fragments retain some ability to selectively bind

with its antigen or receptor. The term "epitope" refers to an antigenic determinant on an antigen to which the paratope of an antibody binds. Epitopic determinants usually consist of chemically active surface groupings of molecules such as amino acids or sugar side chains and usually have specific three dimensional structural characteristics, as well as specific charge characteristics. Antibodies can be prepared against specific epitopes or polypeptide domains.

Antibodies which bind to differentially regulated cancer genes polypeptides of the present invention can be prepared using an intact polypeptide or fragments containing small peptides of interest as the immunizing antigen. For example, it may be desirable to produce antibodies that specifically bind to the N- or C-terminal domains of differentially regulated cancer genes. The polypeptide or peptide used to immunize an animal which is derived from translated cDNA or chemically synthesized which can be conjugated to a carrier protein, if desired. Such commonly used carriers which are chemically coupled to the immunizing peptide include keyhole limpet hemocyanin (KLH), thyroglobulin, bovine serum albumin (BSA), and tetanus toxoid.

Methods of detecting polypeptides

Polypeptides coded for by differentially regulated cancer genes of the present invention can be detected, visualized, determined, quantitated, etc. according to any effective method. useful methods include, e.g., but are not limited to, immunoassays, RIA (radioimmunoassay), ELISA, (enzyme-linked-immunosorbent assay), immunofluorescence, flow cytometry, histology, electron microscopy, light microscopy, in situ assays, immunoprecipitation, Western blot, etc.

Immunoassays may be carried in liquid or on biological support. For instance, a sample (e.g., blood, stool, urine, cells, tissue, cerebral spinal fluid, body fluids, etc.) can be brought in contact with and immobilized onto a solid phase support or carrier such as nitrocellulose, or other solid support that is capable of immobilizing cells, cell particles or soluble proteins. The support may then be washed with suitable buffers followed by treatment with the detectably labeled differentially regulated cancer genes specific antibody. The solid phase support can then be washed with a buffer a second time to remove unbound

antibody. The amount of bound label on solid support may then be detected by conventional means.

A "solid phase support or carrier" includes any support capable of binding an antigen, antibody, or other specific binding partner. Supports or carriers include glass, polystyrene, polypropylene, polyethylene, dextran, nylon, amylases, natural and modified celluloses, polyacrylamides, and magnetite. A support material can have any structural or physical configuration. Thus, the support configuration may be spherical, as in a bead, or cylindrical, as in the inside surface of a test tube, or the external surface of a rod. Alternatively, the surface may be flat such as a sheet, test strip, etc.

One of the many ways in which gene peptide-specific antibody can be detectably labeled is by linking it to an enzyme and using it in an enzyme immunoassay (EIA). See, e.g., Voller, A., "The Enzyme Linked Immunosorbent Assay (ELISA)," 1978, Diagnostic Horizons 2, 1-7, Microbiological Associates Quarterly Publication, Walkersville, Md.); Voller, A. et al., 1978, J. Clin. Pathol. 31, 507-520; Butler, J. E., 1981, Meth. Enzymol. 73, 482-523; Maggio, E. (ed.), 1980, Enzyme Immunoassay, CRC Press, Boca Raton, Fla.. The enzyme which is bound to the antibody will react with an appropriate substrate, preferably a chromogenic substrate, in such a manner as to produce a chemical moiety that can be detected, for example, by spectrophotometric, fluorimetric or by visual means. Enzymes that can be used to detectably label the antibody include, but are not limited to, malate dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast alcohol dehydrogenase, alpha-glycerophosphate dehydrogenase, triose phosphate isomerase, horseradish peroxidase, alkaline phosphatase, asparaginase, glucose oxidase, beta-galactosidase, ribonuclease, urease, catalase, glucose-6-phosphate dehydrogenase, glucoamylase and acetylcholinesterase. The detection can be accomplished by colorimetric methods that employ a chromogenic substrate for the enzyme. Detection may also be accomplished by visual comparison of the extent of enzymatic reaction of a substrate in comparison with similarly prepared standards.

Detection may also be accomplished using any of a variety of other immunoassays. For example, by radioactively labeling the antibodies or antibody fragments, it is possible to detect differentially regulated cancer genes peptides through the use of a radioimmunoassay (RIA). See, e.g., Weintraub, B., Principles of Radioimmunoassays, Seventh Training Course

on Radioligand Assay Techniques, The Endocrine Society, March, 1986. The radioactive isotope can be detected by such means as the use of a gamma counter or a scintillation counter or by autoradiography.

It is also possible to label the antibody with a fluorescent compound. When the
5 fluorescently labeled antibody is exposed to light of the proper wave length, its presence can then be detected due to fluorescence. Among the most commonly used fluorescent labeling compounds are fluorescein isothiocyanate, rhodamine, phycoerythrin, phycocyanin, allophycocyanin, o-phthaldehyde and fluorescamine. The antibody can also be detectably
10 labeled using fluorescence emitting metals such as those in the lanthanide series. These metals can be attached to the antibody using such metal chelating groups as diethylenetriaminepentacetic acid (DTPA) or ethylenediaminetetraacetic acid (EDTA).

The antibody also can be detectably labeled by coupling it to a chemiluminescent compound. The presence of the chemiluminescent-tagged antibody is then determined by detecting the presence of luminescence that arises during the course of a chemical reaction.
15 Examples of useful chemiluminescent labeling compounds are luminol, isoluminol, theromatic acridinium ester, imidazole, acridinium salt and oxalate ester.

Likewise, a bioluminescent compound may be used to label the antibody of the present invention. Bioluminescence is a type of chemiluminescence found in biological systems in which a catalytic protein increases the efficiency of the chemiluminescent
20 reaction. The presence of a bioluminescent protein is determined by detecting the presence of luminescence. Important bioluminescent compounds for purposes of labeling are luciferin, luciferase and aequorin.

Diagnostic

25 The present invention also relates to methods and compositions for diagnosing prostate or breast cancer, or determining susceptibility to said cancer, using polynucleotides, polypeptides, and specific-binding partners of the present invention to detect, assess, determine, etc., the expression of differentially regulated cancer genes and their polypeptide products. In such methods, the gene can serve as a marker for the disorder, e.g., where the
30 gene, when mutant, is a direct cause of the disorder; where the gene is affected by another gene(s) which is directly responsible for the disorder, e.g., when the gene is part of the same

signaling pathway as the directly responsible gene; and, where the gene is chromosomally linked to the gene(s) directly responsible for the disorder, and segregates with it. Many other situations are possible. To detect, assess, determine, etc., a probe specific for the gene can be employed as described above and below. Any method of detecting and/or assessing the gene can be used, including detecting expression of the gene using polynucleotides, antibodies, or other specific-binding partners.

The present invention relates to methods of diagnosing a cancer associated with a differentially regulated cancer gene of the present invention, or determining a subject's susceptibility to such cancer, comprising, e.g., assessing the expression of a gene of the present invention in a tissue sample comprising tissue or cells suspected of having cancer. The phrase "diagnosing" indicates that it is determined whether the sample has the disorder. A "disorder" means, e.g., any abnormal condition as in a disease or malady. "Determining a subject's susceptibility to a disease or disorder" indicates that the subject is assessed for whether s/he is predisposed to get such a disease or disorder, where the predisposition is indicated by abnormal expression of the gene (e.g., gene mutation, gene expression pattern is not normal, etc.). Predisposition or susceptibility to a disease may result when a such disease is influenced by epigenetic, environmental, etc., factors. Diagnosing includes prenatal screening where samples from the fetus or embryo (e.g., via amniocentesis or CV sampling) are analyzed for the expression of the gene.

By the phrase "assessing expression of a differentially regulated gene," it is meant that the functional status of the gene is evaluated. This includes, but is not limited to, measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene. Thus, the term "assessing expression" includes evaluating the all aspects of the transcriptional and translational machinery of the gene. For instance, if a promoter defect causes, or is suspected of causing, the disorder, then a sample can be evaluated (i.e., "assessed") by looking (e.g., sequencing or restriction mapping) at the promoter sequence in the gene, by detecting transcription products (e.g., RNA), by detecting translation product (e.g., polypeptide). Any measure of whether the gene is functional can be used, including, polypeptide, polynucleotide, and functional assays for the gene's biological activity.

In making the assessment, it can be useful to compare the results to a normal gene, e.g., a gene which is not associated with the disorder. The nature of the comparison can be determined routinely, depending upon how the assessing is accomplished. If, for example, the mRNA levels of a sample is detected, then the mRNA levels of a normal can serve as a comparison, or a gene which is known not to be affected by the disorder. Methods of
5 detecting mRNA are well known, and discussed above, e.g., but not limited to, Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, etc. Similarly, if polypeptide production is used to evaluate the gene, then the polypeptide in a normal tissue sample can be used as a comparison, or, polypeptide from a different gene
10 whose expression is known not to be affected by the disorder. These are only examples of how such a method could be carried out.

The genes and polypeptides of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., breast, prostate, and other cancer. The present invention relates to methods of identifying a genetic basis for a disease
15 or disease-susceptibility, comprising, e.g., determining the association of a cancer or cancer susceptibility with a gene of the present invention. An association between a disease or disease-susceptibility and nucleotide sequence includes, e.g., establishing (or finding) a correlation (or relationship) between a DNA marker (e.g., gene, VNTR, polymorphism, EST, etc.) and a particular disease state. Once a relationship is identified, the DNA marker can be
20 utilized in diagnostic tests and as a drug target. Any region of the gene can be used as a source of the DNA marker, exons, introns, intergenic regions, etc.

Human linkage maps can be constructed to establish a relationship between a gene and cancer. Typically, polymorphic molecular markers (e.g., STRP's, SNP's, RFLP's, VNTR's) are identified within the region, linkage and map distance between the markers is
25 then established, and then linkage is established between phenotype and the various individual molecular markers. Maps can be produced for an individual family, selected populations, patient populations, etc. In general, these methods involve identifying a marker associated with the disease (e.g., identifying a polymorphism in a family which is linked to the disease) and then analyzing the surrounding DNA to identify the gene responsible for the
30 phenotype. See, e.g., Kruglyak et al., *Am. J. Hum. Genet.*, 58, 1347-1363, 1996; Matise et al., *Nat. Genet.*, 6(4):384-90, 1994.

Assessing the effects of therapeutic and preventative interventions (e.g., administration of a drug, chemotherapy, radiation, etc.) on cancer is a major effort in drug discovery, clinical medicine, and pharmacogenomics. The evaluation of therapeutic and preventative measures, whether experimental or already in clinical use, has broad applicability, e.g., in clinical trials, for monitoring the status of a patient, for analyzing and assessing animal models, and in any scenario involving disease treatment and prevention. Analyzing the expression profiles of polynucleotides of the present invention can be utilized as a parameter by which interventions are judged and measured. Treatment of a disorder can change the expression profile in some manner which is prognostic or indicative of the drug's effect on it. Changes in the profile can indicate, e.g., drug toxicity, return to a normal level, etc. Accordingly, the present invention also relates to methods of monitoring or assessing a therapeutic or preventative measure (e.g., chemotherapy, radiation, anti-neoplastic drugs, antibodies, etc.) in a subject having a cancer, or, susceptible to cancer, comprising, e.g., detecting the expression levels of differentially regulated cancer genes. A subject can be a cell-based assay system, non-human animal model, human patient, etc. Detecting can be accomplished as described for the methods above and below. By "therapeutic or preventative intervention," it is meant, e.g., a drug administered to a patient, surgery, radiation, chemotherapy, and other measures taken to prevent, treat, or diagnose a disorder.

The present invention also relates to methods of using differentially regulated cancer genes binding partners, such as antibodies, to deliver active agents to the cancer for a variety of different purposes, including, e.g., for diagnostic, therapeutic (e.g., to treat cancer), and research purposes. Methods can involve delivering or administering an active agent to the cancer, comprising, e.g., administering to a subject in need thereof, an effective amount of an active agent coupled to a binding partner specific for human differentially regulated cancer genes polypeptide, wherein said binding partner is effective to deliver said active agent specifically to said cancer.

Any type of active agent can be used in combination with a binding partner, including, therapeutic, cytotoxic, cytostatic, chemotherapeutic, anti-neoplastic, anti-proliferative, anti-biotic, etc., agents. A chemotherapeutic agent can be, e.g., DNA-interactive agent, alkylating agent, antimetabolite, tubulin-interactive agent, hormonal agent, hydroxyurea, Cisplatin, Cyclophosphamide, Altretamine, Bleomycin, Dactinomycin,

Doxorubicin, Etoposide, Teniposide, paclitaxel, cytoxan, 2-methoxy-carbonyl-amino-benzimidazole, Plicamycin, Methotrexate, Fluorouracil, Fluorodeoxyuridin, CB3717, Azacitidine, Floxuridine, Mercapypurine, 6-Thioguanine, Pentostatin, Cytarabine, Fludarabine, etc. Agents can also be contrast agents useful in imaging technology, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintographic.

An active agent can be associated in any manner with a differentially regulated cancer genes binding partner which is effective to achieve its delivery specifically to the target. Specific delivery or targeting indicates that the agent is provided to the cancer, without being substantially provided to other tissues. This is useful especially where an agent is toxic, and specific targeting to the cancer enables the majority of the toxicity to be aimed it, with as small as possible effect on other tissues in the body. The association of the active agent and the binding partner ("coupling") can be direct, e.g., through chemical bonds between the binding partner and the agent, or, via a linking agent, or the association can be less direct, e.g., where the active agent is in a liposome, or other carrier, and the binding partner is associated with the liposome surface. In such case, the binding partner can be oriented in such a way that it is able to bind to differentially regulated cancer gene product, e.g., on the cell surface. Methods for delivery of DNA via a cell-surface receptor is described, e.g., in U.S. Pat. No. 6,339,139.

Identifying agent methods

The present invention also relates to methods of identifying agents, and the agents themselves, which modulate a differentially regulated cancer gene. These agents can be used to modulate the biological activity of the polypeptide encoded for the gene, or the gene, itself. Agents which regulate the gene or its product are useful in variety of different environments, including as medicinal agents to treat or prevent disorders associated with differentially regulated cancer genes and as research reagents to modify the function of tissues and cell.

Methods of identifying agents generally comprise steps in which an agent is placed in contact with the gene, its transcription product, its translation product, or other target, and then a determination is performed to assess whether the agent "modulates" the target. The specific method utilized will depend upon a number of factors, including, e.g., the target (i.e.,

is it the gene or polypeptide encoded by it), the environment (e.g., *in vitro* or *in vivo*), the composition of the agent, etc.

For modulating the expression of a differentially regulated cancer gene, a method can comprise, in any effective order, one or more of the following steps, e.g., contacting a
5 differentially regulated cancer gene (e.g., in a cell population) with a test agent under conditions effective for said test agent to modulate the expression of said differentially regulated cancer gene, and determining whether said test agent modulates said differentially regulated cancer gene. An agent can modulate expression of differentially regulated cancer gene at any level, including transcription (e.g., by modulating the promoter), translation,
10 and/or perdurance of the nucleic acid (e.g., degradation, stability, etc.) in the cell.

For modulating the biological activity of differentially regulated cancer gene product, such as a polypeptides, a method can comprise, in any effective order, one or more of the following steps, e.g., contacting a differentially regulated cancer gene polypeptide (e.g., in a cell, lysate, or isolated) with a test agent under conditions effective for said test agent to
15 modulate the biological activity of said polypeptide, and determining whether said test agent modulates said biological activity.

Contacting a differentially regulated cancer gene with the test agent can be accomplished by any suitable method and/or means that places the agent in a position to functionally control expression or biological activity of the gene present in the sample.
20 Functional control indicates that the agent can exert its physiological effect on differentially regulated cancer genes through whatever mechanism it works. The choice of the method and/or means can depend upon the nature of the agent and the condition and type of environment in which the differentially regulated cancer genes is presented, e.g., lysate, isolated, or in a cell population (such as, *in vivo*, *in vitro*, organ explants, etc.). For instance,
25 if the cell population is an *in vitro* cell culture, the agent can be contacted with the cells by adding it directly into the culture medium. If the agent cannot dissolve readily in an aqueous medium, it can be incorporated into liposomes, or another lipophilic carrier, and then administered to the cell culture. Contact can also be facilitated by incorporation of agent with carriers and delivery molecules and complexes, by injection, by infusion, etc.

30 Agents can be directed to, or targeted to, any part of the polypeptide which is effective for modulating it. For example, agents, such as antibodies and small molecules, can

be targeted to cell-surface, exposed, extracellular, ligand binding, functional, etc., domains of the polypeptide. Agents can also be directed to intracellular regions and domains, e.g., regions where the polypeptide couples or interacts with intracellular or intramembrane binding partners.

- 5 After the agent has been administered in such a way that it can gain access to differentially regulated cancer genes, it can be determined whether the test agent modulates differentially regulated cancer genes expression or biological activity. Modulation can be of any type, quality, or quantity, e.g., increase, facilitate, enhance, up-regulate, stimulate, activate, amplify, augment, induce, decrease, down-regulate, diminish, lessen, reduce, etc.
- 10 The modulatory quantity can also encompass any value, e.g., 1%, 5%, 10%, 50%, 75%, 1-fold, 2-fold, 5-fold, 10-fold, 100-fold, etc. To modulate differentially regulated cancer genes expression means, e.g., that the test agent has an effect on its expression, e.g., to effect the amount of transcription, to effect RNA splicing, to effect translation of the RNA into polypeptide, to effect RNA or polypeptide stability, to effect polyadenylation or other
- 15 processing of the RNA, to effect post-transcriptional or post-translational processing, etc. To modulate biological activity means, e.g., that a functional activity of the polypeptide is changed in comparison to its normal activity in the absence of the agent. This effect includes, increase, decrease, block, inhibit, enhance, etc

- A test agent can be of any molecular composition, e.g., chemical compounds,
- 20 biomolecules, such as polypeptides, lipids, nucleic acids, carbohydrates, antibodies, ribozymes, double-stranded RNA, aptamers, etc. For example, if a polypeptide to be modulated is a cell-surface molecule, a test agent can be an antibody that specifically recognizes it and, e.g., causes the polypeptide to be internalized, leading to its down regulation on the surface of the cell. Such an effect does not have to be permanent, but can
- 25 require the presence of the antibody to continue the down-regulatory effect. Antibodies can also be used to modulate the biological activity of a polypeptide in a lysate or other cell-free form.

Therapeutics

- 30 Selective polynucleotides, polypeptides, and specific-binding partners thereto, can be utilized in therapeutic applications, especially to treat prostate and breast cancers. Useful

methods include, but are not limited to, immunotherapy (e.g., using specific-binding partners to polypeptides), vaccination (e.g., using a selective polypeptide or a naked DNA encoding such polypeptide), protein or polypeptide replacement therapy, gene therapy (e.g., germ-line correction, antisense), etc.

5 Various immunotherapeutic approaches can be used. For instance, unlabeled antibody that specifically recognizes a tissue-specific antigen can be used to stimulate the body to destroy or attack a cancer or other diseased tissue, to cause down-regulation, to produce complement-mediated lysis, to inhibit cell growth, etc., of target cells which display the antigen, e.g., analogously to how c-erbB-2 antibodies are used to treat breast cancer. In
10 addition, antibody can be labeled or conjugated to enhance its deleterious effect, e.g., with radionuclides and other energy emitting entities, toxins, such as ricin, exotoxin A (ETA), and diphtheria, cytotoxic or cytostatic agents, immunomodulators, chemotherapeutic agents, etc. See, e.g., U.S. Pat. No. 6,107,090.

 An antibody or other specific-binding partner can be conjugated to a second molecule,
15 such as a cytotoxic agent, and used for targeting the second molecule to a tissue-antigen positive cell (Vitetta, E. S. et al., 1993, Immunotoxin therapy, in DeVita, Jr., V. T. et al., eds, Cancer: Principles and Practice of Oncology, 4th ed., J. B. Lippincott Co., Philadelphia, 2624-2636). Examples of cytotoxic agents include, but are not limited to, antimetabolites, alkylating agents, anthracyclines, antibiotics, anti-mitotic agents, radioisotopes and
20 chemotherapeutic agents. Further examples of cytotoxic agents include, but are not limited to ricin, doxorubicin, daunorubicin, taxol, ethidium bromide, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicine, dihydroxy anthracin dione, actinomycin D, 1-dehydrotestosterone, diphtheria toxin, Pseudomonas exotoxin (PE) A, PE40, abrin, elongation factor-2 and glucocorticoid. Techniques for conjugating therapeutic agents to antibodies are
25 well.

 In addition to immunotherapy, polynucleotides and polypeptides can be used as targets for non-immunotherapeutic applications, e.g., using compounds which interfere with function, expression (e.g., antisense as a therapeutic agent), assembly, etc. RNA interference
30 can be used in vitro and in vivo to silence differentially regulated cancer genes when its expression contributes to a disease (but also for other purposes, e.g., to identify the gene's function to change a developmental pathway of a cell, etc.). See, e.g., Sharp and Zamore,

Science, 287:2431-2433, 2001; Grishok et al., *Science*, 287:2494, 2001.

Delivery of therapeutic agents can be achieved according to any effective method, including, liposomes, viruses, plasmid vectors, bacterial delivery systems, orally, systemically, etc. Therapeutic agents of the present invention can be administered in any form by any effective route, including, e.g., oral, parenteral, enteral, intraperitoneal, topical, transdermal (e.g., using any standard patch), intravenously, ophthalmic, nasally, local, non-oral, such as aerosol, inhalation, subcutaneous, intramuscular, buccal, sublingual, rectal, vaginal, intra-arterial, and intrathecal, etc. They can be administered alone, or in combination with any ingredient(s), active or inactive.

In addition to therapeutics, *per se*, the present invention also relates to methods of treating a cancer showing altered expression of differentially regulated cancer genes, comprising, e.g., administering to a subject in need thereof a therapeutic agent which is effective for regulating expression of said differentially regulated cancer genes and/or which is effective in treating said disease. The term "treating" is used conventionally, e.g., the management or care of a subject for the purpose of combating, alleviating, reducing, relieving, improving the cancer. By the phrase "altered expression," it is meant that the disease is associated with a mutation in the gene, or any modification to the gene (or corresponding product) which affects its normal function. Thus, expression of a differentially regulated cancer gene refers to, e.g., transcription, translation, splicing, stability of the mRNA or protein product, activity of the gene product, differential expression, etc.

Any agent which "treats" the disease can be used. Such an agent can be one which regulates the expression of the differentially regulated cancer genes. Expression refers to the same acts already mentioned, e.g. transcription, translation, splicing, stability of the mRNA or protein product, activity of the gene product, differential expression, etc. For instance, if the condition was a result of a complete deficiency of the gene product, administration of gene product to a patient would be said to treat the disease and regulate the gene's expression. Many other possible situations are possible, e.g., where the gene is aberrantly expressed, and the therapeutic agent regulates the aberrant expression by restoring its normal expression pattern.

Arrays

The present invention also relates to an ordered array of polynucleotide probes and specific-binding partners (e.g., antibodies) for detecting the expression of differentially regulated cancer genes in a sample, comprising, one or more polynucleotide probes or specific binding partners associated with a solid support or in separate receptacles, wherein
5 each probe is specific for differentially regulated cancer genes, and the probes comprise a nucleotide sequence of SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99 which is specific for said gene, a nucleotide sequence having sequence identity to SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68,
10 70, 72, 74, 84, 85, 86, 88, 95, and/or 99 which is specific for said gene or polynucleotide, or complements thereto, or a specific-binding partner which is specific for differentially regulated cancer genes.

The phrase "ordered array" indicates that the probes are arranged in an identifiable or position-addressable pattern, e.g., such as the arrays disclosed in U.S. Pat. Nos. 6,156,501,
15 6,077,673, 6,054,270, 5,723,320, 5,700,637, WO09919711, WO00023803. The probes are associated with the solid support in any effective way. For instance, the probes can be bound to the solid support, either by polymerizing the probes on the substrate, or by attaching a probe to the substrate. Association can be, covalent, electrostatic, noncovalent, hydrophobic, hydrophilic, noncovalent, coordination, adsorbed, absorbed, polar, etc. When fibers or
20 hollow filaments are utilized for the array, the probes can fill the hollow orifice, be absorbed into the solid filament, be attached to the surface of the orifice, etc. Probes can be of any effective size, sequence identity, composition, etc., as already discussed.

Transgenic animals

25 The present invention also relates to transgenic animals comprising differentially regulated cancer genes genes, and homologs thereof. (Methods of making transgenic animals, and associated recombinant technology, can be accomplished conventionally, e.g., as described in *Transgenic Animal Technology*, Pinkert et al., 2nd Edition, Academic Press, 2002.) Such genes, as discussed in more detail below, include, but are not limited to,
30 functionally-disrupted genes, mutated genes, ectopically or selectively-expressed genes, inducible or regulatable genes, etc. These transgenic animals can be produced according to

any suitable technique or method, including homologous recombination, mutagenesis (e.g., ENU, Rathkolb et al., *Exp. Physiol.*, 85(6):635-644, 2000), and the tetracycline-regulated gene expression system (e.g., U.S. Pat. No. 6,242,667). The term "gene" as used herein includes any part of a gene, i.e., regulatory sequences, promoters, enhancers, exons, introns, coding sequences, etc. The differentially regulated cancer genes nucleic acid present in the construct or transgene can be naturally-occurring wild-type, polymorphic, or mutated. Where the animal is a non-human animal, its homolog can be used instead. Transgenic animals can be susceptible to cancer, e.g., prostate or breast cancer.

Along these lines, polynucleotides of the present invention can be used to create transgenic animals, e.g. a non-human animal, comprising at least one cell whose genome comprises a functional disruption of a differentially regulated cancer gene, or a homolog thereof (e.g., a mouse homolog when a mouse is used). By the phrases "functional disruption" or "functionally disrupted," it is meant that the gene does not express a biologically-active product. It can be substantially deficient in at least one functional activity coded for by the gene. Expression of a polypeptide can be substantially absent, i.e., essentially undetectable amounts are made. However, polypeptide can also be made, but which is deficient in activity, e.g., where only an amino-terminal portion of the gene product is produced.

The transgenic animal can comprise one or more cells. When substantially all its cells contain the engineered gene, it can be referred to as a transgenic animal "whose genome comprises" the engineered gene. This indicates that the endogenous gene loci of the animal has been modified and substantially all cells contain such modification.

Functional disruption of the gene can be accomplished in any effective way, including, e.g., introduction of a stop codon into any part of the coding sequence such that the resulting polypeptide is biologically inactive (e.g., because it lacks a catalytic domain, a ligand binding domain, etc.), introduction of a mutation into a promoter or other regulatory sequence that is effective to turn it off, or reduce transcription of the gene, insertion of an exogenous sequence into the gene which inactivates it (e.g., which disrupts the production of a biologically-active polypeptide or which disrupts the promoter or other transcriptional machinery), deletion of sequences from the differentially regulated cancer genes gene (or homolog thereof), etc. Examples of transgenic animals having functionally disrupted genes

are well known, e.g., as described in U.S. Pat. Nos. 6,239,326, 6,225,525, 6,207,878, 6,194,633, 6,187,992, 6,180,849, 6,177,610, 6,100,445, 6,087,555, 6,080,910, 6,069,297, 6,060,642, 6,028,244, 6,013,858, 5,981,830, 5,866,760, 5,859,314, 5,850,004, 5,817,912, 5,789,654, 5,777,195, and 5,569,824. A transgenic animal which comprises the functional
5 disruption can also be referred to as a "knock-out" animal, since the biological activity of its differentially regulated cancer genes has been "knocked-out." Knock-outs can be homozygous or heterozygous.

For creating functionally disrupted genes, and other gene mutations, homologous recombination technology is of special interest since it allows specific regions of the genome
10 to be targeted. Using homologous recombination methods, genes can be specifically-inactivated, specific mutations can be introduced, and exogenous sequences can be introduced at specific sites. These methods are well known in the art, e.g., as described in the patents above. See, also, Robertson, *Biol. Reproduc.*, 44(2):238-245, 1991. Generally, the genetic engineering is performed in an embryonic stem (ES) cell, or other pluripotent cell line
15 (e.g., adult stem cells, EG cells), and that genetically-modified cell (or nucleus) is used to create a whole organism. Nuclear transfer can be used in combination with homologous recombination technologies.

For example, the differentially regulated cancer genes locus can be disrupted in mouse ES cells using a positive-negative selection method (e.g., Mansour et al., *Nature*,
20 336:348-352, 1988). In this method, a targeting vector can be constructed which comprises a part of the gene to be targeted. A selectable marker, such as neomycin resistance genes, can be inserted into a differentially regulated cancer genes exon present in the targeting vector, disrupting it. When the vector recombines with the ES cell genome, it disrupts the function of the gene. The presence in the cell of the vector can be determined by expression of
25 neomycin resistance. See, e.g., U.S. Pat. No. 6,239,326. Cells having at least one functionally disrupted gene can be used to make chimeric and germline animals, e.g., animals having somatic and/or germ cells comprising the engineered gene. Homozygous knock-out animals can be obtained from breeding heterozygous knock-out animals. See, e.g., U.S. Pat. No. 6,225,525.

30 The present invention also relates to non-human, transgenic animal whose genome comprises recombinant differentially regulated cancer nucleic acid (and homologs thereof)

operatively linked to an expression control sequence effective to express said coding sequence, e.g., in prostate and/or breast tissues. Such a transgenic animal can also be referred to as a “knock-in” animal since an exogenous gene has been introduced, stably, into its genome.

- 5 A recombinant differentially regulated cancer genes nucleic acid refers to a polynucleotide which has been introduced into a target host cell and optionally modified, such as cells derived from animals, plants, bacteria, yeast, etc. A recombinant differentially regulated cancer genes includes completely synthetic nucleic acid sequences, semi-synthetic nucleic acid sequences, sequences derived from natural sources, and chimeras thereof.
- 10 “Operable linkage” has the meaning used through the specification, i.e., placed in a functional relationship with another nucleic acid. When a gene is operably linked to an expression control sequence, as explained above, it indicates that the gene (e.g., coding sequence) is joined to the expression control sequence (e.g., promoter) in such a way that facilitates transcription and translation of the coding sequence. As described above, the
- 15 phrase “genome” indicates that the genome of the cell has been modified. In this case, the recombinant differentially regulated cancer genes has been stably integrated into the genome of the animal. The differentially regulated cancer genes nucleic acid (e.g., a coding sequence) in operable linkage with the expression control sequence can also be referred to as a construct or transgene.
- 20 The present invention also relates to a transgenic animal which contains a functionally disrupted and a transgene stably integrated into the animals genome. Such an animal can be constructed using combinations any of the above- and below-mentioned methods. Such animals have any of the aforementioned uses, including permitting the knock-out of the normal gene and its replacement with a mutated gene. Such a transgene can be integrated at
- 25 the endogenous gene locus so that the functional disruption and “knock-in” are carried out in the same step.

 In addition to the methods mentioned above, transgenic animals can be prepared according to known methods, including, e.g., by pronuclear injection of recombinant genes into pronuclei of 1-cell embryos, incorporating an artificial yeast chromosome into

30 embryonic stem cells, gene targeting methods, embryonic stem cell methodology, cloning methods, nuclear transfer methods. See, also, e.g., U.S. Patent Nos. 4,736,866; 4,873,191;

4,873,316; 5,082,779; 5,304,489; 5,174,986; 5,175,384; 5,175,385; 5,221,778; Gordon et al., Proc. Natl. Acad. Sci., 77:7380-7384, 1980; Palmiter et al., Cell, 41:343-345, 1985; Palmiter et al., Ann. Rev. Genet., 20:465-499, 1986; Askew et al., Mol. Cell. Bio., 13:4115-4124, 1993; Games et al. Nature, 373:523-527, 1995; Valancius and Smithies, Mol. Cell. Bio., 11:1402-1408, 1991; Stacey et al., Mol. Cell. Bio., 14:1009-1016, 1994; Hasty et al., Nature, 350:243-246, 1995; Rubinstein et al., Nucl. Acid Res., 21:2613-2617, 1993; Cibelli et al., Science, 280:1256-1258, 1998. For guidance on recombinase excision systems, see, e.g., U.S. Pat. Nos. 5,626,159, 5,527,695, and 5,434,066. See also, Orban, P.C., et al., "Tissue- and Site-Specific DNA Recombination in Transgenic Mice," Proc. Natl. Acad. Sci. USA, 89:6861-6865 (1992); O'Gorman, S., et al., "Recombinase-Mediated Gene Activation and Site-Specific Integration in Mammalian Cells," Science, 251:1351-1355 (1991); Sauer, B., et al., "Cre-stimulated recombination at loxP-Containing DNA sequences placed into the mammalian genome," Polynucleotides Research, 17(1):147-161 (1989); Gagnetten, S. et al. (1997) Nucl. Acids Res. 25:3326-3331; Xiao and Weaver (1997) Nucl. Acids Res. 25:2985-2991; Agah, R. et al. (1997) J. Clin. Invest. 100:169-179; Barlow, C. et al. (1997) Nucl. Acids Res. 25:2543-2545; Araki, K. et al. (1997) Nucl. Acids Res. 25:868-872; Mortensen, R. N. et al. (1992) Mol. Cell. Biol. 12:2391-2395 (G418 escalation method); Lakhani, P. P. et al. (1997) Proc. Natl. Acad. Sci. USA 94:9950-9955 ("hit and run"); Westphal and Leder (1997) Curr. Biol. 7:530-533 (transposon-generated "knock-out" and "knock-in"); Templeton, N. S. et al. (1997) Gene Ther. 4:700-709 (methods for efficient gene targeting, allowing for a high frequency of homologous recombination events, e.g., without selectable markers); PCT International Publication WO 93/22443 (functionally-disrupted).

A polynucleotide according to the present invention can be introduced into any non-human animal, including a non-human mammal, mouse (Hogan et al., Manipulating the Mouse Embryo: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, 1986), pig (Hammer et al., Nature, 315:343-345, 1985), sheep (Hammer et al., Nature, 315:343-345, 1985), cattle, rat, or primate. See also, e.g., Church, 1987, Trends in Biotech. 5:13-19; Clark et al., Trends in Biotech. 5:20-24, 1987); and DePamphilis et al., BioTechniques, 6:662-680, 1988. Transgenic animals can be produced by the methods described in U.S. Pat. No. 5,994,618, and utilized for any of the utilities described therein.

Database

The present invention also relates to electronic forms of polynucleotides, polypeptides, etc., of the present invention, including computer-readable medium (e.g., magnetic, optical, etc., stored in any suitable format, such as flat files or hierarchical files) which comprise such sequences, or fragments thereof, e-commerce-related means, etc. Along these lines, the present invention relates to methods of retrieving gene sequences from a computer-readable medium, comprising, one or more of the following steps in any effective order, e.g., selecting a cell or gene expression profile, e.g., a profile that specifies that said gene is differentially expressed in breast and/or prostate cancer, and retrieving said differentially expressed gene sequences, where the gene sequences consist of the genes represented by SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and/or 99.

A “gene expression profile” means the list of tissues, cells, etc., in which a defined gene is expressed (i.e, transcribed and/or translated). A “cell expression profile” means the genes which are expressed in the particular cell type. The profile can be a list of the tissues in which the gene is expressed, but can include additional information as well, including level of expression (e.g., a quantity as compared or normalized to a control gene), and information on temporal (e.g., at what point in the cell-cycle or developmental program) and spatial expression. By the phrase “selecting a gene or cell expression profile,” it is meant that a user decides what type of gene or cell expression pattern he is interested in retrieving. Any pattern of expression preferences may be selected. The selecting can be performed by any effective method. In general, “selecting” refers to the process in which a user forms a query that is used to search a database of gene expression profiles. The step of retrieving involves searching for results in a database that correspond to the query set forth in the selecting step. Any suitable algorithm can be utilized to perform the search query, including algorithms that look for matches, or that perform optimization between query and data. The database is information that has been stored in an appropriate storage medium, having a suitable computer-readable format. Once results are retrieved, they can be displayed in any suitable format, such as HTML.

For instance, the user may be interested in identifying genes that are differentially expressed in cancer. He may not care whether small amounts of expression occur in other

tissues, as long as such genes are not expressed in peripheral blood lymphocytes. A query is formed by the user to retrieve the set of genes from the database having the desired gene or cell expression profile. Once the query is inputted into the system, a search algorithm is used to interrogate the database, and retrieve results.

5

Advertising, licensing, etc., methods

The present invention also relates to methods of advertising, licensing, selling, purchasing, brokering, etc., genes, polynucleotides, specific-binding partners, antibodies, etc., of the present invention. Methods can comprises, e.g., displaying a differentially regulated cancer genes gene, differentially regulated cancer genes polypeptide, or antibody specific for differentially regulated cancer genes in a printed or computer-readable medium (e.g., on the Web or Internet), accepting an offer to purchase said gene, polypeptide, or antibody.

10

Other

15 A polynucleotide, probe, polypeptide, antibody, specific-binding partner, etc., according to the present invention can be isolated. The term "isolated" means that the material is in a form in which it is not found in its original environment or in nature, e.g., more concentrated, more purified, separated from component, etc. An isolated polynucleotide includes, e.g., a polynucleotide having the sequenced separated from the
20 chromosomal DNA found in a living animal, e.g., as the complete gene, a transcript, or a cDNA. This polynucleotide can be part of a vector or inserted into a chromosome (by specific gene-targeting or by random integration at a position other than its normal position) and still be isolated in that it is not in a form that is found in its natural environment. A polynucleotide, polypeptide, etc., of the present invention can also be substantially purified.
25 By substantially purified, it is meant that polynucleotide or polypeptide is separated and is essentially free from other polynucleotides or polypeptides, i.e., the polynucleotide or polypeptide is the primary and active constituent. A polynucleotide can also be a recombinant molecule. By "recombinant," it is meant that the polynucleotide is an arrangement or form which does not occur in nature. For instance, a recombinant molecule
30 comprising a promoter sequence would not encompass the naturally-occurring gene, but

would include the promoter operably linked to a coding sequence not associated with it in nature, e.g., a reporter gene, or a truncation of the normal coding sequence.

The term "marker" is used herein to indicate a means for detecting or labeling a target. A marker can be a polynucleotide (usually referred to as a "probe"), polypeptide (e.g.,
5 an antibody conjugated to a detectable label), PNA, or any effective material.

The topic headings set forth above are meant as guidance where certain information can be found in the application, but are not intended to be the only source in the application where information on such topic can be found. Reference materials

For other aspects of the polynucleotides, reference is made to standard textbooks of
10 molecular biology. See, e.g., Hames et al., Polynucleotide Hybridization, IL Press, 1985; Davis et al., Basic Methods in Molecular Biology, Elsevier Sciences Publishing, Inc., New York, 1986; Sambrook et al., Molecular Cloning, CSH Press, 1989; Howe, Gene Cloning and Manipulation, Cambridge University Press, 1995; Ausubel et al., Current Protocols in Molecular Biology, John Wiley & Sons, Inc., 1994-1998.

15 Without further elaboration, it is believed that one skilled in the art can, using the preceding description, utilize the present invention to its fullest extent. The following preferred specific embodiments are, therefore, to be construed as merely illustrative, and not limitative of the remainder of the disclosure in any way whatsoever. The entire disclosure of all applications, patents and publications, cited above and in the figures are hereby
20 incorporated by reference in their entirety.

Table 1

	Clone ID	Protein-L*	Location	Domains Names
5	1. Pcp0749-2z	1564aa	Nuclear	1. ZnF_C3H1 domain: 36-63aa; 2. Caldesmon domain: 423-1027aa; 3. Coiled coil: 162-197aa; 4. Coiled coil: 645-789aa; 5. Coiled coil: 1339-1366aa.
10	2. Pcp0389Az	694aa	Extracellular	1. Coiled coil: 17-51aa; 2. Methyl-accepting chemotaxis-like domain (MA):101-200aa.
15	3. Pcp0814z	279aa	Membrane	1. Transmembrane domain: 83-105aa; 2. Transmembrane domain: 120-142aa; 3. Transmembrane domain: 192-211aa; 4. MotA/TolQ/ExbB proton channel domain: 34-156aa; 5. Coiled coil: 226-253aa.
20	4. Pcp0623	2697aa	Nuclear	1. Caldesmon domain: 590-884aa.
25	5. Pcp0815	1041aa	Nuclear	1. ZF_C2H2: 371-393aa; 2. ZF_C2H2: 399-421aa; 3. ZF_C2H2: 621-651aa; 4. ZF_C2H2: 657-679aa; 5. ZF_C2H2: 689-711aa; 6. ZF_C2H2: 909-931aa; 7. ZF_C2H2: 938-961aa; 8. PP_M1 Phosphoprotein domain: 754-923aa.
30	6. Pcp0840z	243aa	Nuclear	1. ZnF_C2H2 domains: 12-37aa; 2. ZnF_C2H2 domains: 173-198aa; 3. ZnF_C2H2 domains: 208-230aa.
35	7. Pcp0424Az	789aa	Cytoplasm	1. Dynamin, large GTPase domain: 54-308aa. (GTP-binding); 2. Dynamin GTPase effector domain: 692-783aa.
40	7. Pcp0424Bz	763aa	Cytoplasm	1. Dynamin, large GTPase domain: 54-308aa. (GTP-binding); 2. Dynamin GTPase effector domain: 692-783aa;
45	7. Pcp0424Cz	752aa	Cytoplasm	1. Dynamin, large GTPase domain: 54-308aa. (GTP-binding); 2. Dynamin GTPase effector domain: 692-783aa.
50	8. Pc0382	1584aa	Nuclear	1. SAM domain: 11-78aa; 2. Kinesin domain: 1079-1103aa.

-63-

	Clone ID	Protein-L*	Location	Domains Names
5	9. Pcp0816	1013aa	Membrane	1. Signal peptide: 1-38aa; 2. EGF-like domain: 274-308aa; 3. Transmembrane domain: 908-930aa.
	10. Pcp0480	171aa	Nuclear	1. Estrogen receptor: 1-169aa.
10	11. Pcp0842x	2221aa	Cytoplasm	1. SET7 domain: 630-842aa

L* stands for protein length in amino acids

15

TABLE 2

	Clone ID	Locus	Associated diseases
5	1. Pcp0749-2z	13q14.11	1. Rieger syndrome type 2 at 13q14; 2. Low grade B-cell malignancy at 13q14.
10	2. Pcp0389Az	6q22.33	1. IgA Nephropathy at 6q22-q23; 2. Autosomal recessive craniometaphyseal dysplasia at 6q21-q22; 3. Heterocellular hereditary persistence of fetal hemoglobin at 6q22.3-q23.1; 4. Oculodentodigital dysplasia at 6q22-q24; 5. Susceptibility to severe hepatic fibrosis due to Schistosoma mansoni infection at 6q22-q23.
15	3. Pcp0814z	12p13.3	1. Chromosomal abnormalities associated with breast and ovary cancer.
20	4. Pcp0623	5p13.2	
	5. Pcp0815	14q11.1	1. Respiratory allergies (asthma) at 14q11.1
	6. Pcp0840z	7p15.1	
25	7. Pcp0424Az	12p12.3	1. Alzheimer disease familial type 5 at 12p11.23-q13.12; 2. Fibrosis of extraocular muscles congenital 1 at 12p11.2-q12; 3. Hypertension with brachydactyly at 12p12.2-p11.2.
30	7. Pcp0424Bz	12p12.3	same as Bcu0424Az.
	7. Pcp0424Cz	12p12.3	same as Bcu0424Az.
35	8. Pc0382	7q21.3	1. Split-hand/foot malformation type-1(SHFM1) at 7q21.2-q21.3; 2. SHFM with sensorineural hearing loss (SHFM1D at 7q21.2-21.3.); 4. Malignant hyperthermia susceptibility 3 at 7q21-q22; 5. Myoclonic dystonia-11 at 7q21.
40	9. Pcp0816	1p13.1	1. Vesicoureteral reflux (VUR) at 1p13; 2. Trisomy and Monosomy at 1p13 cause cancers in prostate, ovary and breast.
45	10. Pcp0480	6q25.1	1. Estrogen receptor-1 at 6q25.1(Alternative isoforms are related to breast cancer); 2. Schizophrenia-5 at 6q26-q13; 3. Insulin-dependent diabetes mellitus-8 at 6q25-q27.
50	11. Pcp0842x	6q23.3	1. Dilated cardiomyopathy 1J (CMD1J) at 6q23-q24; 2. Dilated cardiomyopathy 1F (CMD1F) at 6q23; 3. Oculodentodigital dysplasia (ODDD) at 6q22-q24; 4. Susceptibility to severe hepatic fibrosis due to Schistosoma mansoni infection at 6q22-q23; 5. IgA nephropathy at 6q22-q23.
55			

-65-

TABLE 3

Gene Name	SEQ ID NO	Expression	
PCP0749	1-4	UP	
PCP0389	5-8	UP	
PCP0814	9-10	DOWN	
PCP0623	11-12	DOWN	
PCP0815	13-14	UP	
PCP0840	15-16	DOWN	
PCP0424	17-18 (A); 19-20 (B); 21-22 (C)	UP	
PC0382	23-24	UP	
PCP0816	25-26	UP	
PCP0480	27-28	UP	normal expression restricted to muscle and uterus
PCP0842	29-30	UP	

TABLE 4

GENE	EXPRESSION	LENGTH	DOMAINS
1. PCP0405 (SEQ ID NO 45-46)	DOWN	1379	1. CUB domain: 93-209aa; 2. DSL domain: 222-280aa; 3. Kelch domain: 480-531aa; 4. Kelch domain: 532-591aa; 5. PSI domain: 614-657aa; 6. PSI domain: 666-709aa; 7. CLECT domain: 748-873aa; 8. PSI domain: 889-939aa; 9. PSI domain: 942-1012aa; 10. EGF-like domain: 1014-1057aa; 11. EGF-like domain: 1060-1106aa; 12. Transmembrane domain: 1230-1252aa.
2. PCP0454A (SEQ ID NO 50-51)	DOWN	3863	1. Internal repeat 2: 19-72; 2. Internal repeat 1: 71-135; 3. Internal repeat 2: 332-385; 4. Internal repeat 1: 488-554.
PCP0454B (SEQ ID NO 48-49)	DOWN	577	1. Internal repeat 1: 1-137; 2. AAA domain: 241-408.
3. PCP0459 (SEQ ID NO 52-53)	UP	715	1. Gag p10 domain: 1-89; 2. Gag p24 domain: 360-573; 3. ZnF C2HC domain: 592-608; 4. ZnF C2HC domain: 629-645.
4. PC0177A (SEQ ID NO 54-55)	UP	1744	1. Coiled coil: 646-685; 2. Coiled coil: 1469-1481; 3. Coiled coil: 1656-1684.
PC0177B (SEQ ID NO 56-57)	UP	1709	1. Coiled coil: 611-650; 2. Coiled coil: 1434-1456; 3. Coiled coil: 1621-1649.
PC0177C (SEQ ID NO 58-59)	UP	1908	1. Coiled coil: 611-650; 2. Coiled coil: 1434-1456; 3. Coiled coil: 1621-1649.
PC0177D (SEQ ID NO 60-61)	UP	1309	1. Coiled coil: 611-650
5. PCP0557 (SEQ ID NO 62-63)	UP	1593	1. HisKA: 565-620; 2. Coiled coil: 933-965; 3. Coiled coil: 1464-1491.
6. PCP0664 (SEQ ID NO 64-65)	UP	112	1. Transmembrane: 4-26.
7. PCP0677 (SEQ ID NO 66-67)	UP	89	No domain found.

-67-

8. PCP0762 (SEQ ID NO 68-69)	UP	221	1. SCAN domain 42-137
9. PCP0806 (SEQ ID NO 70-71)	UP	548	1. SCOP domain: 10-122 2. Coiled coil: 374-409
10. PCP0815A (SEQ ID NO 72-73)	UP	1005	1. ZnF C2H2 domain: 371-393; 2. ZnF C2H2 domain: 399-421; 3. ZnF C2H2 domain: 629-651; 4. ZnF C2H2 domain: 657-679; 5. ZnF C2H2 domain: 689-711; 6. ZnF C2H2 domain: 909-931; 7. ZnF C2H2 domain: 9380961.
PCP0815C (SEQ ID NO 74-75)	UP	198	No domain found

-68-

TABLE 5

Clone ID	Locus	Diseases
PCP0405	10q26	Cancers
PCP0454	6q15	Amaurosis Congenita Of Leber V; Cardiomyopathy, Dilated, 1k (Cmd1k); Chorioretinal Atrophy, Progressive Bifocal; Macular Dystrophy, Retinal, 1, North Carolina Type (Mcdrl)
PCP0459	22q11.21	Cancers
PC0177	10p11.22	Diabetes
PCP0577	Xq25-q26.3	Mental Retardation, X-Linked, With Short Stature, Small Testes, Muscle Wasting, And Tremor; Hypertrichosis, Congenital Generalized (Htc2); Borjeson-Forssman-Lehmann Syndrome (Bfls); Mental Retardation
PCP0664	Xq25-Xq26	Mental Retardation, X-Linked, With Isolated Growth Hormone Deficiency (Mrgh) Hypertrichosis, Congenital Generalized (Htc2); Mental Retardation, X-Linked, South African Type; Borjeson-Forssman-Lehmann Syndrome (Bfls); Mental Retardation With Optic Atrophy, Deafness, And Seizures; Mental Retardation
PCP0677	12q15	Scapuloperoneal Myopathy (SPM); Cancers (e.g., glioma)
PCP0762	18q12.1	Cancers
PCP0806	2q37.3	Gracile Syndrome; Holoprosencephaly 6
PCP0815	14q11.1-q12	Arrhythmogenic Right Ventricular Dysplasia, Familial, 3 (Arvd3); Radiation Sensitivity/Chromosome Instability Syndrome, Autosomal Dominant; Asthma

Claims:

1. An isolated polynucleotide comprising,
a polynucleotide sequence which codes without interruption for the amino acid
sequence selected from SEQ ID NOS 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 46,
5 51, 49, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 87, 89, 96, and 100, or a complement
thereto.
2. An isolated polynucleotide comprising,
a polynucleotide sequence having 95% or more sequence identity along the entire
10 length of a polynucleotide sequence selected from SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17,
19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86,
88, 95, and 99, or a complement thereto.
3. An isolated polynucleotide comprising,
15 a differentially regulated mammalian cancer gene having a polynucleotide sequence
which hybridizes under high stringency conditions to a polynucleotide having a
polynucleotide sequence set forth in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25,
27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and 99,
or a complement thereto.
20
4. An isolated polynucleotide of claim 3, wherein said high stringency conditions comprise
hybridizing 42°C in 5X SSPE, 0.3% SDS, and 50% formamide, and washes at 65°C for 15
minutes in 2X SSC, and 0.2% SDS.
- 25 5. An isolated human polypeptide which is differentially regulated in a human cancer,
comprising the complete amino acid sequence as set forth in SEQ ID NOS 2, 4, 6, 8, 10, 12,
14, 16, 18, 20, 22, 24, 26, 28, 30, 46, 51, 49, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 87,
89, 96, or 100, or a specific fragment thereof.
- 30 6. An isolated mammalian polypeptide which is differentially regulated in a mammalian
cancer, having 95% or more sequence identity along its entire length to a complete amino

-70-

acid sequence as set forth in SEQ ID NOS 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 46, 51, 49, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 87, 89, 96, or 100, or a specific fragment thereof.

- 5 7. An isolated polypeptide which is coded for by a polynucleotide of claim 2 or 4.
8. A method of detecting a nucleic acid coding for human differentially regulated cancer genes, comprising,
- 10 contacting a sample comprising nucleic acid with a polynucleotide probe specific for a differentially regulated human cancer gene of claim 1 under conditions effective for said probe to hybridize specifically with said gene, and
- detecting hybridization between said probe and said nucleic acid.
9. A method of claim 8, wherein said detecting is performed by:
- 15 Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.
10. A method of treating a cancer showing altered expression of differentially regulated human cancer gene, comprising:
- 20 administering to a subject in need thereof a therapeutic agent which is effective for regulating expression of a differentially regulated human cancer gene of claim 1.
11. A method of claim 10, wherein said agent is an antibody or an antisense which is effective to inhibit translation of said gene.
- 25 12. A method of diagnosing a cancer associated with abnormal expression of a differentially regulated human cancer gene, or determining a subject's susceptibility to such cancer, comprising:
- 30 assessing the expression of a differentially regulated human cancer gene of claim 1 in a tissue sample comprising prostate or breast cells.

-71-

13. A method of claim 12, wherein assessing is:

measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene.

5

14. A method of claim 12, wherein said assessing is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization, and

using a polynucleotide probe having a polynucleotide sequence selected from SEQ ID

10 NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and 99, or a complement thereto.

15. A method of assessing a therapeutic or preventative intervention in a subject having cancer, comprising,

15 determining the expression levels of differentially regulated cancer genes of claim 1 in a tissue sample comprising prostate or breast cells.

16. A method for identifying an agent that modulates the expression of differentially regulated cancer gene expressed in breast or prostate tissue cells, comprising,

20 contacting a cell population comprising breast or prostate cells with a test agent under conditions effective for said test agent to modulate the expression of a differentially regulated cancer gene of claim 1 in said breast or prostate cells, and

determining whether said test agent modulates said differentially regulated cancer gene.

25

17. A method for identifying an agent that modulates the expression of a polypeptide coded for by a differentially regulated cancer gene expressed in breast or prostate tissue cells, comprising,

30 contacting a polypeptide coded for by a differentially regulated cancer gene of claim 1, with a test agent under conditions effective for said test agent to modulate said polypeptide, and

-72-

determining whether said test agent modulates said polypeptide.

18. A method of claim 16 or 17, wherein said test agent is an antibody.

5 19. A method of detecting polymorphisms in differentially regulated cancer genes comprising:

comparing the structure of : genomic DNA comprising all or part of differentially regulated cancer genes, mRNA comprising all or part of differentially regulated cancer genes, cDNA comprising all or part of differentially regulated cancer genes, or a polypeptide
10 comprising all or part of differentially regulated cancer genes, with the structure of a differentially regulated cancer gene as set forth in a polynucleotide sequence selected from SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, and 99.

15 20. A method of identifying a genetic basis for a prostate or breast cancer, or susceptibility thereto, comprising:

determining the association of cancer, usceptibility thereto, with a polynucleotide of claim 1.

20 21. A method of claim 20, wherein determining is performed by producing a human-linkage map using said polynucleotide.

22. A method of claim 20, wherein determining is performed by comparing the nucleotide sequences of said polynucleotide between normal subjects and subjects having cancer.

25 23. A non-human, transgenic mammal, or a cell thereof, whose genome comprises a functional disruption of a homolog of a differentially regulated cancer gene of claim 1.

24. An antibody which is specific-for a differentially regulated cancer gene polypeptide of
30 claim 5, 6, or 7.

-73-

25. A method of advertising differentially regulated cancer genes for sale, commercial use, or licensing, comprising,

displaying in a computer-readable medium a polynucleotide set forth in SEQ ID NOS 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 45, 47, 50, 48, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 84, 85, 86, 88, 95, or 99 of claim 1, effective specific fragments thereof, or complements thereto.

26. A method of selecting a polynucleotide sequence coding for differentially regulated cancer genes from a database comprising polynucleotide sequences, comprising

displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for one or more differentially regulated cancer genes of claim 1, or complements to the polynucleotides sequence,

wherein said displayed sequences have been retrieved from said database upon selection by a user.

```

      *           20           *           40           *
PCP0749 : MSKIRRKVTVENTKTKISDSTSRRPSVFERLGPSTGSTAETQCRNWLKTGNCLYGNTCR : 58
KIAA0803 : ----- : -

      60           *           80           *           100           *
PCP0749 : FVHGSPSPRGKGYSSNYRRSPERPTGDLRERMKNKRQDVTPEPQKRNTEESSSPVRKES : 116
KIAA0803 : ----- : -

      120          *           140          *           160          *
PCP0749 : SRGRHREKEDIKITKERTPESEEEENVWETNRDDSDNGDINYDYVHELKQKQKIQ : 174
KIAA0803 : ----- : -

      180          *           200          *           220          *
PCP0749 : RELMKLEQENMEKREETIIKKEVSPEVVRSLKSPSPSLRKSSKSPKRKSSPKSSSASK : 232
KIAA0803 : ----- : -

      240          *           260          *           280          *
PCP0749 : KDRKTSAVSSPLLDQQRNSKTNQSKKKGPRTSPPPPPIPEDIALGKKYKEYKVKVDRI : 290
KIAA0803 : ----- : -

      300          *           320          *           340
PCP0749 : EEKTRDGGKDRGRDFERQREKRDKPRSTSPAGQHHSPISSRHSSSSQSGSSIQRHSPS : 348
KIAA0803 : ----- : -

      *           360          *           380          *           400
PCP0749 : PRRKRTSPSPSYQRTLTPLLRASAPYPSSHLSLSPQRKQSPPRHSPMREKGRHDHERT : 406
KIAA0803 : -----MREKGRHDHERT : 12
                                     MREKGRHDHERT

      *           420          *           440          *           460
PCP0749 : SQSHDRRHERREDTRGKRDREKDSREEREYEQDQSSSRDHRDDREPRDGRDRRDARDT : 464
KIAA0803 : SQSHDRRHERREDTRGKRDREKDSREEREYEQDQSSSRDHRDDREPRDGRDRRDARDT : 70
                                     SQSHDRRHERREDTRGKRDREKDSREEREYEQDQSSSRDHRDDREPRDGRDRRDARDT

      *           480          *           500          *           520
PCP0749 : RDRRELRLDSRDMRDSREMRDYSRDTKESRDPDRSRSTRDAHDYRDREGRDTHRKEDTY : 522
KIAA0803 : RDRRELRLDSRDMRDSREMRDYSRDTKESRDPDRSRSTRDAHDYRDREGRDTHRKEDTY : 128
                                     RDRRELRLDSRDMRDSREMRDYSRDTKESRDPDRSRSTRDAHDYRDREGRDTHRKEDTY

      *           540          *           560          *           580
PCP0749 : PEESRSYGRNHLREESSRTEIRNESRNESRSEIRNDRMGSRGRVPELPEKGSRGSRG : 580
KIAA0803 : PEESRSYGRNHLREESSRTEIRNESRNESRSEIRNDRMGSRGRVPELPEKGSRGSRG : 186
                                     PEESRSYGRNHLREESSRTEIRNESRNESRSEIRNDRMGSRGRVPELPEKGSRGSRG

      *           600          *           620          *           6
PCP0749 : SQIDSHSSNSNYHDSWETPSSYPDRYPERDNRDQARDSSFERRHGERDRDRDNRERD : 638
KIAA0803 : SQIDSHSSNSNYHDSWETPSSYPDRYPERDNRDQARDSSFERRHGERDRDRDNRERD : 244
                                     SQIDSHSSNSNYHDSWETPSSYPDRYPERDNRDQARDSSFERRHGERDRDRDNRERD

      40           *           660          *           680          *
PCP0749 : QRPSSPIRHQGRNDELERDERREERRVDRVDDRRDERARERDRERERERERERERER : 696
KIAA0803 : QRPSSPIRHQGRNDELERDERREERRVDRVDDRRDERARERDRERERERERERERER : 302
                                     QRPSSPIRHQGRNDELERDERREERRVDRVDDRRDERARERDRERERERERERERER

      700          *           720          *           740          *
PCP0749 : RDREREKERELERERAREREREREREKERDRERDRDRDHDREEREREREREREKERERE : 754
KIAA0803 : RDREREKERELERERAREREREREREKERDRERDRDRDHDREEREREREREREKERERE : 360
                                     RDREREKERELERERAREREREREREKERDRERDRDRDHDREEREREREREREKERERE

```

FIG. 1A

FIG. 1B


```

      *           20           *           40           *           6
PCP0389 : MDLHKQWENTETNWHKEKMELLDQFDNERKEWESQWKIMQKKIEELCREVKLWRKININ : 59
KIAA0408 : ----- : -

      0           *           80           *           100           *           1
PCP0389 : ESAKIIDLHYHEKTIPEKVIESSPNYPDLGQSEFIRTNHKDGLRKENKREQSLVSGGNQM : 118
KIAA0408 : ----- : 1
                                         M

      20           *           140           *           160           *
PCP0389 : CKEQKATKKSQVGFDPDPLATDNQKECEAWPDLRTSEEDSKSCSGALSTALEELAKVSEE : 177
KIAA0408 : CKEQKATKKSQVGFDPDPLATDNQKECEAWPDLRTSEEDSKSCSGALSTALEELAKVSEE : 60
          CKEQKATKKSQVGFDPDPLATDNQKECEAWPDLRTSEEDSKSCSGALSTALEELAKVSEE

      180           *           200           *           220           *
PCP0389 : LCSFQEEIRKRSNHRRMKSDSFLQEMPVNTNIPHGDPMINNDQCILPISLEKEKQKNRK : 236
KIAA0408 : LCSFQEEIRKRSNHRRMKSDSFLQEMPVNTNIPHGDPMINNDQCILPISLEKEKQKNRK : 119
          LCSFQEEIRKRSNHRRMKSDSFLQEMPVNTNIPHGDPMINNDQCILPISLEKEKQKNRK

      240           *           260           *           280           *
PCP0389 : NLSCTNVLQSNSTKKCGIDTIDLKRNETPPVPPPRSTSRNFPSSDSEQAYERWKERLDH : 295
KIAA0408 : NLSCTNVLQSNSTKKCGIDTIDLKRNETPPVPPPRSTSRNFPSSDSEQAYERWKERLDH : 178
          NLSCTNVLQSNSTKKCGIDTIDLKRNETPPVPPPRSTSRNFPSSDSEQAYERWKERLDH

      300           *           320           *           340           *
PCP0389 : NSWVPHEGRSKRNYNPHFPLRQQEMSMLYPNEGKTSKDGIIFSSLVPEVKIDSKPPSNE : 354
KIAA0408 : NSWVPHEGRSKRNYNPHFPLRQQEMSMLYPNEGKTSKDGIIFSSLVPEVKIDSKPPSNE : 237
          NSWVPHEGRSKRNYNPHFPLRQQEMSMLYPNEGKTSKDGIIFSSLVPEVKIDSKPPSNE

      360           *           380           *           400           *
PCP0389 : DVGLSMWSCDIGIGAKRSPSTSWFQKTCSTPSNPKYEMVIPDHPAKSHPDHLVSNDCSS : 413
KIAA0408 : DVGLSMWSCDIGIGAKRSPSTSWFQKTCSTPSNPKYEMVIPDHPAKSHPDHLVSNDCSS : 296
          DVGLSMWSCDIGIGAKRSPSTSWFQKTCSTPSNPKYEMVIPDHPAKSHPDHLVSNDCSS

      420           *           440           *           460           *
PCP0389 : SVAESSPLRNFSCGFERTTRNEKLAAKTDEFNRTVFRTRDRNCQAIQQNHSCSKSSEDL : 472
KIAA0408 : SVAESSPLRNFSCGFERTTRNEKLAAKTDEFNRTVFRTRDRNCQAIQQNHSCSKSSEDL : 355
          SVAESSPLRNFSCGFERTTRNEKLAAKTDEFNRTVFRTRDRNCQAIQQNHSCSKSSEDL

      480           *           500           *           520           *
PCP0389 : KPCDTSSHTGSGISQSNVSGIWKTNAMHPVPMENVPDNPTKKSTTGLVRQMGGHLSPR : 531
KIAA0408 : KPCDTSSHTGSGISQSNVSGIWKTNAMHPVPMENVPDNPTKKSTTGLVRQMGGHLSPR : 414
          KPCDTSSHTGSGISQSNVSGIWKTNAMHPVPMENVPDNPTKKSTTGLVRQMGGHLSPR

      540           *           560           *           580           *
PCP0389 : SYRNMLHEHDWRPSNLSGRPRSADPRSNGVVEKLLKTYETATESALQNSKCFQDNWTK : 590
KIAA0408 : SYRNMLHEHDWRPSNLSGRPRSADPRSNGVVEKLLKTYETATESALQNSKCFQDNWTK : 473
          SYRNMLHEHDWRPSNLSGRPRSADPRSNGVVEKLLKTYETATESALQNSKCFQDNWTK

      600           *           620           *           640
PCP0389 : CNSDVSGGATLSQHLEMLQEQFQQTAVWGGQEVKQGIDPKKITEESMSVNASHGKG : 649
KIAA0408 : CNSDVSGGATLSQHLEMLQEQFQQTAVWGGQEVKQGIDPKKITEESMSVNASHGKG : 532
          CNSDVSGGATLSQHLEMLQEQFQQTAVWGGQEVKQGIDPKKITEESMSVNASHGKG

      *           660           *           680           *           700
PCP0389 : FSRPARPANRRLPSRWASRSPSAPPALRRTHNYTISLRSEALMV----- : 694
KIAA0408 : FSRPARPANRRLPSRWASRSPSAPPALRRTHNYTISLRSEALMV----- : 577
          FSRPARPANRRLPSRWASRSPSAPPALRRTHNYTISLRSEALMV

```

FIG. 2

```

      *           20           *           40           *
PCP0814 : MFRAPCHRLRARGTRKARAGAWRGCTFPCLGKGMERPAAREPHGPDALRRFQGLLLDR : 58
NM_030817 : -----MERPAAREPHGPDALRRFQGLLLDR : 25
                        MERPAAREPHGPDALRRFQGLLLDR

      60           *           80           *           100           *
PCP0814 : RGR LH RQV LRL RE VARR LER LRR RSL V AN VAG SSSL SAT GAL AA I VGL SL SP VT LGT SL : 116
NM_030817 : RGR LH RQV LRL RE VARR LER LRR RSL V AN VAG SSSL SAT GAL AA I VGL SL SP VT LGT SL : 83
                        RGR LH RQV LRL RE VARR LER LRR RSL V AN VAG SSSL SAT GAL AA I VGL SL SP VT LGT SL

      120          *           140          *           160          *
PCP0814 : LVSAVGLGVATAGGAVTITSDLSLIFCNSRELRRVQEIAATCQDQMREILSCLEFFCR : 174
NM_030817 : LVSAVGLGVATAGGAVTITSDLSLIFCNSRELRRVQEIAATCQDQMREILSCLEFFCR : 141
                        LVSAVGLGVATAGGAVTITSDLSLIFCNSRELRRVQEIAATCQDQMREILSCLEFFCR

      180          *           200          *           220          *
PCP0814 : WQGCGRQLLQCGRNASIALYNSVFIVFFGSRGFLIPRRAEGDTKVSQAVLKAKIQK : 232
NM_030817 : WQGCGRQLLQCGRNASIALYNSVFIVFFGSRGFLIPRRAEGDTKVSQAVLKAKIQK : 199
                        WQGCGRQLLQCGRNASIALYNSVFIVFFGSRGFLIPRRAEGDTKVSQAVLKAKIQK

      240          *           260          *
PCP0814 : LAESLESCTGALDELSEQLESRVQLCTKSSRGHDLKISADQRAGLFF : 279
NM_030817 : LAESLESCTGALDELSEQLESRVQLCTKSSRGHDLKISADQRAGLFF : 246
                        LAESLESCTGALDELSEQLESRVQLCTKSSRGHDLKISADQRAGLFF
```

FIG. 3

```

      *           20           *           40           *
PCP0623 : MNGDMPHVPIITTLAGIASLTDLLNQLPLPSPLPATTTKSLLFNARIAEEVNCLLACR : 57
NM_015384 : ----- : -
NM_133433 : ----- : -

      60           *           80           *           100           *
PCP0623 : DDNLVSQLVHSLNQVSTDHIELKDNLGSDDEGDIPVLLQAVLARSFNVFREKSMQN : 114
NM_015384 : ----- : -
NM_133433 : ----- : -

      120          *           140          *           160          *
PCP0623 : RYVQSGMMMSQYKLSQNSMHSSPASSNYQOTTISHSPSSRFVPPQTSSGNRFMPQQN : 171
NM_015384 : ----- : -
NM_133433 : ----- : -

      180          *           200          *           220
PCP0623 : SPVPSPYAPQSPAGYMPYSHPSYTHPQMQQASVSSPIVAGGLRNIHDNKVSGPLS : 228
NM_015384 : ----- : -
NM_133433 : ----- : -

      *           240          *           260          *           280
PCP0623 : GNSANHHADNPRHGSSDYLMVHRLSSDDGDSSTMRNAASFPLRSPQPVCSFAGSE : 285
NM_015384 : ----- : -
NM_133433 : ----- : -

      *           300          *           320          *           340
PCP0623 : GTPKGSRPPLILQSQSLPCSSPRDVPPDILLDSPERKQKKQKKMKLGKDEKEQSEKA : 342
NM_015384 : ----- : -
NM_133433 : ----- : -

      *           360          *           380          *           40
PCP0623 : AMYDIISSPSKDKSTKLTLRLSRVRSSDMDQQEDMISGVENSNVSENDIPFNVQYPGQ : 399
NM_015384 : ----- : -
NM_133433 : ----- : -

      0           *           420          *           440          *
PCP0623 : TSKTPITPQDINRPLNAAQCLSQQEQTAFLPANQVPVLQQNTSVAAKQPQTSVVQONQ : 456
NM_015384 : ----- : -
NM_133433 : ----- : -

      460          *           480          *           500          *
PCP0623 : QQISQQGPIYDEVELDALAEIERIERESAIERERFSKEVQDKDKPLKKRKQDSYPQE : 513
NM_015384 : ----- : -
NM_133433 : ----- : -

      520          *           540          *           560          *
PCP0623 : AGGATGGNRPASQETGSTGNGSRPALMVSIDLHQAGRVDSQASITQSDSIKKPEET : 570
NM_015384 : -----MVSIDLHQAGRVDSQASITQSDSIKKPEET : 31
NM_133433 : -----MVSIDLHQAGRVDSQASITQSDSIKKPEET : 31

      580          *           600          *           620
PCP0623 : KQCNDAPVSVLQEDIVGSLKSTPENHPETPKKKSDPELSKSEMKSRLAESKPNE : 627
NM_015384 : KQCNDAPVSVLQEDIVGSLKSTPENHPETPKKKSDPELSKSEMKSRLAESKPNE : 88
NM_133433 : KQCNDAPVSVLQEDIVGSLKSTPENHPETPKKKSDPELSKSEMKSRLAESKPNE : 88

```

FIG. 4A

		*	640	*	660	*	680	
PCP0623	:	NRLVETKSSSENKLETKVETQTEELKQNESRTTECKQNESTIVEPKQENENRLSDTKPN						: 684
NM_015384	:	NRLVETKSSSENKLETKVETQTEELKQNESRTTECKQNESTIVEPKQENENRLSDTKPN						: 145
NM_133433	:	NRLVETKSSSENKLETKVETQTEELKQNESRTTECKQNESTIVEPKQENENRLSDTKPN						: 145
		*	700	*	720	*	740	
PCP0623	:	DNKQNNGRSETTKSRPETPKQKGESRPETPKQKSDGHPETPKQKGDGRPETPKQKGE						: 741
NM_015384	:	DNKQNNGRSETTKSRPETPKQKGESRPETPKQKSDGHPETPKQKGDGRPETPKQKGE						: 202
NM_133433	:	DNKQNNGRSETTKSRPETPKQKGESRPETPKQKSDGHPETPKQKGDGRPETPKQKGE						: 202
		*	760	*	780	*	8	
PCP0623	:	SRPETPKQKNEGRPETPKHHRHDNRDSDGKPSTEKKPEVSKHKQDTKSDSPRLKSERA						: 798
NM_015384	:	SRPETPKQKNEGRPETPKHHRHDNRDSDGKPSTEKKPEVSKHKQDTKSDSPRLKSERA						: 259
NM_133433	:	SRPETPKQKNEGRPETPKHHRHDNRDSDGKPSTEKKPEVSKHKQDTKSDSPRLKSERA						: 259
		00	*	820	*	840	*	
PCP0623	:	EALKQRPDGRSVSES LRDDHNDKQKSDDRGESERHRGDQSRVRRPETLRSSSRNEHG						: 855
NM_015384	:	EALKQRPDGRSVSES LRDDHNDKQKSDDRGESERHRGDQSRVRRPETLRSSSRNEHG						: 316
NM_133433	:	EALKQRPDGRSVSES LRDDHNDKQKSDDRGESERHRGDQSRVRRPETLRSSSRNEHG						: 316
		860	*	880	*	900	*	
PCP0623	:	IKSDSSKTDKLERKHRHESGDSRERFPSSGEQKSRPDSPRVKQGDSDNKSRSKLGFKS						: 912
NM_015384	:	IKSDSSKTDKLERKHRHESGDSRERFPSSGEQKSRPDSPRVKQGDSDNKSRSKLGFKS						: 373
NM_133433	:	IKSDSSKTDKLERKHRHESGDSRERFPSSGEQKSRPDSPRVKQGDSDNKSRSKLGFKS						: 373
		920	*	940	*	960		
PCP0623	:	PTSKDDKRTEGNSKVDTNKAHPDNKAFFPSYLLGGRSGALKNFVI PKIKRDKDGNV						: 969
NM_015384	:	PTSKDDKRTEGNSKVDTNKAHPDNKAFFPSYLLGGRSGALKNFVI PKIKRDKDGNV						: 430
NM_133433	:	PTSKDDKRTEGNSKVDTNKAHPDNKAFFPSYLLGGRSGALKNFVI PKIKRDKDGNV						: 430
		*	980	*	1000	*	1020	
PCP0623	:	TQETKRMEMKGEPKDKVEKIGLVEDLNKGAKPVVVLQKLSLDDVQKLIKDRDCKSRS						: 1026
NM_015384	:	TQETKRMEMKGEPKDKVEKIGLVEDLNKGAKPVVVLQKLSLDDVQKLIKDRDCKSRS						: 487
NM_133433	:	TQETKRMEMKGEPKDKVEKIGLVEDLNKGAKPVVVLQKLSLDDVQKLIKDRDCKSRS						: 487
		*	1040	*	1060	*	1080	
PCP0623	:	SLKPIKNKPSKSNKGSIDQSVLKELPPELLAEIESTMPLCERVKMNKRKRSTVNEKP						: 1083
NM_015384	:	SLKPIKNKPSKSNKGSIDQSVLKELPPELLAEIESTMPLCERVKMNKRKRSTVNEKP						: 544
NM_133433	:	SLKPIKNKPSKSNKGSIDQSVLKELPPELLAEIESTMPLCERVKMNKRKRSTVNEKP						: 544
		*	1100	*	1120	*	1140	
PCP0623	:	KYAEISSDEDNDSDAEAFESSRKRHKKDDDKAWEYEERDRSSGDHRRSGHSHEGRRS						: 1140
NM_015384	:	KYAEISSDEDNDSDAEAFESSRKRHKKDDDKAWEYEERDRSSGDHRRSGHSHEGRRS						: 601
NM_133433	:	KYAEISSDEDNDSDAEAFESSRKRHKKDDDKAWEYEERDRSSGDHRRSGHSHEGRRS						: 601
		*	1160	*	1180	*	1	
PCP0623	:	SGGGRYRNRSPSDSDMEDYSPPPSLSEVARKMKKKKQKKRKAYEPKLTPEEMMDSS						: 1197
NM_015384	:	SGGGRYRNRSPSDSDMEDYSPPPSLSEVARKMKKKKQKKRKAYEPKLTPEEMMDSS						: 658
NM_133433	:	SGGGRYRNRSPSDSDMEDYSPPPSLSEVARKMKKKKQKKRKAYEPKLTPEEMMDSS						: 658
		200	*	1220	*	1240	*	
PCP0623	:	TFKRFTASIEINILDNLEDMDFTAFGDDDEIPQELLLGKHQLNELGSES AKIKAMGIM						: 1254
NM_015384	:	TFKRFTASIEINILDNLEDMDFTAFGDDDEIPQELLLGKHQLNELGSES AKIKAMGIM						: 715
NM_133433	:	TFKRFTASIEINILDNLEDMDFTAFGDDDEIPQELLLGKHQLNELGSES AKIKAMGIM						: 715

FIG. 4B

	1260	*	1280	*	1300	*		
PCP0623	:	DKLSTDKTVKVLNILEKNIQDGSKLSTLLNHNNDTEEEERLWRDLIMERVTKSADAC					:	1311
NM_015384	:	DKLSTDKTVKVLNILEKNIQDGSKLSTLLNHNNDTEEEERLWRDLIMERVTKSADAC					:	772
NM_133433	:	DKLSTDKTVKVLNILEKNIQDGSKLSTLLNHNNDTEEEERLWRDLIMERVTKSADAC					:	772
	1320	*	1340	*	1360			
PCP0623	:	LTTINIMTSPNMPKAVYIEDVIERVIQYTKFHLQNTLYPQYDPVYRLDPHGGGLSS					:	1368
NM_015384	:	LTTINIMTSPNMPKAVYIEDVIERVIQYTKFHLQNTLYPQYDPVYRLDPHGGGLSS					:	829
NM_133433	:	LTTINIMTSPNMPKAVYIEDVIERVIQYTKFHLQNTLYPQYDPVYRLDPHGGGLSS					:	829
	*	1380	*	1400	*	1420		
PCP0623	:	KAKRAKSTHKQRVIVMLYNKVCDIVSSLSLELLEIQLLTDTTILQVSSMGITPFFVE					:	1425
NM_015384	:	KAKRAKSTHKQRVIVMLYNKVCDIVSSLSLELLEIQLLTDTTILQVSSMGITPFFVE					:	886
NM_133433	:	KAKRAKSTHKQRVIVMLYNKVCDIVSSLSLELLEIQLLTDTTILQVSSMGITPFFVE					:	886
	*	1440	*	1460	*	1480		
PCP0623	:	NVSELQLCAIKLVTAVFSRYEKHRQLILEEIFTSLARLPTSKRSLRNFRNLSSDMDG					:	1482
NM_015384	:	NVSELQLCAIKLVTAVFSRYEKHRQLILEEIFTSLARLPTSKRSLRNFRNLSSDMDG					:	943
NM_133433	:	NVSELQLCAIKLVTAVFSRYEKHRQLILEEIFTSLARLPTSKRSLRNFRNLSSDMDG					:	943
	*	1500	*	1520	*	154		
PCP0623	:	EPMYIQMVTALVLQLIQCVVHLPSSEKDSNAEEDSNKKIDQDVVITNSYETAMRTAQ					:	1539
NM_015384	:	EPMYIQMVTALVLQLIQCVVHLPSSEKDSNAEEDSNKKIDQDVVITNSYETAMRTAQ					:	1000
NM_133433	:	EPMYIQMVTALVLQLIQCVVHLPSSEKDSNAEEDSNKKIDQDVVITNSYETAMRTAQ					:	1000
	0	*	1560	*	1580	*		
PCP0623	:	NFLSIFLKKCGSKQGEEDYRPLFENFVQDLLSTVNKPEWPAAELLSLGRLLVHQF					:	1596
NM_015384	:	NFLSIFLKKCGSKQGEEDYRPLFENFVQDLLSTVNKPEWPAAELLSLGRLLVHQF					:	1057
NM_133433	:	NFLSIFLKKCGSKQGEEDYRPLFENFVQDLLSTVNKPEWPAAELLSLGRLLVHQF					:	1057
	1600	*	1620	*	1640	*		
PCP0623	:	SNKSTEMALRVASLDYLGTVAAARLRKDAVTSKMDQGSIERILKQVSGGEDEIQQLQK					:	1653
NM_015384	:	SNKSTEMALRVASLDYLGTVAAARLRKDAVTSKMDQGSIERILKQVSGGEDEIQQLQK					:	1114
NM_133433	:	SNKSTEMALRVASLDYLGTVAAARLRKDAVTSKMDQGSIERILKQVSGGEDEIQQLQK					:	1114
	1660	*	1680	*	1700	*		
PCP0623	:	ALLDYLDENTETDPSLVFSRKFYIAQWFRDTTLETEKAMKSQKDEESSEGTHHAKEI					:	1710
NM_015384	:	ALLDYLDENTETDPSLVFSRKFYIAQWFRDTTLETEKAMKSQKDEESSEGTHHAKEI					:	1171
NM_133433	:	ALLDYLDENTETDPSLVFSRKFYIAQWFRDTTLETEKAMKSQKDEESSEGTHHAKEI					:	1171
	1720	*	1740	*	1760			
PCP0623	:	ETTGOIMHRAENRKKFLRSIIKTTPSQFSTLKMNSDTVDDACLIVRYLASMRPFA					:	1767
NM_015384	:	ETTGOIMHRAENRKKFLRSIIKTTPSQFSTLKMNSDTVDDACLIVRYLASMRPFA					:	1228
NM_133433	:	ETTGOIMHRAENRKKFLRSIIKTTPSQFSTLKMNSDTVDDACLIVRYLASMRPFA					:	1228
	*	1780	*	1800	*	1820		
PCP0623	:	QSFDIYLTQILRVLGENAIAVRTKAMKCLSEVVAVDPSILARLDMQRGVHGRLMDNS					:	1824
NM_015384	:	QSFDIYLTQILRVLGENAIAVRTKAMKCLSEVVAVDPSILARLDMQRGVHGRLMDNS					:	1285
NM_133433	:	QSFDIYLTQILRVLGENAIAVRTKAMKCLSEVVAVDPSILARLDMQRGVHGRLMDNS					:	1285
	*	1840	*	1860	*	1880		
PCP0623	:	TSVREAAVELLGRFVLCRPQLAEQYYDMLIERILDTGISVRKRVIKILRDICIEQPT					:	1881
NM_015384	:	TSVREAAVELLGRFVLCRPQLAEQYYDMLIERILDTGISVRKRVIKILRDICIEQPT					:	1342
NM_133433	:	TSVREAAVELLGRFVLCRPQLAEQYYDMLIERILDTGISVRKRVIKILRDICIEQPT					:	1342

FIG. 4C

		* 1900 * 1920 *	19
PCP0623	:	FPKITEMCVKMIRRVNDEEGIKKLVNETFQKLWFTPTPHNDKEAMTRKILNITDVVA	: 1938
NM_015384	:	FPKITEMCVKMIRRVNDEEGIKKLVNETFQKLWFTPTPHNDKEAMTRKILNITDVVA	: 1399
NM_133433	:	FPKITEMCVKMIRRVNDEEGIKKLVNETFQKLWFTPTPHNDKEAMTRKILNITDVVA	: 1399

		40 * 1960 * 1980 *	
PCP0623	:	ACRDTGYDWFQQLQNLLKSEEDSSYPVKKACTQLVDNLVEHILKYEESLADSDNK	: 1995
NM_015384	:	ACRDTGYDWFQQLQNLLKSEEDSSYPVKKACTQLVDNLVEHILKYEESLADSDNK	: 1456
NM_133433	:	ACRDTGYDWFQQLQNLLKSEEDSSYPVKKACTQLVDNLVEHILKYEESLADSDNK	: 1456

		2000 * 2020 * 2040 *	
PCP0623	:	GVNSGRLVACITTLFLFSKIRPQLMVKHAMTMQPYLTTCSTQNDFMVICNVAKILE	: 2052
NM_015384	:	GVNSGRLVACITTLFLFSKIRPQLMVKHAMTMQPYLTTCSTQNDFMVICNVAKILE	: 1513
NM_133433	:	GVNSGRLVACITTLFLFSKIRPQLMVKHAMTMQPYLTTCSTQNDFMVICNVAKILE	: 1513

		2060 * 2080 * 2100	
PCP0623	:	LVVPLMEHPSETFLATIEEDLMKLIKYGMTVVQHCVSCLGAVVNKVTQNEKFWWAC	: 2109
NM_015384	:	LVVPLMEHPSETFLATIEEDLMKLIKYGMTVVQHCVSCLGAVVNKVTQNEKFWWAC	: 1570
NM_133433	:	LVVPLMEHPSETFLATIEEDLMKLIKYGMTVVQHCVSCLGAVVNKVTQNEKFWWAC	: 1570

		* 2120 * 2140 * 2160	
PCP0623	:	FNRYYGAI SKLSQH QEDPNNTSLLTNKPALLRSLFTVGALCRHFD FDFLEDFKGN SK	: 2166
NM_015384	:	FNRYYGAI SKLSQH QEDPNNTSLLTNKPALLRSLFTVGALCRHFD FDFLEDFKGN SK	: 1627
NM_133433	:	FNRYYGAI SKLSQH QEDPNNTSLLTNKPALLRSLFTVGALCRHFD FDFLEDFKGN SK	: 1627

		* 2180 * 2200 * 2220	
PCP0623	:	VNIKDKVLELLMYFTKHSDEEVQTKAIGLGFAFIQHPSLMFEQEVKNLYNNILSDK	: 2223
NM_015384	:	VNIKDKVLELLMYFTKHSDEEVQTKAIGLGFAFIQHPSLMFEQEVKNLYNNILSDK	: 1684
NM_133433	:	VNIKDKVLELLMYFTKHSDEEVQTKAIGLGFAFIQHPSLMFEQEVKNLYNNILSDK	: 1684

		* 2240 * 2260 * 2280	
PCP0623	:	NSSVNLKIQVLKNLQTYLQEEDTRMQQADRDWKKVAKQEDLKEMGDVSSGMSSSIMQ	: 2280
NM_015384	:	NSSVNLKIQVLKNLQTYLQEEDTRMQQADRDWKKVAKQEDLKEMGDVSSGMSSSIMQ	: 1741
NM_133433	:	NSSVNLKIQVLKNLQTYLQEEDTRMQQADRDWKKVAKQEDLKEMGDVSSGMSSSIMQ	: 1741

		* 2300 * 2320 * 2	
PCP0623	:	LYLKQVLEAFFHTQSSVRHFALNVIALTLNQGLIHVPVQCVPYLIAMGTDPEPAMRNK	: 2337
NM_015384	:	LYLKQVLEAFFHTQSSVRHFALNVIALTLNQGLIHVPVQCVPYLIAMGTDPEPAMRNK	: 1798
NM_133433	:	LYLKQVLEAFFHTQSSVRHFALNVIALTLNQGLIHVPVQCVPYLIAMGTDPEPAMRNK	: 1798

		340 * 2360 * 2380 *	
PCP0623	:	ADQQLVEIDKKYAGFIHMKAVAGMKMSYQVQQAINTCLKDPVRGFRQDESSSALCSH	: 2394
NM_015384	:	ADQQLVEIDKKYAGFIHMKAVAGMKMSYQVQQAINTCLKDPVRGFRQDESSSALCSH	: 1855
NM_133433	:	ADQQLVEIDKKYAGFIHMKAVAGMKMSYQVQQAINTCLKDPVRGFRQDESSSALCSH	: 1855

		2400 * 2420 * 2440 *	
PCP0623	:	LYSMIRGNRQHRAFLISLLNLFDDTAKTDVMTMLLYIADNLACFPYQTQEEPLFIMH	: 2451
NM_015384	:	LYSMIRGNRQHRAFLISLLNLFDDTAKTDVMTMLLYIADNLACFPYQTQEEPLFIMH	: 1912
NM_133433	:	LYSMIRGNRQHRAFLISLLNLFDDTAKTDVMTMLLYIADNLACFPYQTQEEPLFIMH	: 1912

		2460 * 2480 * 2500	
PCP0623	:	HIDITLSVSGSNLLQSFKESMVKDKRKERKSSPSKENESSDSEEEVSRPRKSRKRVD	: 2508
NM_015384	:	HIDITLSVSGSNLLQSFKESMVKDKRKERKSSPSKENESSDSEEEVSRPRKSRKRVD	: 1969
NM_133433	:	HIDITLSVSGSNLLQSFKESMVKDKRKERKSSPSKENESSDSEEEVSRPRKSRKRVD	: 1969

FIG. 4D

```

      *      2520      *      2540      *      2560
PCP0623 : SDSDSSEDDINSVMKCLPENSAPLIEFANVSQGILLLLMLKQHLKNLCGFSDSKIQ : 2565
NM_015384 : SDSDSSEDDINSVMKCLPENSAPLIEFANVSQGILLLLMLKQHLKNLCGFSDSKIQ : 2026
NM_133433 : SDSDSSEDDINSVMKCLPENSAPLIEFANVSQGILLLLMLKQHLKNLCGFSDSKIQ : 2026

      *      2580      *      2600      *      2620
PCP0623 : KYSPSESAKVYDKAINRKTGVHFHFKQTLDFLRSDMANSKITEEVKRSIVKQYLDFK : 2622
NM_015384 : KYSPSESAKVYDKAINRKTGVHFHFKQTLDFLRSDMANSKITEEVKRSIVKQYLDFK : 2083
NM_133433 : KYSPSESAKVYDKAINRKTGVHFHFKQTLDFLRSDMANSKITEEVKRSIVKQYLDFK : 2083

      *      2640      *      2660      *      268
PCP0623 : LLMEHLDPDEEEEEGEVSASTNARNKAITSLLGGGSPKNNTAAETEDDES DGEDRGG : 2679
NM_015384 : LLMEHLDPDEEEEEGEVSASTNARNKAITSLLGGGSPKNNTAAETEDDES DGEDRGG : 2140
NM_133433 : LLMEHLDPDEEEEEGEVSASTNARNKAITSLLGGGSPKNNTAAETEDDES DGEDRGG : 2140

      0      *      2700      *      2720      *
PCP0623 : GTSG RR ----- : 2697
NM_015384 : GTSG RR ----- : 2158
NM_133433 : GTSGSLRRSKRNSDSTELAAQMNESVDVMDVIAICCPKYKDRPQIARVVQKTSSGFS : 2197

      2740      *      2760      *      2780      *
PCP0623 : ----- : -
NM_015384 : ----- : -
NM_133433 : VQWMAGSYSGSWTEAKRRDGRKLVPWVDTIKESDIYKKIALTSANKLTNKVVQTLR : 2254

      2800
PCP0623 : ----- : -
NM_015384 : ----- : -
NM_133433 : SLYAAKDGTTSS : 2265

```

FIG. 4E

```

PCP0815 : MAHESERS-SRLGVPCGEEF-AELG GDASEEDHPQVCAKCCAQFTDPTEFLAHQNACS : 55
XM_033473 : MSRRKQKPKQQLISDCGEGPSASENGDASEEDHPQVCAKCCAQFTDPTEFLAHQNACS : 57
          M      2R      L      C      P      A      GDASEEDHPQVCAKCCAQFTDPTEFLAHQNACS

          60          *          80          *          100          *
PCP0815 : TDPVPMVVIIGGQENPNNSSASSEPRPEGHNNPQVMDTEHSNPPDSGSSVPTDPTWGP : 112
XM_033473 : TDPVPMVVIIGGQENPNNSSASSEPRPEGHNNPQVMDTEHSNPPDSGSSVPTDPTWGP : 114
          TDPVPMVVIIGGQENPNNSSASSEPRPEGHNNPQVMDTEHSNPPDSGSSVPTDPTWGP

          120          *          140          *          160          *
PCP0815 : ERRGEESGHFLVAATGTAAGGGGGLILASPKLGATPLPPESTPAPPPPPPPPPPPG : 169
XM_033473 : ERRGEESGHFLVAATGTAAGGGGGLILASPKLGATPLPPESTPAPPPPPPPPPPPG : 171
          ERRGEES GHFLVAATGTAAGGGGGLILASPKLGATPLPPESTPAPPPPPPPPPPPG

          180          *          200          *          220
PCP0815 : VSGHNLNIPLILEELRVLQQRQIHQMOMTEQICRQVLLLSGLGQTVGAPASPSSELPG : 226
XM_033473 : VSGHNLNIPLILEELRVLQQRQIHQMOMTEQICRQVLLLSGLGQTVGAPASPSSELPG : 228
          VSGHNLNIPLILEELRVLQQRQIHQMOMTEQICRQVLLLSGLGQTVGAPASPSSELPG

          *          240          *          260          *          280
PCP0815 : TGTASSTKPLLPLFSPIKPVQTSKTLASSSSSSSSSSGAETPKQAFFHLYHPLGSOH : 283
XM_033473 : TGTASSTKPLLPLFSPIKPVQTSKTLASSSSSSSSSSGAETPKQAFFHLYHPLGSOH : 285
          TGTASSTKPLLPLFSPIKPVQTSKTLASSSSSSSSSSGAETPKQAFFHLYHPLGSOH

          *          300          *          320          *          340
PCP0815 : BFSAGGVGRSHKPTPAPSPALPGSTDQLIASPHLAFPSTTGLLAAQCLGAARGLEAT : 340
XM_033473 : BFSAGGVGRSHKPTPAPSPALPGSTDQLIASPHLAFPSTTGLLAAQCLGAARGLEAT : 342
          BFSAGGVGRSHKPTPAPSPALPGSTDQLIASPHLAFPSTTGLLAAQCLGAARGLEAT

          *          360          *          380          *          40
PCP0815 : ASPGLLKPKNGSGELSYGEVMGPLEKPGGRHKCRFCAKVFGSDSALQIHLRSHTGER : 397
XM_033473 : ASPGLLKPKNGSGELSYGEVMGPLEKPGGRHKCRFCAKVFGSDSALQIHLRSHTGER : 399
          ASPGLLKPKNGSGELSYGEVMGPLEKPGGRHKCRFCAKVFGSDSALQIHLRSHTGER

          0          *          420          *          440          *
PCP0815 : PYKCNVCGNRFTTRGNLKVHFHRHREKYPHVQMNPHPVPEHLDYVITSSGLPYGMSV : 454
XM_033473 : PYKCNVCGNRFTTRGNLKVHFHRHREKYPHVQMNPHPVPEHLDYVITSSGLPYGMSV : 456
          PYKCNVCGNRFTTRGNLKVHFHRHREKYPHVQMNPHPVPEHLDYVITSSGLPYGMSV

          460          *          480          *          500          *
PCP0815 : PPEKAEAAAATPGGGVERKPLVASTTALSATESLTLLSTSAGTATAPGLPAFNKFVL : 511
XM_033473 : PPEKAEAAAATPGGGVERKPLVASTTALSATESLTLLSTSAGTATAPGLPAFNKFVL : 513
          PPEKAEAAAATPGGGVERKPLVASTTALSATESLTLLSTSAGTATAPGLPAFNKFVL

          520          *          540          *          560          *
PCP0815 : MKAVEPKNKADENTPPGSEGS AISGVAESSTATRMQLSKLVTSLPSWALLTNHFKST : 568
XM_033473 : MKAVEPKNKADENTPPGSEGS AISGVAESSTATRMQLSKLVTSLPSWALLTNHFKST : 570
          MKAVEPKNKADENTPPGSEGS AISGVAESSTATRMQLSKLVTSLPSWALLTNHFKST

          580          *          600          *          620
PCP0815 : GSFPFPYVLEPLGASPSSETSKLQQLVEKIDRQGAVAVTSAASGAPTTSAAPAPSSSAS : 625
XM_033473 : GSFPFPYVLEPLGASPSSETSKLQQLVEKIDRQGAVAVTSAASGAPTTSAAPAPSSSAS : 627
          GSFPFPYVLEPLGASPSSETSKLQQLVEKIDRQGAVAVTSAASGAPTTSAAPAPSSSAS

          *          640          *          660          *          680
PCP0815 : SGNQCVCICLRVLSCPRALRLHYGQHGGGERPFKCKVCGRAFSTRGNLRAHFVGHKAS : 682
XM_033473 : SGNQCVCICLRVLSCPRALRLHYGQHGGGERPFKCKVCGRAFSTRGNLRAHFVGHKAS : 684
          SGNQCVCICLRVLSCPRALRLHYGQHGGGERPFKCKVCGRAFSTRGNLRAHFVGHKAS

```

FIG. 5A


```

      *           700           *           720           *           740
PCP0815 : PAARAQNSCPICQKKFTNAVTLQQHVRMHLGGQIPNGGTALPEGGGAAQENGSEQST : 739
XM_033473 : PAARAQNSCPICQKKFTNAVTLQQHVRMHLGGQIPNGGTALPEGGGAAQENGSEQST : 741
      PAARAQNSCPICQKKFTNAVTLQQHVRMHLGGQIPNGGTALPEGGGAAQENGSEQST

      *           760           *           780           *           8
PCP0815 : VSGAGSFPQQQSQQPSPEEELSEEEEEDEEEEEEDVTDEDSLARGSESSEGGKAIKV : 796
XM_033473 : VSGAGSFPQQQSQQPSPEEELSEEEEEDEEEEEEDVTDEDSLARGSESSEGGKAIKV : 798
      VSGAGSFPQQQSQQPSPEEELSEEEEEDEEEEEEDVTDEDSLARGSESSEGGKAIKV

      00           *           820           *           840           *
PCP0815 : RGDSEEEASGAEEEVGTVAAAATAGKEMDSNEKTTQQSSLPPPPPPDSDLQPPQPMQGG : 853
XM_033473 : RGDSEEEASGAEEEVGTVAAAATAGKEMDSNEKTTQQSSLPPPPPPDSDLQPPQPMQGG : 855
      RGDSEEEASGAEEEVGTVAAAATAGKEMDSNEKTTQQSSLPPPPPPDSDLQPPQPMQGG

      860           *           880           *           900           *
PCP0815 : SSGVLGGKEEGGKPERSSSPASALTPEGEATSVTLVEELSLQEAMRKEPGESSSRKA : 910
XM_033473 : SSGVLGGKEEGGKPERSSSPASALTPEGEATSVTLVEELSLQEAMRKEPGESSSRKA : 912
      SSGVLGGKEEGGKPERSSSPASALTPEGEATSVTLVEELSLQEAMRKEPGESSSRKA

      920           *           940           *           960
PCP0815 : CEVCGQAFPSQAALAEHQKTHPKEGFLFTCVFCRQGFLERATLKKHMLLAHHQNYV : 967
XM_033473 : CEVCGQAFPSQAALAEHQKTHPKEGFLFTCVFCRQGFLERATLKKHMLLAHHQVQPF : 969
      CEVCGQAFPSQAALAEHQKTHPKEGFLFTCVFCRQGFLERATLKKHMLLAHHQ Q

      *           980           *           1000           *           1020
PCP0815 : AFLSNGLEPMKPNSSSTSTTTPSLAPPVL-FGLGTVAGKVPPTM----- : 1010
XM_033473 : A-----PHGPNIAALSLV-PGCSPTSTTGLSPFPKDDPTIP----- : 1007
      A P P N S P P 6 GL K PT6

      *           1040           *           1060           *
PCP0815 : -----GSREAKEKTAPLLFQPPAPKAVPEKPIIDKK : 1041
XM_033473 : ----- : -

```

FIG. 5B

```

      *           20           *           40           *
PCP0840 : MTGIAAASFNTCRFGGCGLHFPPTLADLIEHIEDNHIDTDP RVLEKQELQOPTYVAL : 58
XM_059862 : -----
      60           *           80           *           100           *
PCP0840 : SYINRFMTDAARREQESLKKKI QPKLSITLSSSVSRGNVSTPPRHSSGSLTPPVTPPI : 116
XM_059862 : -----
      120           *           140           *           160           *
PCP0840 : TPSSSFRSSTP-TGSEYDEEEVDYEE SDSDES WTTESAISSEAILSSMCMNGGEEKPF : 173
XM_059862 : -----MNAERICSEYDEEEVDYEE SDSDES WTTESAISSEAILSSMCMNGGEEKPF : 51
      P SEYDEEEVDYEE SDSDES WTTESAISSEAILSSMCMNGGEEKPF
      180           *           200           *           220           *
PCP0840 : ACPVPGCKKRYKNVNGIKYHAKNGHRTQIRVRKPFKCRGKSYKTAQGLRHHTINFHP : 231
XM_059862 : ACPVPGCKKRYKNVNGIKYHAKNGHRTQIRVRKPFKCRGKSYKTAQGLRHHTINFHP : 109
      ACPVPGCKKRYKNVNGIKYHAKNGHRTQIRVRKPFKCRGKSYKTAQGLRHHTINFHP
      240
PCP0840 : PVSAEIIRKMQQ : 243
XM_059862 : PVSAEIIRKMQQ : 121
      PVSAEIIRKMQQ

```

FIG. 6

```

      *           20           *           40           *
PCP0424A : MACREGAGSRRARSNGCRLPRRGRRRRGRRRTVGPGEIHCGRRALGPRVFRVMEALI : 58
NM_012062 : -----MEALI : 5
PCP0424B : MACREGAGSRRARSNGCRLPRRGRRRRGRRRTVGPGEIHCGRRALGPRVFRVMEALI : 58
NM_012063 : -----MEALI : 5
PCP0424C : MACREGAGSRRARSNGCRLPRRGRRRRGRRRTVGPGEIHCGRRALGPRVFRVMEALI : 58
NM_005690 : -----MEALI : 5
                                         MEALI

      60           *           80           *           100           *
PCP0424A : EVINKLQDVFNFTVGADIIQLPQIVVVGTQSSGKSSVLESLVGRDLLPRGTGIVTRRPL : 116
NM_012062 : PVINKLQDVFNFTVGADIIQLPQIVVVGTQSSGKSSVLESLVGRDLLPRGTGIVTRRPL : 63
PCP0424B : PVINKLQDVFNFTVGADIIQLPQIVVVGTQSSGKSSVLESLVGRDLLPRGTGIVTRRPL : 116
NM_012063 : PVINKLQDVFNFTVGADIIQLPQIVVVGTQSSGKSSVLESLVGRDLLPRGTGIVTRRPL : 63
PCP0424C : PVINKLQDVFNFTVGADIIQLPQIVVVGTQSSGKSSVLESLVGRDLLPRGTGIVTRRPL : 116
NM_005690 : PVINKLQDVFNFTVGADIIQLPQIVVVGTQSSGKSSVLESLVGRDLLPRGTGIVTRRPL : 63
PVINKLQDVFNFTVGADIIQLPQIVVVGTQSSGKSSVLESLVGRDLLPRGTGIVTRRPL

      120          *           140          *           160          *
PCP0424A : ILQLVHVTQEDKRKTTGEENGVEAEWGWKFLHTKNKLYTDFDEIRQEIENETERISGN : 174
NM_012062 : ILQLVHVTQEDKRKTTGEENGVEAEWGWKFLHTKNKLYTDFDEIRQEIENETERISGN : 121
PCP0424B : ILQLVHVTQEDKRKTTGEENGVEAEWGWKFLHTKNKLYTDFDEIRQEIENETERISGN : 174
NM_012063 : ILQLVHVTQEDKRKTTGEENGVEAEWGWKFLHTKNKLYTDFDEIRQEIENETERISGN : 121
PCP0424C : ILQLVHVTQEDKRKTTGEENGVEAEWGWKFLHTKNKLYTDFDEIRQEIENETERISGN : 174
NM_005690 : ILQLVHVTQEDKRKTTGEENGVEAEWGWKFLHTKNKLYTDFDEIRQEIENETERISGN : 121
ILQLVHVTQEDKRKTTGEENGVEAEWGWKFLHTKNKLYTDFDEIRQEIENETERISGN

      180          *           200          *           220          *
PCP0424A : NKGVSPEPIHLKIFSPNVVNLTLVDLPGMTKVPVGDQPKDIELQIRELILRFISNPNS : 232
NM_012062 : NKGVSPEPIHLKIFSPNVVNLTLVDLPGMTKVPVGDQPKDIELQIRELILRFISNPNS : 179
PCP0424B : NKGVSPEPIHLKIFSPNVVNLTLVDLPGMTKVPVGDQPKDIELQIRELILRFISNPNS : 232
NM_012063 : NKGVSPEPIHLKIFSPNVVNLTLVDLPGMTKVPVGDQPKDIELQIRELILRFISNPNS : 179
PCP0424C : NKGVSPEPIHLKIFSPNVVNLTLVDLPGMTKVPVGDQPKDIELQIRELILRFISNPNS : 232
NM_005690 : NKGVSPEPIHLKIFSPNVVNLTLVDLPGMTKVPVGDQPKDIELQIRELILRFISNPNS : 179
NKGVSPEPIHLKIFSPNVVNLTLVDLPGMTKVPVGDQPKDIELQIRELILRFISNPNS

      240          *           260          *           280          *
PCP0424A : IILAVTAANTDMATSEALKISREVDPDGRTLAVITKLDLMDAGTDAMDVLMGRVIPV : 290
NM_012062 : IILAVTAANTDMATSEALKISREVDPDGRTLAVITKLDLMDAGTDAMDVLMGRVIPV : 237
PCP0424B : IILAVTAANTDMATSEALKISREVDPDGRTLAVITKLDLMDAGTDAMDVLMGRVIPV : 290
NM_012063 : IILAVTAANTDMATSEALKISREVDPDGRTLAVITKLDLMDAGTDAMDVLMGRVIPV : 237
PCP0424C : IILAVTAANTDMATSEALKISREVDPDGRTLAVITKLDLMDAGTDAMDVLMGRVIPV : 290
NM_005690 : IILAVTAANTDMATSEALKISREVDPDGRTLAVITKLDLMDAGTDAMDVLMGRVIPV : 237
IILAVTAANTDMATSEALKISREVDPDG RTLAVITKLDLMDAGTDAMDVLMGRVIPV

      300          *           320          *           340
PCP0424A : KLGIIIGVVNRSQLDINNKKSVTDSIRDEYAFLOKKYPSLANRNGTKYLARTLNRLLMH : 348
NM_012062 : KLGIIIGVVNRSQLDINNKKSVTDSIRDEYAFLOKKYPSLANRNGTKYLARTLNRLLMH : 295
PCP0424B : KLGIIIGVVNRSQLDINNKKSVTDSIRDEYAFLOKKYPSLANRNGTKYLARTLNRLLMH : 348
NM_012063 : KLGIIIGVVNRSQLDINNKKSVTDSIRDEYAFLOKKYPSLANRNGTKYLARTLNRLLMH : 295
PCP0424C : KLGIIIGVVNRSQLDINNKKSVTDSIRDEYAFLOKKYPSLANRNGTKYLARTLNRLLMH : 348
NM_005690 : KLGIIIGVVNRSQLDINNKKSVTDSIRDEYAFLOKKYPSLANRNGTKYLARTLNRLLMH : 295
KLGIIIGVVNRSQLDINNKKSVTDSIRDEYAFLOKKYPSLANRNGTKYLARTLNRLLMH

      *           360          *           380          *           400
PCP0424A : HIRDCLPELKTRINVLAAQYQSLNSYGEVPDDKSATLLQLITKFATEYCNTIEGTAK : 406
NM_012062 : HIRDCLPELKTRINVLAAQYQSLNSYGEVPDDKSATLLQLITKFATEYCNTIEGTAK : 353
PCP0424B : HIRDCLPELKTRINVLAAQYQSLNSYGEVPDDKSATLLQLITKFATEYCNTIEGTAK : 406
NM_012063 : HIRDCLPELKTRINVLAAQYQSLNSYGEVPDDKSATLLQLITKFATEYCNTIEGTAK : 353
PCP0424C : HIRDCLPELKTRINVLAAQYQSLNSYGEVPDDKSATLLQLITKFATEYCNTIEGTAK : 406
NM_005690 : HIRDCLPELKTRINVLAAQYQSLNSYGEVPDDKSATLLQLITKFATEYCNTIEGTAK : 353
HIRDCLPELKTRINVLAAQYQSLNSYGEVPDDKSATLLQLITKFATEYCNTIEGTAK

```

FIG. 7A

```

      *           420           *           440           *           460
PCP0424A : YIETSELCCGARICYIFHETFGRTLESVDPLGGLNTIDILTAIRNATGPRPALFVPEV : 464
NM_012062 : YIETSELCCGARICYIFHETFGRTLESVDPLGGLNTIDILTAIRNATGPRPALFVPEV : 411
PCP0424B : YIETSELCCGARICYIFHETFGRTLESVDPLGGLNTIDILTAIRNATGPRPALFVPEV : 464
NM_012063 : YIETSELCCGARICYIFHETFGRTLESVDPLGGLNTIDILTAIRNATGPRPALFVPEV : 411
PCP0424C : YIETSELCCGARICYIFHETFGRTLESVDPLGGLNTIDILTAIRNATGPRPALFVPEV : 464
NM_005690 : YIETSELCCGARICYIFHETFGRTLESVDPLGGLNTIDILTAIRNATGPRPALFVPEV : 411
      YIETSELCCGARICYIFHETFGRTLESVDPLGGLNTIDILTAIRNATGPRPALFVPEV

      *           480           *           500           *           520
PCP0424A : SFELLVKRQIKRLEEPSLRCVELVHEEMQRIIQHCSNYSTQELLRFPKLHDAIVEVVT : 522
NM_012062 : SFELLVKRQIKRLEEPSLRCVELVHEEMQRIIQHCSNYSTQELLRFPKLHDAIVEVVT : 469
PCP0424B : SFELLVKRQIKRLEEPSLRCVELVHEEMQRIIQHCSNYSTQELLRFPKLHDAIVEVVT : 522
NM_012063 : SFELLVKRQIKRLEEPSLRCVELVHEEMQRIIQHCSNYSTQELLRFPKLHDAIVEVVT : 469
PCP0424C : SFELLVKRQIKRLEEPSLRCVELVHEEMQRIIQHCSNYSTQELLRFPKLHDAIVEVVT : 522
NM_005690 : SFELLVKRQIKRLEEPSLRCVELVHEEMQRIIQHCSNYSTQELLRFPKLHDAIVEVVT : 469
      SFELLVKRQIKRLEEPSLRCVELVHEEMQRIIQHCSNYSTQELLRFPKLHDAIVEVVT

      *           540           *           560           *           580
PCP0424A : CLLRKRLPVTNEMVHNLVAIELAYINTKHPDFADACGLMNNNIEEQRRNRLARELPSA : 580
NM_012062 : CLLRKRLPVTNEMVHNLVAIELAYINTKHPDFADACGLMNNNIEEQRRNRLARELPSA : 527
PCP0424B : CLLRKRLPVTNEMVHNLVAIELAYINTKHPDFADACGLMNNNIEEQRRNRLARELPSA : 580
NM_012063 : CLLRKRLPVTNEMVHNLVAIELAYINTKHPDFADACGLMNNNIEEQRRNRLARELPSA : 527
PCP0424C : CLLRKRLPVTNEMVHNLVAIELAYINTKHPDFADACGLMNNNIEEQRRNRLARELPSA : 580
NM_005690 : CLLRKRLPVTNEMVHNLVAIELAYINTKHPDFADACGLMNNNIEEQRRNRLARELPSA : 527
      CLLRKRLPVTNEMVHNLVAIELAYINTKHPDFADACGLMNNNIEEQRRNRLARELPSA

      *           600           *           620           *           6
PCP0424A : VSRDK-----SSKVPSALAPASQEPSPAASAEADGKL : 612
NM_012062 : VSRDKSSKVPSALAPASQEPSPAASAEADGK-----L : 559
PCP0424B : VSRDK-----L : 586
NM_012063 : VSRDK-----L : 533
PCP0424C : VSRDK----- : 585
NM_005690 : VSRDK----- : 532
      VSRDK

      40           *           660           *           680           *
PCP0424A : IQDSRRETKNVASGGGGVGDGVQEPTTGNWRGMLKTSKAEELLAEKSKPIPIMPASP : 670
NM_012062 : IQDSRRETKNVASGGGGVGDGVQEPTTGNWRGMLKTSKAEELLAEKSKPIPIMPASP : 617
PCP0424B : IQDSRRETKNVASGGGGVGDGVQEPTTGNWRGMLKTSKAEELLAEKSKPIPIMPASP : 644
NM_012063 : IQDSRRETKNVASGGGGVGDGVQEPTTGNWRGMLKTSKAEELLAEKSKPIPIMPASP : 591
PCP0424C : -----VASGGGGVGDGVQEPTTGNWRGMLKTSKAEELLAEKSKPIPIMPASP : 633
NM_005690 : -----VASGGGGVGDGVQEPTTGNWRGMLKTSKAEELLAEKSKPIPIMPASP : 580
      VASGGGGVGDGVQEPTTGNWRGMLKTSKAEELLAEKSKPIPIMPASP

      700           *           720           *           740           *
PCP0424A : QKGHAVNLLDVPVPVARKLSAREQRDCEVIERLIKSYFLIVRKNIQDSVPKAVMHFLV : 728
NM_012062 : QKGHAVNLLDVPVPVARKLSAREQRDCEVIERLIKSYFLIVRKNIQDSVPKAVMHFLV : 675
PCP0424B : QKGHAVNLLDVPVPVARKLSAREQRDCEVIERLIKSYFLIVRKNIQDSVPKAVMHFLV : 702
NM_012063 : QKGHAVNLLDVPVPVARKLSAREQRDCEVIERLIKSYFLIVRKNIQDSVPKAVMHFLV : 649
PCP0424C : QKGHAVNLLDVPVPVARKLSAREQRDCEVIERLIKSYFLIVRKNIQDSVPKAVMHFLV : 691
NM_005690 : QKGHAVNLLDVPVPVARKLSAREQRDCEVIERLIKSYFLIVRKNIQDSVPKAVMHFLV : 638
      QKGHAVNLLDVPVPVARKLSAREQRDCEVIERLIKSYFLIVRKNIQDSVPKAVMHFLV

      760           *           780           *           800           *
PCP0424A : NHVKDTLQSELVGQLYKSSLLDDLLTESEDMAQRRKEAADMLKALQGASQIIAEIRET : 786
NM_012062 : NHVKDTLQSELVGQLYKSSLLDDLLTESEDMAQRRKEAADMLKALQGASQIIAEIRET : 733
PCP0424B : NHVKDTLQSELVGQLYKSSLLDDLLTESEDMAQRRKEAADMLKALQGASQIIAEIRET : 760
NM_012063 : NHVKDTLQSELVGQLYKSSLLDDLLTESEDMAQRRKEAADMLKALQGASQIIAEIRET : 707
PCP0424C : NHVKDTLQSELVGQLYKSSLLDDLLTESEDMAQRRKEAADMLKALQGASQIIAEIRET : 749
NM_005690 : NHVKDTLQSELVGQLYKSSLLDDLLTESEDMAQRRKEAADMLKALQGASQIIAEIRET : 696
      NHVKDTLQSELVGQLYKSSLLDDLLTESEDMAQRRKEAADMLKALQGASQIIAEIRET

PCP0424A : HLW : 789
NM_012062 : HLW : 736
PCP0424B : HLW : 763
NM_012063 : HLW : 710
PCP0424C : HLW : 752
NM_005690 : HLW : 699
      HLW

```

FIG. 7B

PCP0816 : * 20 * 40 * 60
XM_042775 : MAEPGSHHLSARVRGRTERRI PRLWRLLLWAGTAFQVTQGTGPELHACKESEYHYEYTA : 60

PCP0816 : * 80 * 100 * 120
XM_042775 : CDSTGSRWRVAVPHTPGLCTSLPDPVKGTECSFSCNAGEFLDMKDQSCKPCAEGRYSLGT : 120

PCP0816 : * 140 * 160 * 180
XM_042775 : GIRFDEWDELPHGFASLSANMELDDSAESTGNCTSSKWVPRGDYIASNTDECTATLMYA : 180

PCP0816 : * 200 * 220 * 240
XM_042775 : VNLKQSGTVNFEYYPDSSIIFFEFFVQNDQCQPNADDSRWMTTEKGEWFHVSVELNRGNN : 240

PCP0816 : * 260 * 280 * 300
XM_042775 : VLYWRTTAFSVWTKVPKPVLRNIAITGVAYTSECFCKPGTYADKQSSFCCKLCPANSY : 300

PCP0816 : * 320 * 340 * 360
XM_042775 : SNKGETSCHQCDPKYS EKGSSSCNVRPACTDKDYFYTHTACDANGETQLMYKWAKPKIC : 360

PCP0816 : * 380 * 400 * 420
XM_042775 : SEDLEGAVKLPAAGVKTTHCPCPNPGFFKTNNSTCQPCPYGSYSNGSDCTRCPCAGTEPAVG : 420

PCP0816 : * 440 * 460 * 480
XM_042775 : FEYKWWNTLPTNMETTIVLSGINFEYKGMTGWEVAGDHIYTAAGASDNDFMILTIVVPGFR : 480

PCP0816 : * 500 * 520 * 540
XM_042775 : PPQSVMAADTENKEVARITFVFETLCSVNCELYFMVGVNSRTNTPVETWKGSKGKQSYTYI : 540

PCP0816 : * 560 * 580 * 600
XM_042775 : IEENTTTSTFWAFQRTTFHEASRKYTNDVAKIYSINVTNVMNGVASYCRPCALEASDVGS : 600

PCP0816 : * 620 * 640 * 660
XM_042775 : SCTSCPAGYYIDRDSGTCHSCPTNTILKAHQPYGVQACVPCGPGTKNNKIHSCLYNDCTF : 660

PCP0816 : * 680 * 700 * 720
XM_042775 : SRNTPTRTFNYSALANTVTLAGGPSFTSKGLKYFHHFTLSLCGNQGRKMSVCTDNVTD : 720

FIG. 8A

```

      *      740      *      760      *      780
PCP0816 : LRIPEGESGFSKSITAYVCQAVIIPPEVTGYKAGVSSQPVSLADRLIGVTTDMTLDGITS : 780
XM_042775 : LRIPEGESGFSKSITAYVCQAVIIPPEVTGYKAGVSSQPVSLADRLIGVTTDMTLDGITS : 730

      *      800      *      820      *      840
PCP0816 : PAELFHLES LGIPDVIFFYRSNDVTQSCSSGRSTTIRVRCSPQKTVPGSLLLPGTCS DGT : 840
XM_042775 : PAELFHLES LGIPDVIFFYRSNDVTQSCSSGRSTTIRVRCSPQKTVPGSLLLPGTCS DGT : 790

      *      860      *      880      *      900
PCP0816 : CDGCNHFHFLWESAAACPLCSVADYHAIVSSCVAGIQKTTYVWREPKLCSGGISLPEQ RVT : 900
XM_042775 : CDGCNHFHFLWESAAACPLCSVADYHAIVSSCVAGIQKTTYVWREPKLCSGGISLPEQ RVT : 850

      *      920      *      940      *      960
PCP0816 : ICKTIDFWLKVGISAGTCTAILLTVLTCYFWKKNQKLEYKYSKLV MNATLKDCDLPAADS : 960
XM_042775 : ICKTIDFWLKVGISAGTCTAILLTVLTCYFWKKNQKLEYKYSKLV MNATLKDCDLPAADS : 910

      *      980      *      1000      *
PCP0816 : CAIMEGEDVEDDLIFTSKKS LFGKIKSFTSKRTEDGFDSVPLKTS SGGPDMDL : 1013
XM_042775 : CAIMEGEDVEDDLIFTSKKS LFGKIKSFTSKQ-P-----APV-TISLSEDS-- : 954

```

FIG. 8B

```

      *      20      *      40      *      60
PCP0480 : MTMTLHTKASGMALLHQIQGNELEPLNRPQLKIPLERPLGEVYLDSSKPAVYNYPEGAAY : 60
NM_000125 : MTMTLHTKASGMALLHQIQGNELEPLNRPQLKIPLERPLGEVYLDSSKPAVYNYPEGAAY : 60

      *      80      *      100      *      120
PCP0480 : EFNAAAAANAQVYGQTGLPYGPGSEAAAFGSNGLGGFPPLNSVSPSPLMLLHPPPQLSPF : 120
NM_000125 : EFNAAAAANAQVYGQTGLPYGPGSEAAAFGSNGLGGFPPLNSVSPSPLMLLHPPPQLSPF : 120

      *      140      *      160      *      180
PCP0480 : LQPHGQQVPYYLENEPSGYTVREAGPPAFYRMVLSCGLSSRVSHWMFREFM----- : 171
NM_000125 : LQPHGQQVPYYLENEPSGYTVREAGPPAFYRPNSDNRRQGRERLASTNDKGSMAKESAK : 180

      *      200      *      220      *      240
PCP0480 : ----- : -
NM_000125 : ETRYCAVCNDYASGYHYGVWSCEGCKAFFKRSIQGHNDYMC PATNQCTIDKNRRKSCQAC : 240

      *      260      *      280      *      300
PCP0480 : ----- : -
NM_000125 : RLRKCYEVGMMKGGIRKDRRGGRMLKHKRQRDDGEGRGEVGSAGDMRAANLWPSPLMIKR : 300

      *      320      *      340      *      360
PCP0480 : ----- : -
NM_000125 : SKKNSLALSILTADQMVSALLDAEPPILYSEYDPTRPFSEASMMGLLTNLADRELVHMINW : 360

      *      380      *      400      *      420
PCP0480 : ----- : -
NM_000125 : AKRVFGFVDLTLHDQVHLLECAWLEILMIGLVWRSMEHVPKLLFAPNLLLDRNQKCVGEG : 420

      *      440      *      460      *      480
PCP0480 : ----- : -
NM_000125 : MVEIFDMLLATSSRFMMNLQGEFVCLKSIILLNSGVYTFLSSTLKSLEEKDHIHRVLD : 480

      *      500      *      520      *      540
PCP0480 : ----- : -
NM_000125 : KITDTLIHLMAKAGLTLQQQHQRLAQLLLILSHIRHMSNKGMEHLYSMKCKNVVPLYDLL : 540

      *      560      *      580      *
PCP0480 : ----- : -
NM_000125 : LEMLD AHLRHAPT SRGGASVEETDQSHLATAGSTSSHSLQKYYITGEAEGFPATV : 595

```

FIG. 9

```

      *           20           *           40           *           60
XM_094949 : -----MIKDWTKHEVKKWVNEDLKINEQYGOILLSEEV TGLVLQELTEKDLVEMGL : 51
PC0382    : MSKQVSLPEMIKDWTKHEVKKWVNEDLKINEQYGOILLSEEV TGLVLQELTEKDLVEMGL : 60

      *           80           *           100          *           120
XM_094949 : PWGPALLIKRSYNKLNSKSPESDNHDPGQLDNSKPSKTEHQKNPKHTKKEEENSMSSENID : 111
PC0382    : PWGPALLIKRSYNKLNSKSPESDNHDPGQLDNSKPSKTEHQKNPKHTKKEEENSMSSENID : 120

      *           140          *           160           *           180
XM_094949 : YDPREIRDIKQEE SILMKENVLDEVANAKHKKKGKLRPEQLTCMPYPFDQFHD SHRYIEH : 171
PC0382    : YDPREIRDIKQEE SILMKENVLDEVANAKHKKKGKLRPEQLTCMPYPFDQFHD SHRYIEH : 180

      *           200          *           220           *           240
XM_094949 : YTLQPETGALNLIDPIHEFKALTNTETATEVDIKMKFSNEVFRFASACMNSRTNGTIHFG : 231
PC0382    : YTLQPETGALNLIDPIHEFKALTNTETATEVDIKMKFSNEVFRFASACMNSRTNGTIHFG : 240

      *           260          *           280           *           300
XM_094949 : VKDKPHGEIVGVKITSKAAFIDHFNVMIKKYFESEINEAKKCIREPRFVEVLLQNNTPS : 291
PC0382    : VKDKPHGEIVGVKITSKAAFIDHFNVMIKKYFESEINEAKKCIREPRFVEVLLQNNTPS : 300

      *           320          *           340           *           360
XM_094949 : DRFVIEVD TPKHSICNDKYFYIQMOICKDKIWKQONQLSLFVREGASSRDILANSKQRD : 351
PC0382    : DRFVIEVD TPKHSICNDKYFYIQMOICKDKIWKQONQLSLFVREGASSRDILANSKQRD : 360

      *           380          *           400           *           420
XM_094949 : VDFKAFLOQLKSLVASRKEAEEYGMKAMKKESEGLKLVKLLIGNRDSL DNSYYDWYILV : 411
PC0382    : VDFKAFLOQLKSLVASRKEAEEYGMKAMKKESEGLKLVKLLIGNRDSL DNSYYDWYILV : 420

      *           440          *           460           *           480
XM_094949 : TNKCHPNQIKHLDLFLKEIKWFAVLEFDPESMINGVVKAYKESRVANLHFPNQYEDKTTNM : 471
PC0382    : TNKCHPNQIKHLDLFLKEIKWFAVLEFDPESMINGVVKAYKESRVANLHFPNQYEDKTTNM : 480

      *           500          *           520           *           540
XM_094949 : WEKISTLNLYQOPSWIFCNGRSDLKSETYKPLEPHLWQERERASEVRKLILFLTDENIMTR : 531
PC0382    : WEKISTLNLYQOPSWIFCNGRSDLKSETYKPLEPHLWQERERASEVRKLILFLTDENIMTR : 540

      *           560          *           580           *           600
XM_094949 : GKFLVVFLLLSSVESPGDPLIETFWAFYQALKGMENMLCISVN SHIYQRWKDLLQTRMKM : 591
PC0382    : GKFLVVFLLLSSVESPGDPLIETFWAFYQALKGMENMLCISVN SHIYQRWKDLLQTRMKM : 600

      *           620          *           640           *           660
XM_094949 : EDEL TNHSISTLNIELVNSTILKLKSVTRSSRRFLPARGSSSVILEKKKEDVLTAEILC : 651
PC0382    : EDEL TNHSISTLNIELVNSTILKLKSVTRSSRRFLPARGSSSVILEKKKEDVLTAEILC : 660

      *           680          *           700           *           720
XM_094949 : ENECTETDIEKDKSKFLEFKKSKEEHFYRGGKVSWWNFYFSSENYSSDFVKRDSYEKLD : 711
PC0382    : ENECTETDIEKDKSKFLEFKKSKEEHFYRGGKVSWWNFYFSSENYSSDFVKRDSYEKLD : 720

      *           740          *           760           *           780
XM_094949 : LIHCWAESP KPIFAKIINLYHHPGCGGTTLAMHVLWDLKKNFRCAVLKKNKTTDFAEIAEQ : 771
PC0382    : LIHCWAESP KPIFAKIINLYHHPGCGGTTLAMHVLWDLKKNFRCAVLKKNKTTDFAEIAEQ : 780

```

FIG. 10A


```

      *           800           *           820           *           840
XM_094949 : VINLVTRYAKSHQDYIPVLLLVDFFEEQENVYFLQNAIHSVLAEKDLRYEKTIVIIILNCM : 831
PC0382    : VINLVTRYAKSHQDYIPVLLLVDFFEEQENVYFLQNAIHSVLAEKDLRYEKTIVIIILNCM : 840

      *           860           *           880           *           900
XM_094949 : RSRNPDESAKLADSIALNYQLSSKEQRAFGAKLKEIEKQHKNCENFYFSFMIMKSNFDETY : 891
PC0382    : RSRNPDESAKLADSIALNYQLSSKEQRAFGAKLKEIEKQHKNCENFYFSFMIMKSNFDETY : 900

      *           920           *           940           *           960
XM_094949 : IENVVRNILKGQDVDSKEAQLISFLALLSSYVTDSTISVSQCEIFLGIIYTSTPWEPESL : 951
PC0382    : IENVVRNILKGQDVDSKEAQLISFLALLSSYVTDSTISVSQCEIFLGIIYTSTPWEPESL : 960

      *           980           *          1000           *          1020
XM_094949 : EDKMGTYSTLLIKTEVAEYGRYTGVRRIIHLIALYCLKELERSYHLDKCQIALNILEENL : 1011
PC0382    : EDKMGTYSTLLIKTEVAEYGRYTGVRRIIHLIALYCLKELERSYHLDKCQIALNILEENL : 1020

      *          1040           *          1060           *          1080
XM_094949 : FYDSGIGRDKFQHDVQTLTLLTRQRKVYGDETDTLFSPLMEALQNKDIEKVLSAGSRRFPQ : 1071
PC0382    : FYDSGIGRDKFQHDVQTLTLLTRQRKVYGDETDTLFSPLMEALQNKDIEKVLSAGSRRFPQ : 1080

      *          1100           *          1120           *          1140
XM_094949 : NAFICQALARHFYIKEKDFNTALDWARQAKMKAPKNSYISDTLGQVYKSEIKWWLDGNKN : 1131
PC0382    : NAFICQALARHFYIKEKDFNTALDWARQAKMKAPKNSYISDTLGQVYKSEIKWWLDGNKN : 1140

      *          1160           *          1180           *          1200
XM_094949 : CRSITVNDLTHLLEAAEKASRAFKESQRQTDSKNYETENWSPQKSQRRYDMYNTACFLGE : 1191
PC0382    : CRSITVNDLTHLLEAAEKASRAFKESQRQTDSKNYETENWSPQKSQRRYDMYNTACFLGE : 1200

      *          1220           *          1240           *          1260
XM_094949 : IEVGLYTIQILQLTPFFHKENELSKKHMVQFLSGKWTIPDPRNECYLALSFTSHLKNL : 1251
PC0382    : IEVGLYTIQILQLTPFFHKENELSKKHMVQFLSGKWTIPDPRNECYLALSFTSHLKNL : 1260

      *          1280           *          1300           *          1320
XM_094949 : QSDLKRCFDFFIDYMVLLKMRYTQKEIAEIMLSKKVSRRCFRKYTELCHLDPCLLQSKES : 1311
PC0382    : QSDLKRCFDFFIDYMVLLKMRYTQKEIAEIMLSKKVSRRCFRKYTELCHLDPCLLQSKES : 1320

      *          1340           *          1360           *          1380
XM_094949 : QLLQEENCRKKLEALRADRFAGLLEYLNPYKDATTMESIVNEYAFLQONSKKPMTNEK : 1371
PC0382    : QLLQEENCRKKLEALRADRFAGLLEYLNPYKDATTMESIVNEYAFLQONSKKPMTNEK : 1380

      *          1400           *          1420           *          1440
XM_094949 : QNSILANIILSCLKPNKSLIQPLTTLKKQLREVLFVGLSHQYPGPYFLACLLFWPENQE : 1431
PC0382    : QNSILANIILSCLKPNKSLIQPLTTLKKQLREVLFVGLSHQYPGPYFLACLLFWPENQE : 1440

      *          1460           *          1480           *          1500
XM_094949 : LDQDSKLIKRYVSSLNRSFRGQYKRMCRSKQASTLFYLGKRRGLNSIVHKAKIEQYFDKA : 1491
PC0382    : LDQDSKLIKRYVSSLNRSFRGQYKRMCRSKQASTLFYLGKRRGLNSIVHKAKIEQYFDKA : 1500

      *          1520           *          1540           *          1560
XM_094949 : QNTNSLWHSQDVWKKNEVDLLRRLTGQAEGLISVEYGTTEEKIKIPVISVYSGPLRSGR : 1551
PC0382    : QNTNSLWHSQDVWKKNEVDLLRRLTGQAEGLISVEYGTTEEKIKIPVISVYSGPLRSGR : 1560

      *          1580
XM_094949 : NIERVSFYLGFSGIEGPLAYDIEVI : 1575
PC0382    : NIERVSFYLGFSGIEGPLAYDIEVI : 1584

```

FIG. 10B

```

      *           20           *           40           *           60
PCP0842 : MEEILRKLQKEASGSKYKAIKESCTWALETLGGLDTIAKIPPHVLREKCLLPQLALESK : 60
XM_050424 : ----- : -

      *           80           *           100          *           120
PCP0842 : NVKLAQHALAGMQKLLSEERFVSMETDSDEKQLLNQILNAVKVTPSLNEDLQVEVMKVLL : 120
XM_050424 : ----- : -

      *           140          *           160          *           180
PCP0842 : CITYTPTFDLNGSAVLKIAEVCIETYISSCHQRSINTAVRATLSQMLSDLTLQLRQRQEN : 180
XM_050424 : ----- : -

      *           200          *           220          *           240
PCP0842 : TIIENPDVPQDFGNQGSTVESLCDDVVSVLTVLCEKLQAAIKCPSFLTMACWNSGAGTQI : 240
XM_050424 : ----- : -

      *           260          *           280          *           300
PCP0842 : TILTEGSSTNCSDPIWDTTASPVAASDSQQLQLLYLECI LSVLSSSSSSMHLHRRFTDLI : 300
XM_050424 : ----- : -

      *           320          *           340          *           360
PCP0842 : WKNLCPALIVILGNPIHDKTITSAHTSSTSTSLESDSASPGVSDHGRSGCSCTAPALSG : 360
XM_050424 : ----- : -

      *           380          *           400          *           420
PCP0842 : PVARTIYYIAAELVRLVGSVDSMKPVLQSLYHRVLLYPPFQHRVEAIKIMKEILGSPQRL : 420
XM_050424 : ----- : -

      *           440          *           460          *           480
PCP0842 : CDLAGPSSTESERKRSISKRSKSHDLLKLIMDGMTEACIKGGIEACYAAVSCVCTLLGA : 480
XM_050424 : -----MTEACIKGGIEACYAAVSCVCTLLGA : 26

      *           500          *           520          *           540
PCP0842 : LDELSQGKGLSEGQVQLLLLRLEELKDGAEWSRDSMEINEADFRWQRRVLSSEHTPWESG : 540
XM_050424 : LDELSQGKGLSEGQVQLLLLRLEELKDGAEWSRDSMEINEADFRWQRRVLSSEHTPWESG : 86

      *           560          *           580          *           600
PCP0842 : NERSLDISISVTTDTGQTTLEGELGQTTPEHSGNHKNSLKSPAIPGKETLSKVLETEA : 600
XM_050424 : NERSLDISISVTTDTGQTTLEGELGQTTPEHSGNHKNSLKSPAIPGKETLSKVLETEA : 146

      *           620          *           640          *           660
PCP0842 : VDQPDVVQRSHTVPYPDITNFLSVDCRTRSYGSRYSSENFVDDQDLSRTEFDSCDQYSM : 660
XM_050424 : VDQPDVVQRSHTVPYPDITNFLSVDCRTRSYGSRYSSENFVDDQDLSRTEFDSCDQYSM : 206

      *           680          *           700          *           720
PCP0842 : AA EKDSGRSDVSDIGSDNCSLADEEQTPRDCLGHRSLRТАALS LKLLKNQEADQHSARLF : 720
XM_050424 : AA EKDSGRSDVSDIGSDNCSLADEEQTPRDCLGHRSLRТАALS LKLLKNQEADQHSARLF : 266

      *           740          *           760          *           780
PCP0842 : IQSLEGLLPRLLSLSNVEEVDТАLQNFАSTFCSGMMHSPGFDGNSSLSFQMLMNADSLYT : 780
XM_050424 : IQSLEGLLPRLLSLSNVEEVDТАLQNFАSTFCSGMMHSPGFDGNSSLSFQMLMNADSLYT : 326

```

FIG. 11A

		*	800	*	820	*	840	
PCP0842	:	AAHCALLNLKLSHGDIYRKRPTLAPGVMKDFMKQVQTSGVLMVFSQAWIEELYHQVLDL					:	840
XM_050424	:	AAHCALLNLKLSHGDIYRKRPTLAPGVMKDFMKQVQTSGVLMVFSQAWIEELYHQVLDL					:	386
		*	860	*	880	*	900	
PCP0842	:	NMLGEAGYWGSPEDNSLPLITMLTDIDGLESAIGGQLMASAATESPFAQSRRIDDSTVA					:	900
XM_050424	:	NMLGEAGYWGSPEDNSLPLITMLTDIDGLESAIGGQLMASAATESPFAQSRRIDDSTVA					:	446
		*	920	*	940	*	960	
PCP0842	:	GVAFARYILVGCWKNLIDTLSTPLTGRMAGSSKGLAFILGAEGIKEQNOKERDAICMSLD					:	960
XM_050424	:	GVAFARYILVGCWKNLIDTLSTPLTGRMAGSSKGLAFILGAEGIKEQNOKERDAICMSLD					:	506
		*	980	*	1000	*	1020	
PCP0842	:	GLRKAARLSCALGVAANCASALAQMAAASCVOEKEEREAEQEPSDAITQVKLKVEQKLEQ					:	1020
XM_050424	:	GLRKAARLSCALGVAANCASALAQMAAASCVOEKEEREAEQEPSDAITQVKLKVEQKLEQ					:	566
		*	1040	*	1060	*	1080	
PCP0842	:	IGKVQGVWLHTAHVLCMEAILSVGLEMGSHNPDCWPHVFRVCEYVGTLEHNNHFDGASQP					:	1080
XM_050424	:	IGKVQGVWLHTAHVLCMEAILSVGLEMGSHNPDCWPHVFRVCEYVGTLEHNNHFDGASQP					:	626
		*	1100	*	1120	*	1140	
PCP0842	:	PLTISQPOKATGSAGLLGDPECEGSPPEHSPEQGRSLSTAPVVQPLSIQDLVREGSRGRA					:	1140
XM_050424	:	PLTISQPOKATGSAGLLGDPECEGSPPEHSPEQGRSLSTAPVVQPLSIQDLVREGSRGRA					:	686
		*	1160	*	1180	*	1200	
PCP0842	:	SDFRGGSLMSGSSAAKVVLTLSTQADRLFEDATDKLNLMLALGGFLYQLKKASQSQLFHSV					:	1200
XM_050424	:	SDFRGGSLMSGSSAAKVVLTLSTQADRLFEDATDKLNLMLALGGFLYQLKKASQSQLFHSV					:	746
		*	1220	*	1240	*	1260	
PCP0842	:	TDTVDYSLAMPGEVKSTQDRKSALHLFRLGNAMLRIVRSKARPLLHVMRCWSLVAPHLVE					:	1260
XM_050424	:	TDTVDYSLAMPGEVKSTQDRKSALHLFRLGNAMLRIVRSKARPLLHVMRCWSLVAPHLVE					:	806
		*	1280	*	1300	*	1320	
PCP0842	:	AACHKERHVSQKAVSFIHDILTEVLTDWNEPPHFHFNEALFRPFERIMQLELCDEVDVQDQ					:	1320
XM_050424	:	AACHKERHVSQKAVSFIHDILTEVLTDWNEPPHFHFNEALFRPFERIMQLELCDEVDVQDQ					:	866
		*	1340	*	1360	*	1380	
PCP0842	:	VVTSIGELVEVCSTQIQSGWRPLFSALETVHGGNKSEMKEYLVGDYSMGKGQAPVFDVFE					:	1380
XM_050424	:	VVTSIGELVEVCSTQIQSGWRPLFSALETVHGGNKSEMKEYLVGDYSMGKGQAPVFDVFE					:	926
		*	1400	*	1420	*	1440	
PCP0842	:	AFLNTDNIQVFANAATSYIMCLMKFVKGLGEVDCKEIGDCAPAPGAPSTDLCPLALDYLR					:	1440
XM_050424	:	AFLNTDNIQVFANAATSYIMCLMKFVKGLGEVDCKEIGDCAPAPGAPSTDLCPLALDYLR					:	986
		*	1460	*	1480	*	1500	
PCP0842	:	RCSQLLAKIYKMPLKPIFLSGRLAGLPRRLQEQSASSEDGIESVLSDFDDDTGLIEVWII					:	1500
XM_050424	:	RCSQLLAKIYKMPLKPIFLSGRLAGLPRRLQEQSASSEDGIESVLSDFDDDTGLIEVWII					:	1046
		*	1520	*	1540	*	1560	
PCP0842	:	LLEQLTAAVSNCPRHQPPTLDLLFELLRDVTKTPGGPGFIYAVVHLLLPVMSVWLRRSH					:	1560
XM_050424	:	LLEQLTAAVSNCPRHQPPTLDLLFELLRDVTKTPGGPGFIYAVVHLLLPVMSVWLRRSH					:	1106

FIG. 11B

		*	1580	*	1600	*	1620	
PCP0842	:	KDHSYWDMASANFKHAIGLSCELVVEHIQSF LHS DIRYESMINTMLKDLFELLVACVAKP						: 1620
XM_050424	:	KDHSYWDMASANFKHAIGLSCELVVEHIQSF LHS DIRYESMINTMLKDLFELLVACVAKP						: 1166
		*	1640	*	1660	*	1680	
PCP0842	:	TETISRVGCSCIRYVLVTAGPVFTEEMWRLACCALQDAFSATLKPVKDLLGCFHSGTESF						: 1680
XM_050424	:	TETISRVGCSCIRYVLVTAGPVFTEEMWRLACCALQDAFSATLKPVKDLLGCFHSGTESF						: 1226
		*	1700	*	1720	*	1740	
PCP0842	:	SGEGCQVRVAAPSSSPSAEAEYWRIRAMAQQVFMLDTQCSPKTPNNFDHAQSCQLIIELP						: 1740
XM_050424	:	SGEGCQVRVAAPSSSPSAEAEYWRIRAMAQQVFMLDTQCSPKTPNNFDHAQSCQLIIELP						: 1286
		*	1760	*	1780	*	1800	
PCP0842	:	PDEKPNGHTKKSVSFREIVVSLLSHQVLLQNLVDILLEEFVKGPSPGEEKTIQVPEAKLA						: 1800
XM_050424	:	PDEKPNGHTKKSVSFREIVVSLLSHQVLLQNLVDILLEEFVKGPSPGEEKTIQVPEAKLA						: 1346
		*	1820	*	1840	*	1860	
PCP0842	:	GFLRYISMQNLAVIFDLLLLDSYRTAREFDTSPGLKCLLKKVSGIGGAANLYRQSAMSFN I						: 1860
XM_050424	:	GFLRYISMQNLAVIFDLLLLDSYRTAREFDTSPGLKCLLKKVSGIGGAANLYRQSAMSFN I						: 1406
		*	1880	*	1900	*	1920	
PCP0842	:	YFHALVCAVLTNQETITAEQVKVLFEDDERSTDSSQQCSSEDEDI FEETAQVSPPRGKE						: 1920
XM_050424	:	YFHALVCAVLTNQETITAEQVKVLFEDDERSTDSSQQCSSEDEDI FEETAQVSPPRGKE						: 1466
		*	1940	*	1960	*	1980	
PCP0842	:	KRQWRARMPLLSVQPVSNADWVWLVKRLHKLCMELCNNYIQMHLDL ENCMEEPPIFKGDP						: 1980
XM_050424	:	KRQWRARMPLLSVQPVSNADWVWLVKRLHKLCMELCNNYIQMHLDL ENCMEEPPIFKGDP						: 1526
		*	2000	*	2020	*	2040	
PCP0842	:	FFILPSFQSESSTPSTGGFSGKETPSEDDRSQSREHMGESLSLKAGGGDLLLPSPKVEK						: 2040
XM_050424	:	FFILPSFQSESSTPSTGGFSGKETPSEDDRSQSREHMGESLSLKAGGGDLLLPSPKVEK						: 1586
		*	2060	*	2080	*	2100	
PCP0842	:	KDPSRKKEWWENAGNKIYTMAADKTISKLMTEYKKRKQQHNL SAFPKEVKVEKKGEPLGP						: 2100
XM_050424	:	KDPSRKKEWWENAGNKIYTMAADKTISKLMTEYKKRKQQHNL SAFPKEVKVEKKGEPLGP						: 1646
		*	2120	*	2140	*	2160	
PCP0842	:	RGQDSPLLQRPQHLMQGMHRHSFSAGPELLRQDKRPRSGSTGSSLSVSVRDAEAQIQAW						: 2160
XM_050424	:	RGQDSPLLQRPQHLMQGMHRHSFSAGPELLRQDKRPRSGSTGSSLSVSVRDAEAQIQAW						: 1706
		*	2180	*	2200	*	2220	
PCP0842	:	TNMVLTVLNQIQILPDQTF TALQPAVFPCISQLTCHVTDIRVRQAVREWLGRVGRVYDII						: 2220
XM_050424	:	TNMVLTVLNQIQILPDQTF TALQPAVFPCISQLTCHVTDIRVRQAVREWLGRVGRVYDII						: 1766
PCP0842	:	V	:	2221				
XM_050424	:	V	:	1767				

FIG. 11C

```

      *           20           *           40           *           60
PCP0405 : METGGRARTGTPQPAAPGVWRARPAGGGGGGASSWLLDGNWLLCYGFLYLALYAQVSQS : 60
KIAA0534 : ----- : -

      *           80           *           100          *           120
PCP0405 : KPCERTGSCFSGRCVNSTCLCDPGWVGDCQCHCQGRFKLTEPSGYLTDGPIYKYKTKCT : 120
KIAA0534 : ----- : -

      *           140          *           160           *           180
PCP0405 : WLIEGYPNAVLRLRFNFHATECSWDHMYVYDGDSIYAPLIAVLSGLI VPEIRGNETVPEV : 180
KIAA0534 : ----- : -

      *           200          *           220           *           240
PCP0405 : VTTSGYALLHFFSDAAYNLTGFNIFYINSNCPNNCSGHGKCTTSVSVPSQVYCECDKYWK : 240
KIAA0534 : ----- : -

      *           260          *           280           *           300
PCP0405 : GEACDIPYCKANCSPDHGYCDLTGEKLCVCNDSWQGFDCSLNVPSTESYWILPNVKPFS : 300
KIAA0534 : ----- : -

      *           320          *           340           *           360
PCP0405 : PSVGRASHKAVLHGKFMWVIGGYTFNYSSFQMVLYNLYNLESSIWNVGTSPSRG PLQRYGHS : 360
KIAA0534 : ----- PLQRYGHS : 9

      *           380          *           400           *           420
PCP0405 : ALYQENIFMYGGRIETNDGNVTDELWVFNIHSQSWSTKTPTVLGHGQQYAVEGHSAHIME : 420
KIAA0534 : ALYQENIFMYGGRIETNDGNVTDELWVFNIHSQSWSTKTPTVLGHGQQYAVEGHSAHIME : 69

      *           440          *           460           *           480
PCP0405 : LDSRDVVMIIIFGYSAIYGYTSSIQEYHISSNTWLVPETKGAIVQGGYGHTSVYDEITKS : 480
KIAA0534 : LDSRDVVMIIIFGYSAIYGYTSSIQEYHISSNTWLVPETKGAIVQGGYGHTSVYDEITKS : 129

      *           500          *           520           *           540
PCP0405 : IYVHGGYKALPGNKYGLVDDLYKYEVNTKTWTILKESGFARYLHSAVLINGAMLIFGGNT : 540
KIAA0534 : IYVHGGYKALPGNKYGLVDDLYKYEVNTKTWTILKESGFARYLHSAVLINGAMLIFGGNT : 189

      *           560          *           580           *           600
PCP0405 : HNDTSLSNGAKCFSADFLAYDIACDEWKILPKPNLHRDVNRFHGHS AVVINGSMYIFGGFS : 600
KIAA0534 : HNDTSLSNGAKCFSADFLAYDIACDEWKILPKPNLHRDVNRFHGHS AVVINGSMYIFGGFS : 249

      *           620          *           640           *           660
PCP0405 : SVLLNDILVYKPPNCKAFRDEELCKNAGPGIKCVWNKNHCESWESGNTNNILRAKCPPKT : 660
KIAA0534 : SVLLNDILVYKPPNCKAFRDEELCKNAGPGIKCVWNKNHCESWESGNTNNILRAKCPPKT : 309

      *           680          *           700           *           720
PCP0405 : AASDDRCYRYADCASCTANTNGCQWCDDKKCISANSNCSMSVKNYTKCHVRNEQICNKLT : 720
KIAA0534 : AASDDRCYRYADCASCTANTNGCQWCDDKKCISANSNCSMSVKNYTKCHVRNEQICNKLT : 369

```

FIG. 12A

		*	740	*	760	*	780	
PCP0405	:	SCKSCSLNLCQWDQRQQECQALPAHLCEGEGWSHIGDACLRVNSSRENYDNAKLYCYNLS					:	780
KIAA0534	:	SCKSCSLNLCQWDQRQQECQALPAHLCEGEGWSHIGDACLRVNSSRENYDNAKLYCYNLS					:	429
		*	800	*	820	*	840	
PCP0405	:	GNLASLTTSKEVEFVLDEIQKYTQQKVSPWVGLRKINISYWGWEDEMSPTNTTLQWLPGE					:	840
KIAA0534	:	GNLASLTTSKEVEFVLDEIQKYTQQKVSPWVGLRKINISYWGWEDEMSPTNTTLQWLPGE					:	489
		*	860	*	880	*	900	
PCP0405	:	PNDSGFCAYLERAAVAGLKANPCTSMANGLVCEKPVVSPNQARPCCKPCSLRTSCSNCT					:	900
KIAA0534	:	PNDSGFCAYLERAAVAGLKANPCTSMANGLVCEKPVVSPNQARPCCKPCSLRTSCSNCT					:	549
		*	920	*	940	*	960	
PCP0405	:	SNGMECMWCSSTKRCVDSNAYIISFPYGQCLEWQTATCSP					:	960
KIAA0534	:	SNGMECMWCSSTKRCVDSNAYIISFPYGQCLEWQTATCSP					:	609
		*	980	*	1000	*	1020	
PCP0405	:	CNDPSNTGRGHCIEGSSRGPMKLIGMHHNEMVLDTNLCPKEKNYEWFSFIQCPACQCNHGS					:	1020
KIAA0534	:	CNDPSNTGRGHCIEGSSRGPMKLIGMHHNEMVLDTNLCPKEKNYEWFSFIQCPACQCNHGS					:	669
		*	1040	*	1060	*	1080	
PCP0405	:	TCINNNVCEQCKNLTGKQCQDCMPGYGDPNTGGQCTACTCSGHANICHLHTGKCFCTT					:	1080
KIAA0534	:	TCINNNVCEQCKNLTGKQCQDCMPGYGDPNTGGQCTACTCSGHANICHLHTGKCFCTT					:	729
		*	1100	*	1120	*	1140	
PCP0405	:	KGIKGDQCQLCDSENRYVGNPLRGTCYYSLLIDYQFTFSLQEDDRHHTAINFIANPEQS					:	1140
KIAA0534	:	KGIKGDQCQLCDSENRYVGNPLRGTCYYSLLIDYQFTFSLQEDDRHHTAINFIANPEQS					:	789
		*	1160	*	1180	*	1200	
PCP0405	:	NKNLDISINASNFNLNISWSVGSTAGTISGEETSIVSKNNIKEYRDSFSYEKFNFERSNP					:	1200
KIAA0534	:	NKNLDISINASNFNLNITWSVGSTAGTISGEETSIVSKNNIKEYRDSFSYEKFNFERSNP					:	849
		*	1220	*	1240	*	1260	
PCP0405	:	NITFYVYVSNFNSWPIKIQIAFSQHNTIMDLVQFFVTFSCFLSLLLVAADVWVKIKQTCWA					:	1260
KIAA0534	:	NITFYVYVSNFNSWPIKIQIAFSQHNTIMDLVQFFVTFSCFLSLLLVAADVWVKIKQTCWA					:	909
		*	1280	*	1300	*	1320	
PCP0405	:	SRRREQLLRERQQMASRPFASVDVALEVGAEQTEFLRGPLEGAPKPIAIEPCAGNRAAVL					:	1320
KIAA0534	:	SRRREQLLRERQQMASRPFASVDVALEVGAEQTEFLRGPLEGAPKPIAIEPCAGNRAAVL					:	969
		*	1340	*	1360	*		
PCP0405	:	TVFLCLPRGSSGAPPPGQSGLAIASALIDISQQKASDSKDKTSGVRNRKHLSTRQGTCTV					:	1379
KIAA0534	:	TVFLCLPRGSSGAPPPGQSGLAIASALIDISQQKASDSKDKTSGVRNRKHLSTRQGTCTV					:	1028

FIG. 12B

	*	20	*	40	*	60	
PC0177A :							: 60
PC0177B :							: 60
PC0177C :							: 60
PC0177D :							: 60
KIAA1217 :	-----						: -

	*	80	*	100	*	120	
PC0177A :							: 120
PC0177B :							: 120
PC0177C :							: 120
PC0177D :							: 120
KIAA1217 :	-----						: 35

	*	140	*	160	*	180	
PC0177A :							: 180
PC0177B :							: 180
PC0177C :							: 180
PC0177D :							: 180
KIAA1217 :							: 95

	*	200	*	220	*	240	
PC0177A :							: 240
PC0177B :							: 240
PC0177C :							: 240
PC0177D :							: 240
KIAA1217 :							: 155

	*	260	*	280	*	300	
PC0177A :							: 300
PC0177B :							: 300
PC0177C :							: 300
PC0177D :							: 300
KIAA1217 :							: 215

	*	320	*	340	*	360	
PC0177A :							: 360
PC0177B :							: 360
PC0177C :							: 360
PC0177D :							: 360
KIAA1217 :							: 275

	*	380	*	400	*	420	
PC0177A :							: 420
PC0177B :							: 420
PC0177C :							: 420
PC0177D :							: 420
KIAA1217 :							: 335

FIG. 13A

```

      *           440           *           460           *           480
PC0177A : I I A Y H R T A I R S A Y C N P S M Q A E M H M E Q S L Y R Q K S R K Y P D S H L P T L G S K T P P A S P H R V S D : 480
PC0177B : I I A Y H R T A I R S A Y C N P S M Q A E M H M E Q S L Y R Q K S R K Y P D S H L P T L G S K T P P A S P H R V S D : 480
PC0177C : I I A Y H R T A I R S A Y C N P S M Q A E M H M E Q S L Y R Q K S R K Y P D S H L P T L G S K T P P A S P H R V S D : 480
PC0177D : I I A Y H R T A I R S A Y C N P S M Q A E M H M E Q S L Y R Q K S R K Y P D S H L P T L G S K T P P A S P H R V S D : 480
KIAA1217 : I I A Y H R T A I R S A Y C N P S M Q A E M H M E Q S L Y R Q K S R K Y P D S H L P T L G S K T P P A S P H R V S D : 395

      *           500           *           520           *           540
PC0177A : L R M I D M H A H Y N A H G P P H T M Q P D R A S P S R Q A F K K E P G T L V Y I E K P R S A A G L S S L V D L G P P L : 540
PC0177B : L R M I D M H A H Y N A H G P P H T M Q P D R A S P S R Q A F K K E P G T L V Y I E K P R S A A G L S S L V D L G P P L : 540
PC0177C : L R M I D M H A H Y N A H G P P H T M Q P D R A S P S R Q A F K K E P G T L V Y I E K P R S A A G L S S L V D L G P P L : 540
PC0177D : L R M I D M H A H Y N A H G P P H T M Q P D R A S P S R Q A F K K E P G T L V Y I E K P R S A A G L S S L V D L G P P L : 540
KIAA1217 : L R M I D M H A H Y N A H G P P H T M Q P D R A S P S R Q A F K K E P G T L V Y I E K P R S A A G L S S L V D L G P P L : 455

      *           560           *           580           *           600
PC0177A : M E K Q V F A Y S T A T I P K D R E T R E R M Q A M E K Q I A S L T G L V Q S A L F K G P I T S Y S K D A S S E K M M K : 600
PC0177B : M E K Q V F A Y S T A T I P K D R E T ----- S E K M M K : 565
PC0177C : M E K Q V F A Y S T A T I P K D R E T ----- S E K M M K : 565
PC0177D : M E K Q V F A Y S T A T I P K D R E T ----- S E K M M K : 565
KIAA1217 : M E K Q V F A Y S T A T I P K D R E T R E R M Q A M E K Q I A S L T G L V Q S A L F K G P I T S Y S K D A S S E K M M K : 515

      *           620           *           640           *           660
PC0177A : T T A N R N H T D S A G T P H V S G G K M L S A L E S T V P P S Q P P P V G T S A I H M S L L E M R R S V A E L R L Q L : 660
PC0177B : T T A N R N H T D S A G T P H V S G G K M L S A L E S T V P P S Q P P P V G T S A I H M S L L E M R R S V A E L R L Q L : 625
PC0177C : T T A N R N H T D S A G T P H V S G G K M L S A L E S T V P P S Q P P P V G T S A I H M S L L E M R R S V A E L R L Q L : 625
PC0177D : T T A N R N H T D S A G T P H V S G G K M L S A L E S T V P P S Q P P P V G T S A I H M S L L E M R R S V A E L R L Q L : 625
KIAA1217 : T T A N R N H T D S A G T P H V S G G K M L S A L E S T V P P S Q P P P V G T S A I H M S L L E M R R S V A E L R L Q L : 575

      *           680           *           700           *           720
PC0177A : Q Q M R Q L Q L Q N Q E L L R A M M K K A E L I S G K V M E T M K R L E D P V Q R Q R V L V E Q E R Q K Y L H E E E K : 720
PC0177B : Q Q M R Q L Q L Q N Q E L L R A M M K K A E L I S G K V M E T M K R L E D P V Q R Q R V L V E Q E R Q K Y L H E E E K : 685
PC0177C : Q Q M R Q L Q L Q N Q E L L R A M M K K A E L I S G K V M E T M K R L E D P V Q R Q R V L V E Q E R Q K Y L H E E E K : 685
PC0177D : Q Q M R Q L Q L Q N Q E L L R A M M K K A E L I S G K V M E T M K R L E D P V Q R Q R V L V E Q E R Q K Y L H E E E K : 685
KIAA1217 : Q Q M R Q L Q L Q N Q E L L R A M M K K A E L I S G K V M E T M K R L E D P V Q R Q R V L V E Q E R Q K Y L H E E E K : 635

      *           740           *           760           *           780
PC0177A : I V K K L C E L E D F V E D L K K D S T A A S R L V T L K D V E D G A F L L R Q V G E A V A T L K G E F P T L Q N K M R : 780
PC0177B : I V K K L C E L E D F V E D L K K D S T A A S R L V T L K D V E D G A F L L R Q V G E A V A T L K G E F P T L Q N K M R : 745
PC0177C : I V K K L C E L E D F V E D L K K D S T A A S R L V T L K D V E D G A F L L R Q V G E A V A T L K G E F P T L Q N K M R : 745
PC0177D : I V K K L C E L E D F V E D L K K D S T A A S R L V T L K D V E D G A F L L R Q V G E A V A T L K G E F P T L Q N K M R : 745
KIAA1217 : I V K K L C E L E D F V E D L K K D S T A A S R L V T L K D V E D G A F L L R Q V G E A V A T L K G E F P T L Q N K M R : 695

      *           800           *           820           *           840
PC0177A : A I L R I E V E A V R F L K E E P H K L D S L L K R V R S M T D V L T M L R R H V T D G L L K G T D A A Q A A Q Y M A M : 840
PC0177B : A I L R I E V E A V R F L K E E P H K L D S L L K R V R S M T D V L T M L R R H V T D G L L K G T D A A Q A A Q Y M A M : 805
PC0177C : A I L R I E V E A V R F L K E E P H K L D S L L K R V R S M T D V L T M L R R H V T D G L L K G T D A A Q A A Q Y M A M : 805
PC0177D : A I L R I E V E A V R F L K E E P H K L D S L L K R V R S M T D V L T M L R R H V T D G L L K G T D A A Q A A Q Y M A M : 805
KIAA1217 : A I L R I E V E A V R F L K E E P H K L D S L L K R V R S M T D V L T M L R R H V T D G L L K G T D A A Q A A Q Y M A M : 755

      *           860           *           880           *           900
PC0177A : E K A T A A E V L K S Q E E A A H T S G Q P F H S T G A P G D A K S E V V P L S G M M V R H A Q S S P V V I Q P S Q H S : 900
PC0177B : E K A T A A E V L K S Q E E A A H T S G Q P F H S T G A P G D A K S E V V P L S G M M V R H A Q S S P V V I Q P S Q H S : 865
PC0177C : E K A T A A E V L K S Q E E A A H T S G Q P F H S T G A P G D A K S E V V P L S G M M V R H A Q S S P V V I Q P S Q H S : 865
PC0177D : E K A T A A E V L K S Q E E A A H T S G Q P F H S T G A P G D A K S E V V P L S G M M V R H A Q S S P V V I Q P S Q H S : 865
KIAA1217 : E K A T A A E V L K S Q E E A A H T S G Q P F H S T G A P G D A K S E V V P L S G M M V R H A Q S S P V V I Q P S Q H S : 815

```

FIG. 13B


```

          *           920           *           940           *           960
PC0177A : VALLNPAQNLPHVASSPAVPQEATSTLQMSQAPQSPQIPMNGSAMQSLFIEEIHVSNAK : 960
PC0177B : VALLNPAQNLPHVASSPAVPQEATSTLQMSQAPQSPQIPMNGSAMQSLFIEEIHVSNAK : 925
PC0177C : VALLNPAQNLPHVASSPAVPQEATSTLQMSQAPQSPQIPMNGSAMQSLFIEEIHVSNAK : 925
PC0177D : VALLNPAQNLPHVASSPAVPQEATSTLQMSQAPQSPQIPMNGSAMQSLFIEEIHVSNAK : 925
KIAA1217 : VALLNPAQNLPHVASSPAVPQEATSTLQMSQAPQSPQIPMNGSAMQSLFIEEIHVSNAK : 875

          *           980           *           1000          *           1020
PC0177A : RAVSIEKAEKKWEEKRONLDHYNGKEFEKLLLEEAQANIMKSIPNLEMPATGGLPRGDAP : 1020
PC0177B : RAVSIEKAEKKWEEKRONLDHYNGKEFEKLLLEEAQANIMKSIPNLEMPATGGLPRGDAP : 985
PC0177C : RAVSIEKAEKKWEEKRONLDHYNGKEFEKLLLEEAQANIMKSIPNLEMPATGGLPRGDAP : 985
PC0177D : RAVSIEKAEKKWEEKRONLDHYNGKEFEKLLLEEAQANIMKSIPNLEMPATGGLPRGDAP : 985
KIAA1217 : RAVSIEKAEKKWEEKRONLDHYNGKEFEKLLLEEAQANIMKSIPNLEMPATGGLPRGDAP : 935

          *           1040          *           1060          *           1080
PC0177A : VDKVELSEDSPNSEQDLEKLGKSPPPPPPPRRSYLPGSGLTTTRSGDVVYTGRKENIT : 1080
PC0177B : VDKVELSEDSPNSEQDLEKLGKSPPPPPPPRRSYLPGSGLTTTRSGDVVYTGRKENIT : 1045
PC0177C : VDKVELSEDSPNSEQDLEKLGKSPPPPPPPRRSYLPGSGLTTTRSGDVVYTGRKENIT : 1045
PC0177D : VDKVELSEDSPNSEQDLEKLGKSPPPPPPPRRSYLPGSGLTTTRSGDVVYTGRKENIT : 1045
KIAA1217 : VDKVELSEDSPNSEQDLEKLGKSPPPPPPPRRSYLPGSGLTTTRSGDVVYTGRKENIT : 995

          *           1100          *           1120          *           1140
PC0177A : AKASSEDAGPSPQTRATKYPAEPPASAWTPSPPPVTTSSSKDEEEEEEGDKIMAELQAF : 1140
PC0177B : AKASSEDAGPSPQTRATKYPAEPPASAWTPSPPPVTTSSSKDEEEEEEGDKIMAELQAF : 1105
PC0177C : AKASSEDAGPSPQTRATKYPAEPPASAWTPSPPPVTTSSSKDEEEEEEGDKIMAELQAF : 1105
PC0177D : AKASSEDAGPSPQTRATKYPAEPPASAWTPSPPPVTTSSSKDEEEEEEGDKIMAELQGS : 1105
KIAA1217 : AKASSEDAGPSPQTRATKYPAEPPASAWTPSPPPVTTSSSKDEEEEEEGDKIMAELQGS : 1055

          *           1160          *           1180          *           1200
PC0177A : Q---KCSFMDVNSNSHAEPSPRADSHVKDTR----- : 1167
PC0177B : Q---KCSFMDVNSNSHAEPSPRADSHVKDTR----- : 1132
PC0177C : Q---KCSFMDVNSNSHAEPSPRADSHVKDTR----- : 1132
PC0177D : SGAPQTSRMPVPMSAKNRPGTLDKPGKQSKLQDPQRYRQANGSAKKS GDFKPTSPSLPA : 1165
KIAA1217 : SGAPQTSRMPVPMSAKNRPGTLDKPGKQSKLQDPQRYRQANGSAKKS GDFKPTSPSLPA : 1115

          *           1220          *           1240          *           1260
PC0177A : ----- : -
PC0177B : ----- : -
PC0177C : ----- : -
PC0177D : SKIPALSPSSGKSSSLPSSSGDSSNLPNPPATKPSIASNPLSPQTGPPAHSASLIPSVSN : 1225
KIAA1217 : SKIPALSPSSGKSSSLPSSSGDSSNLPNPPATKPSIASNPLSPQTGPPAHSASLIPSVSN : 1175

          *           1280          *           1300          *           1320
PC0177A : ----- : -
PC0177B : ----- : -
PC0177C : ----- : -
PC0177D : GSKLFQSLTHTGKGHHLSFSPQSQNGRAPPLSFSSSPSPASSVSLNQGAKGTRTIHTP : 1285
KIAA1217 : GSKLFQSLTHTGKGHHLSFSPQSQNGRAPPLSFSSSPSPASSVSLNQGAKGTRTIHTP : 1235

```

FIG. 13C

		*	1340	*	1360	*	1380	
PC0177A	:	-----	SGATVPPKEKKNLEFFHEDVRKSDVEYENGPMQEFQ	:	1203			
PC0177B	:	-----	SGATVPPKEKKNLEFFHEDVRKSDVEYENGPMQEFQ	:	1168			
PC0177C	:	-----	SGATVPPKEKKNLEFFHEDVRKSDVEYENGPMQEFQ	:	1168			
PC0177D	:	-----	SLTSYKAQNGSSSKATPSTAKETS	:	1309			
KIAA1217	:	-----	SLTSYKAQNGSSSKATPSTAKETS	:	1259			
		*	1400	*	1420	*	1440	
PC0177A	:	-----	KVTTGAVRPSDPPKWERGMENSISDASRTSEYKTEIIMKENSISNMSLLRDSRNYSETV	:	1263			
PC0177B	:	-----	KVTTGAVRPSDPPKWERGMENSISDASRTSEYKTEIIMKENSISNMSLLRDSRNYSETV	:	1228			
PC0177C	:	-----	KVTTGAVRPSDPPKWERGMENSISDASRTSEYKTEIIMKENSISNMSLLRDSRNYSETV	:	1228			
PC0177D	:	-----		:	-			
KIAA1217	:	-----		:	-			
		*	1460	*	1480	*	1500	
PC0177A	:	-----	PKASFGFSGISPLEDEINKGSKISGLQYSIPDTENQTLNYGKTKEMEKQNTDKCHVSSHT	:	1323			
PC0177B	:	-----	PKASFGFSGISPLEDEINKGSKISGLQYSIPDTENQTLNYGKTKEMEKQNTDKCHVSSHT	:	1288			
PC0177C	:	-----	PKASFGFSGISPLEDEINKGSKISGLQYSIPDTENQTLNYGKTKEMEKQNTDKCHVSSHT	:	1288			
PC0177D	:	-----		:	-			
KIAA1217	:	-----		:	-			
		*	1520	*	1540	*	1560	
PC0177A	:	-----	RLTESSVHDFKTEDQEVITTDGQVVLRPKEARHANVNPNEDESSSSSPTEENAATDNI	:	1383			
PC0177B	:	-----	RLTESSVHDFKTEDQEVITTDGQVVLRPKEARHANVNPNEDESSSSSPTEENAATDNI	:	1348			
PC0177C	:	-----	RLTESSVHDFKTEDQEVITTDGQVVLRPKEARHANVNPNEDESSSSSPTEENAATDNI	:	1348			
PC0177D	:	-----		:	-			
KIAA1217	:	-----		:	-			
		*	1580	*	1600	*	1620	
PC0177A	:	-----	AFMITETTQVLSSGEVHDIVSQKGEDIQTVNIDARKEMTPRQEGTDNEDPVVCLDKKPV	:	1443			
PC0177B	:	-----	AFMITETTQVLSSGEVHDIVSQKGEDIQTVNIDARKEMTPRQEGTDNEDPVVCLDKKPV	:	1408			
PC0177C	:	-----	AFMITETTQVLSSGEVHDIVSQKGEDIQTVNIDARKEMTPRQEGTDNEDPVVCLDKKPV	:	1408			
PC0177D	:	-----		:	-			
KIAA1217	:	-----		:	-			
		*	1640	*	1660	*	1680	
PC0177A	:	-----	IIIFDEPMDIRSAYKRLSTIFEEDDEELERMMMEKIEEEEEENGDSVVQNNNTSQMSH	:	1503			
PC0177B	:	-----	IIIFDEPMDIRSAYKRLSTIFEEDDEELERMMMEKIEEEEEENGDSVVQNNNTSQMSH	:	1468			
PC0177C	:	-----	IIIFDEPMDIRSAYKRLSTIFEEDDEELERMMMEKIEEEEEENGDSVVQNNNTSQMSH	:	1468			
PC0177D	:	-----		:	-			
KIAA1217	:	-----		:	-			
		*	1700	*	1720	*	1740	
PC0177A	:	-----	KKVAPGNLRTGQQVETKSQPHSLATETRNPGGQEMNRTELNKFVSHVDSPNSECKGEDATD	:	1563			
PC0177B	:	-----	KKVAPGNLRTGQQVETKSQPHSLATETRNPGGQEMNRTELNKFVSHVDSPNSECKGEDATD	:	1528			
PC0177C	:	-----	KKVAPGNLRTGQQVETKSQPHSLATETRNPGGQEMNRTELNKFVSHVDSPNSECKGEDATD	:	1528			
PC0177D	:	-----		:	-			
KIAA1217	:	-----		:	-			

FIG. 13D

		*	1760	*	1780	*	1800	
PC0177A	:	DQFESPKKKFKFKFPKKQLAALTQAIR	TGKTGKKT	LQVVVYEEEEEDGTLKQHK	EAKRF	:	1623	
PC0177B	:	DQFESPKKKFKFKFPKKQLAALTQAIR	TGKTGKKT	LQVVVYEEEEEDGTLKQHK	EAKRF	:	1588	
PC0177C	:	DQFESPKKKFKFKFPKKQLAALTQAIR	TGKTGKKT	LQVVVYEEEEEDGTLKQHK	EAKRF	:	1588	
PC0177D	:	-----	-----	-----	-----	:	-	
KIAA1217	:	-----	-----	-----	-----	:	-	

		*	1820	*	1840	*	1860	
PC0177A	:	EIARSQPEDTPENTVRRQE	QPSIESTSPISRTDEIRKNTYRTLDSLEQTIKQLENTISEM	:	1683			
PC0177B	:	EIARSQPEDTPENTVRRQE	QPSIESTSPISRTDEIRKNTYRTLDSLEQTIKQLENTISEM	:	1648			
PC0177C	:	EIARSQPEDTPENTVRRQE	QPSIESTSPISRTDEIRKNTYRTLDSLEQTIKQLENTISEM	:	1648			
PC0177D	:	-----	-----	-----	-----	:	-	
KIAA1217	:	-----	-----	-----	-----	:	-	

		*	1880	*	1900	*	1920	
PC0177A	:	SPKALVDTSCSSNRDSVASSSHIAQEASPRLLVPDEGPTALEPPTSIPSASRK	-----	:	1737			
PC0177B	:	SPKALVDTSCSSNRDSVASSSHIAQEASPRLLVPDEGPTALEPPTSIPSASRK	-----	:	1702			
PC0177C	:	SPKALVDTSCSSNRDSVASSSHIAQEASPRLLVPDEGPTALEPPTSIPSASRK	GSSGAP	:	1708			
PC0177D	:	-----	-----	:	-			
KIAA1217	:	-----	-----	:	-			

		*	1940	*	1960	*	1980	
PC0177A	:	-----	-----	-----	-----	:	-	
PC0177B	:	-----	-----	-----	-----	:	-	
PC0177C	:	QTSRMPVPM	SAKNRPGTLDKPGKQSKLQDPRQYRQANGSAKKSGGDFKPTSPSLPASKIP	:	1768			
PC0177D	:	-----	-----	-----	-----	:	-	
KIAA1217	:	-----	-----	-----	-----	:	-	

		*	2000	*	2020	*	2040	
PC0177A	:	-----	-----	-----	-----	:	-	
PC0177B	:	-----	-----	-----	-----	:	-	
PC0177C	:	ALSPSSGKSSSLPSSSGDSSNLPNPPATKPSIASNPLSPQTGPPAHSASLIPSVSNGSLK	:	1828				
PC0177D	:	-----	-----	-----	-----	:	-	
KIAA1217	:	-----	-----	-----	-----	:	-	

		*	2060	*	2080	*	2100	
PC0177A	:	-----	-----	-----	-----	:	-	
PC0177B	:	-----	-----	-----	-----	:	-	
PC0177C	:	FQSLTHTGKGHLSFSPQSQNGRAPPLSFSSSPSPASSVSLNQGAKGTRTIHTPSLTS	:	1888				
PC0177D	:	-----	-----	-----	-----	:	-	
KIAA1217	:	-----	-----	-----	-----	:	-	

		*	2120	
PC0177A	:	-----VSWSAGK	:	1744
PC0177B	:	-----VSWSAGK	:	1709
PC0177C	:	YKAQNGSSSKATPSTAKETS	:	1908
PC0177D	:	-----	:	-
KIAA1217	:	-----	:	-

FIG. 13E

PCP0454	:	MNAQRLLRATKLLKPPILLEGSPGVGKTSLVGALAKASGNTLVRINLSEQTDITDLFGADL	:	60
KIAA0301	:	-----	:	-
PCP0454	:	PVEGGKGGEFAWRDGPLLAALKAGHWVVLDELNLASQSVLEGLNACFDHRGEIYVPELGM	:	120
KIAA0301	:	-----	:	-
PCP0454	:	SFQVQHEKTKIFGCQNPFQGGGRKGLPRSFNLRFTQVFVDPLTVIDMEFIASITLFPALIE	:	180
KIAA0301	:	-----	:	-
PCP0454	:	KNIVKKMVAFNNQIDHEVTVEKKWGQKGGPWFEFNLRLDFRWCQLMLVDQSPGCYDPGQHV	:	240
KIAA0301	:	-----	:	-
PCP0454	:	FLVYGERMRTEEDKKKVIAVFKDVFSGNSNPYMGTRLFRITPYDVQLGYSVLSRGSCVPH	:	300
KIAA0301	:	-----	:	-
PCP0454	:	PSRHPLLLHQSFPLESIMKCVQMSWMVILVGPASVGKTSLVQLLAHLTGHTLKIMAMN	:	360
KIAA0301	:	-----	:	-
PCP0454	:	SAMDTTELLGGFEQVDLIRPWRRLLEKVEGTVRALLRDSLLISADDAEVVLRAWSHFLT	:	420
KIAA0301	:	-----	:	-
PCP0454	:	YKPKCLGEGGKAITMEIVNKLEAVLLMQRLNNKINSYCKAEFAKLVEEFRSFGVKLTQL	:	480
KIAA0301	:	-----	:	-
PCP0454	:	ASGHSHTFEWVDSMLVQALKSGDWLLMDNVNFCNPSVLDRLNALLEPGGVLTISERGMI	:	540
KIAA0301	:	-----	:	-
PCP0454	:	DGSTPTITPNPNFRLFLSMDPVHGDISRMRNRGLEIYISGEGDASTPDNLDLKVLLHSL	:	600
KIAA0301	:	-----	:	-
PCP0454	:	GLVGNSVCDILLALHTETRSTVVGSPSTSSVSTLIQTAILIVQYLQRGLSLDRAFSEACWE	:	660
KIAA0301	:	-----	:	-
PCP0454	:	VYVCSQHSPANRKLQALLESKHVSSLRHETWGDSSILGMGLWPDSVPSALFATEDSHLST	:	720
KIAA0301	:	-----	:	-

FIG. 14A

PCP0454	:	VRRDQIILVYCLNRMSMTSSWTRSQPFTLQDLEKIMQSPSPENLKFNAVEVNTYWIDEP	:	780
KIAA0301	:	-----	:	-
PCP0454	:	DVLVMAVKLLIERATNQDWMLRVKWLHLAKNIPQGLESIQIHLEASAASLRNFYSHSL	:	840
KIAA0301	:	-----	:	-
PCP0454	:	GAVSNVFKILQPNTTDEFVIPLEDPWRNMQALDMIRNLMDFDPQTDQPDQLFALLESAANK	:	900
KIAA0301	:	-----	:	-
PCP0454	:	TIIYLDREKRVFTEANLVSVGSKKLRESVLRMSFEFHQDPESYHTLPHEIVVNLAFFEL	:	960
KIAA0301	:	-----	:	-
PCP0454	:	CDALVLLWVQSSQGMVSDASANEILGSLRWRDRFWTVADTVKVDAPGLALLALHWHWVLK	:	1020
KIAA0301	:	-----	:	-
PCP0454	:	HLVHQIPRLLMNYEDKYYKEVQTVSEHIQNCLSQTGGFAGIKKLQKFLGRPFPPFKDKLV	:	1080
KIAA0301	:	-----	:	-
PCP0454	:	VECFSQLKVLNKVLAIREQMSALGESGWQEDINRLQVVASQWTLKKSLLQAWGLILRANI	:	1140
KIAA0301	:	-----	:	-
PCP0454	:	LEDVSLDELKNFVHAQCLELKAKGLSLGFLKXKXDEASSLSHPDLTSVIHLTRSVQLWPA	:	1200
KIAA0301	:	-----	:	-
PCP0454	:	MEYLAMLWRYKVTADFMAQACLRRCSKNQPPQINEEISHLISFCLYHTPVTPELRDLWS	:	1260
KIAA0301	:	-----	:	-
PCP0454	:	LLHHQKVSPEEITSLWSELFNSMFMSFWSSTVTTNPEYWLMWNPLPGMQQREAPKSVLDS	:	1320
KIAA0301	:	-----	:	-
PCP0454	:	TLKGPGNLNRPIFSKCCFEVLTSSWRASPDVSGLPILSSSHVTLGEWVERTQQLQDISS	:	1380
KIAA0301	:	-----	:	-
PCP0454	:	MLWTNMAISSVAEFRRTDSQLQGQVLFRLHAGLAELLPESSRRQEQYMQNCQQLLGSSQAF	:	1440
KIAA0301	:	-----	:	-

FIG. 14B

PCP0454	:	QHVGQTLGDMAGQEVLPKELLQCLLTSLHHFVGESEKRSLEPEAQRGSLWVSLGLLQIQ	:	1500
KIAA0301	:	-----	:	-
PCP0454	:	TWLPQARFDPKREYKLNIVKEELHQLQCEWKTRNLSSQLQGRDLEDEVVSYSHPHV	:	1560
KIAA0301	:	-----	:	-
PCP0454	:	RLLRQRMRLDNLTCHELLKQAFRQLPAYESLVQEIHHYVTSIAKAPAVQDLLTRLLQA	:	1620
KIAA0301	:	-----	:	-
PCP0454	:	LHIDGPRSAQVAQSLLEEASWQQSHHQFRKRLSEETFPDAVSPLOASILQLQHGMRLL	:	1680
KIAA0301	:	-----	:	-
PCP0454	:	VASELHTSLYSSMVGADRLGLTALLAFPSVGPTFPPTYAHADTLCSVKSEEVLRGLGK	:	1740
KIAA0301	:	-----	:	-
PCP0454	:	LIILKRSQGGKELEGKGQKACPTREQLLMNALLYLRSHVLCCKGELDQALQLFRHVCQEIIIS	:	1800
KIAA0301	:	-----	:	-
PCP0454	:	EWDEQERIAQEKAEQESGLYRYSRNSRTALSEEEEEEREFRKQFPLHEKDFADILVQPT	:	1860
KIAA0301	:	-----	:	-
PCP0454	:	LEENKGTSDGQEEEAGTNPALLSQNSMQAVMLIHQQCLCLNFARSLWYQQTLPPHEAKHYL	:	1920
KIAA0301	:	-----MLIHQQCLCLNFARSLWYQQTLPPHEAKHYL	:	30
PCP0454	:	SLFLSCYQTGASLVTHFYPLMGVELNDRLLGSQLLACTLSHNTLFGEAPSDLMVKPDGPY	:	1980
KIAA0301	:	SLFLSCYQTGASLVTHFYPLMGVELNDRLLGSQLLACTLSHNTLFGEAPSDLMVKPDGPY	:	90
PCP0454	:	DFYQHPNVPEARQCQPVLQGFSEAVSHLLQDWPEHPALEQLLVMDRIRSFPLSSPISKF	:	2040
KIAA0301	:	DFYQHPNVPEARQCQPVLQGFSEAVSHLLQDWPEHPALEQLLVMDRIRSFPLSSPISKF	:	150
PCP0454	:	LNGLEILLAKAQDWEENASRALSLRKHLDLISQMIIRWRKLELNCWSMSLDNTMKRHTEK	:	2100
KIAA0301	:	LNGLEILLAKAQDWEENASRALSLRKHLDLISQMIIRWRKLELNCWSMSLDNTMKRHTEK	:	210
PCP0454	:	STKHWFSIYQMLEKHMQEQTTEEQEDDKQMTLMLLVSTLQAFIEGSSLGEFHVRLQMLLVF	:	2160
KIAA0301	:	STKHWFSIYQMLEKHMQEQTTEEQEDDKQMTLMLLVSTLQAFIEGSSLGEFHVRLQMLLVF	:	270

FIG. 14C

		*	2180	*	2200	*	2220	
PCP0454	:	HCHVLLMPQVEGKDSLCSVLWNLYHYYKQFFDRVQAKIVELRSPLEKELKEFVKISKWND						: 2220
KIAA0301	:	HCHVLLMPQVEGKDSLCSVLWNLYHYYKQFFDRVQAKIVELRSPLEKELKEFVKISKWND						: 330
		*	2240	*	2260	*	2280	
PCP0454	:	VSFWSIKQSVEKTHRTLKFKMKFEAVLSEPCRSSLVESDKEEQPDFLPRPTDGAASELS						: 2280
KIAA0301	:	VSFWSIKQSVEKTHRTLKFKMKFEAVLSEPCRSSLVESDKEEQPDFLPRPTDGAASELS						: 390
		*	2300	*	2320	*	2340	
PCP0454	:	SIQNLNRLALRETLAQAAGQATIPWCQGAAPSGLEGELLRRLPKLRKMRKMKCLTFMK						: 2340
KIAA0301	:	SIQNLNRLALRETLAQAAGQATIPWCQGAAPSGLEGELLRRLPKLRKMRKMKCLTFMK						: 450
		*	2360	*	2380	*	2400	
PCP0454	:	ESPLPRLVEGLDQFTGEVISSVSELQSLKVEPSAEKEKQSEAKHILMQKORALSDLFKH						: 2400
KIAA0301	:	ESPLPRLVEGLDQFTGEVISSVSELQSLKVEPSAEKEKQSEAKHILMQKORALSDLFKH						: 510
		*	2420	*	2440	*	2460	
PCP0454	:	LAKIGLSYRKGLAWARSKNPQEMHLHLPLDLQSALSIVSSTQEADSRLLTEISSWDGCO						: 2460
KIAA0301	:	LAKIGLSYRKGLAWARSKNPQEMHLHLPLDLQSALSIVSSTQEADSRLLTEISSWDGCO						: 570
		*	2480	*	2500	*	2520	
PCP0454	:	KYFYRSLARHARLNAALATPAKEMGMGNVERCRGFSAHLMKMLVRQRRSLTTLSEQWIIIL						: 2520
KIAA0301	:	KYFYRSLARHARLNAALATPAKEMGMGNVERCRGFSAHLMKMLVRQRRSLTTLSEQWIIIL						: 630
		*	2540	*	2560	*	2580	
PCP0454	:	RNLLSCVQEIHSRLMGFPQAYPVAFFPPQDGVQQWTERLQHLAMQCQILLEQLSWLLQCCPS						: 2580
KIAA0301	:	RNLLSCVQEIHSRLMGFPQAYPVAFFPPQDGVQQWTERLQHLAMQCQILLEQLSWLLQCCPS						: 690
		*	2600	*	2620	*	2640	
PCP0454	:	VGPAPGHGNAVQVLGQPPGPCLEGPELSKGQLCGVVDLIPSNLSYSPPIPGSQLPFGCRM						: 2640
KIAA0301	:	VGPAPGHGNAVQVLGQPPGPCLEGPELSKGQLCGVVDLIPSNLSYSPPIPGSQLPFGCRM						: 750
		*	2660	*	2680	*	2700	
PCP0454	:	RKQDHLWQQSTTRLTEMLKTIKTVKADVDKIRQQSCETLFHSWKDFEVCSSALSCLSQVS						: 2700
KIAA0301	:	RKQDHLWQQSTTRLTEMLKTIKTVKADVDKIRQQSCETLFHSWKDFEVCSSALSCLSQVS						: 810
		*	2720	*	2740	*	2760	
PCP0454	:	VHLQGLSLFILPGMEVEQRDSQMALVESLEYVRGEISKAMADFTTWKTHLLTSDSQGGN						: 2760
KIAA0301	:	VHLQGLSLFILPGMEVEQRDSQMALVESLEYVRGEISKAMADFTTWKTHLLTSDSQGGN						: 870
		*	2780	*	2800	*	2820	
PCP0454	:	QMLDEGFVEDFSEQMEIAIRAILCAIQNLEERKNEKAEENTDQASPOEDYAGFERLQSGH						: 2820
KIAA0301	:	QMLDEGFVEDFSEQMEIAIRAILCAIQNLEERKNEKAEENTDQASPOEDYAGFERLQSGH						: 930
		*	2840	*	2860	*	2880	
PCP0454	:	LTKLLEDDFWADVSTLHVQKIISAISELLERLKSYGEDGTAAKHLFFSQSCSLLVRLVPV						: 2880
KIAA0301	:	LTKLLEDDFWADVSTLHVQKIISAISELLERLKSYGEDGTAAKHLFFSQSCSLLVRLVPV						: 990

FIG. 14D

		*	2900	*	2920	*	2940	
PCP0454	:	LSSYSDLVLFFLTMSLATHRSTAKLLSVLAQVFTELAQKGFCLPKFEMEDSAGEGATEFH						: 2940
KIAA0301	:	LSSYSDLVLFFLTMSLATHRSTAKLLSVLAQVFTELAQKGFCLPKFEMEDSAGEGATEFH						: 1050
		*	2960	*	2980	*	3000	
PCP0454	:	DYEGGGIGEGEGMKDVSDQIGNEEQVEDTFQKGQEKDKEDPDSKSDIKGEDNAIEMSEDF						: 3000
KIAA0301	:	DYEGGGIGEGEGMKDVSDQIGNEEQVEDTFQKGQEKDKEDPDSKSDIKGEDNAIEMSEDF						: 1110
		*	3020	*	3040	*	3060	
PCP0454	:	DGKMHGGELEEQQEEDDEKSDSEGGDLDKHMGDLNGEEDAKLDERLWGDDEEEDEEEEDN						: 3060
KIAA0301	:	DGKMHGGELEEQQEEDDEKSDSEGGDLDKHMGDLNGEEDAKLDERLWGDDEEEDEEEEDN						: 1170
		*	3080	*	3100	*	3120	
PCP0454	:	KTEETGPGMDEEDSELVAKDDNLDGNSNKKDKSQQDKKEEKEEAEADGGQGEDKINEQI						: 3120
KIAA0301	:	KTEETGPGMDEEDSELVAKDDNLDGNSNKKDKSQQDKKEEKEEAEADGGQGEDKINEQI						: 1230
		*	3140	*	3160	*	3180	
PCP0454	:	DERDYDENEVDYPYHGNQEKVPEPEALDLPDDLNLDSQKNGGEDTDNEEGEENPLEIKE						: 3180
KIAA0301	:	DERDYDENEVDYPYHGNQEKVPEPEALDLPDDLNLDSQKNGGEDTDNEEGEENPLEIKE						: 1290
		*	3200	*	3220	*	3240	
PCP0454	:	KPEEAGHEAERGETETDQNESQSPQEPEEGPSEDDKAEGEEMDTGADDQDGDAAQHPE						: 3240
KIAA0301	:	KPEEAGHEAERGETETDQNESQSPQEPEEGPSEDDKAEGEEMDTGADDQDGDAAQHPE						: 1350
		*	3260	*	3280	*	3300	
PCP0454	:	EHSEEQQQSVEEKDKEADEEGGNGPADQGFQPEEEEEEREDSDTEEQVPEALERKEHASC						: 3300
KIAA0301	:	EHSEEQQQSVEEKDKEADEEGGNGPADQGFQPEEEEEEREDSDTEEQVPEALERKEHASC						: 1410
		*	3320	*	3340	*	3360	
PCP0454	:	GQTGVENMQNTQAMELAGAAPEKEQGKEEHGSGAADANQAEGHESNFIAQLASQKHTRKN						: 3360
KIAA0301	:	GQTGVENMQNTQAMELAGAAPEKEQGKEEHGSGAADANQAEGHESNFIAQLASQKHTRKN						: 1470
		*	3380	*	3400	*	3420	
PCP0454	:	TQSFKRKPGQADNERSMGDHNERVHKRLRTVDTDSHAEQGPAQQPQAQVEDADAFEHIKQ						: 3420
KIAA0301	:	TQSFKRKPGQADNERSMGDHNERVHKRLRTVDTDSHAEQGPAQQPQAQVEDADAFEHIKQ						: 1530
		*	3440	*	3460	*	3480	
PCP0454	:	GSDAYDAQTYDVASKEQQQSAKDSGKDQEEEEIEDTLMDTEEQEEFKAADVEQLKPEEIK						: 3480
KIAA0301	:	GSDAYDAQTYDVASKEQQQSAKDSGKDQEEEEIEDTLMDTEEQEEFKAADVEQLKPEEIK						: 1590
		*	3500	*	3520	*	3540	
PCP0454	:	SGTTAPLGFDEMEVEIQTVKTEEDQDPRTDKAHKETENEKPERRESTIHTAHQFLMDTI						: 3540
KIAA0301	:	SGTTAPLGFDEMEVEIQTVKTEEDQDPRTDKAHKETENEKPERRESTIHTAHQFLMDTI						: 1650
		*	3560	*	3580	*	3600	
PCP0454	:	FQPFLLKDVNELRQELERQLEMWQPRESGNPEEEKVAAEMWQSYLILTAPLSQRLCEELRL						: 3600
KIAA0301	:	FQPFLLKDVNELRQELERQLEMWQPRESGNPEEEKVAAEMWQSYLILTAPLSQRLCEELRL						: 1710

FIG. 14E

		*	3620	*	3640	*	3660	
PCP0454	:	ILEPTQA AKLKGDYRTGKRLNIRKVIPYIASQFRKDKIWLRRTKPSKRQYQICLAIDDSS						: 3660
KIAA0301	:	ILEPTQA AKLKGDYRTGKRLNIRKVIPYIASQFRKDKIWLRRTKPSKRQYQICLAIDDSS						: 1770
		*	3680	*	3700	*	3720	
PCP0454	:	SMVDNHTKQLAFESLAVIGNALTLLVGGQI AVCSFGESVKLLHPFHEQFSDYSGSQILRL						: 3720
KIAA0301	:	SMVDNHTKQLAFESLAVIGNALTLLVGGQI AVCSFGESVKLLHPFHEQFSDYSGSQILRL						: 1830
		*	3740	*	3760	*	3780	
PCP0454	:	CKFQQKKT K I A Q F L E S V A N M F A A A Q Q L S Q N I S S E T A Q L L L V S D G R G L F L E G K E R V L A A V						: 3780
KIAA0301	:	CKFQQKKT K I A Q F L E S V A N M F A A A Q Q L S Q N I S S E T A Q L L L V S D G R G L F L E G K E R V L A A V						: 1890
		*	3800	*	3820	*	3840	
PCP0454	:	QAARNANIFVIFVVLDPSSRDSILDIKVPIFKGPGEMPEIRSYMEEFPPYYIILRDVN						: 3840
KIAA0301	:	QAARNANIFVIFVVLDPSSRDSILDIKVPIFKGPGEMPEIRSYMEEFPPYYIILRDVN						: 1950
		*	3860					
PCP0454	:	ALPETLS DALRQWFELVTASDHP						: 3863
KIAA0301	:	ALPETLS DALRQWFELVTASDHP						: 1973

FIG. 14F

			*	20	*	40	*	60	
PCP0557	:	MAAAVVVPAEWIKNWEKSGRGEFLHLCRILSENKSHDSSTYRDFQQALYELSYHVIKGN	:	60					
AF441770	:	-----	:	-					
			*	80	*	100	*	120	
PCP0557	:	LKHEQASNVLSDISEFREDMPSILADVFCILDIENTNCLEEKSKRDYFTQLVLACLYLVSD	:	120					
AF441770	:	-----	:	-					
			*	140	*	160	*	180	
PCP0557	:	TVLKERLDPETLESGLIKSQSQFNQKSVKIKTKLFYKQKFNNLLREENEGYAKLIAELG	:	180					
AF441770	:	-----	:	-					
			*	200	*	220	*	240	
PCP0557	:	QDLSGSITSDIILENIKSLIGCFNLDPNRVLDVILEVFECRPEHDDFFISLLESYMS	:	240					
AF441770	:	-----MCE	:	3					
			*	260	*	280	*	300	
PCP0557	:	PQTLCHILGFKFKFYQEPNGETPSSLYRVAAVLLQFNLDLDDLYVHLLPADNCIMDEHK	:	300					
AF441770	:	PQTLCHILGFKFKFYQEPNGETPSSLYRVAAVLLQFNLDLDDLYVHLLPADNCIMDEHK	:	63					
			*	320	*	340	*	360	
PCP0557	:	REIAEAKQIVRKLTMOVLSSEKMDEREKEKEKEKEKEVEKPPDNQKLGLEALLKIGDWQH	:	360					
AF441770	:	REIAEAKQIVRKLTMOVLSSEKMDEREKEKEKEKEVEKPPDNQKLGLEALLKIGDWQH	:	123					
			*	380	*	400	*	420	
PCP0557	:	AQNIMDQMPPIYAASHKLIATAICKLIHITIEPLYRRVGVPKGAKGSPVNALQNKRAPKQ	:	420					
AF441770	:	AQNIMDQMPPIYAASHKLIATAICKLIHITIEPLYRRVGVPKGAKGSPVNALQNKRAPKQ	:	183					
			*	440	*	460	*	480	
PCP0557	:	AESFEDLRRDVFNMFICYLGPHLSHDPIFAKVVRIGKSFMEKFQSDGSKQEDKEKTEVIL	:	480					
AF441770	:	AESFEDLRRDVFNMFICYLGPHLSHDPIFAKVVRIGKSFMEKFQSDGSKQEDKEKTEVIL	:	243					
			*	500	*	520	*	540	
PCP0557	:	SCLLSITDQVLLPSLSLMDCNACMSEELWGMFKTFPYQHRYRLYGQWKNETYNSHPLLVK	:	540					
AF441770	:	SCLLSITDQVLLPSLSLMDCNACMSEELWGMFKTFPYQHRYRLYGQWKNETYNSHPLLVK	:	303					
			*	560	*	580	*	600	
PCP0557	:	VKAQTIDRAKYIMKRLTKENVKPSGRQIGKLSHSNPTILFDYILSQIQKYDNLITPVVDS	:	600					
AF441770	:	VKAQTIDRAKYIMKRLTKENVKPSGRQIGKLSHSNPTILFDYILSQIQKYDNLITPVVDS	:	363					
			*	620	*	640	*	660	
PCP0557	:	LKYLTSLNVDVLAICYIEALANPEKERMKHDDTTISSWLQSLASFCGAVFRKYPIDLAGL	:	660					
AF441770	:	LKYLTSLNVDVLAICYIEALANPEKERMKHDDTTISSWLQSLASFCGAVFRKYPIDLAGL	:	423					
			*	680	*	700	*	720	
PCP0557	:	LQYVANQLKAGKSFDDLILKEVVQKMAGIEITEEMTMEQLEAMTGGEQLKAEGGYFGQIR	:	720					
AF441770	:	LQYVANQLKAGKSFDDLILKEVVQKMAGIEITEEMTMEQLEAMTGGEQLKAEGGYFGQIR	:	483					
			*	740	*	760	*	780	
PCP0557	:	NTKKSSQRLKDALLDHDALPLCLLMAQQRNGVIFQEGGEKHLKLVGKLYDQCHDTLVQF	:	780					
AF441770	:	NTKKSSQRLKDALLDHDALPLCLLMAQQRNGVIFQEGGEKHLKLVGKLYDQCHDTLVQF	:	543					

FIG. 15A

		*	800	*	820	*	840	
PCP0557	:	GGFLASNLSTEDYIKRVPSIDVLCNEFHTPHDAAFFLSRPMYAHHISSEYDELKKSEKGS					:	840
AF441770	:	GGFLASNLSTEDYIKRVPSIDVLCNEFHTPHDAAFFLSRPMYAHHISSEYDELKKSEKGS					:	603
		*	860	*	880	*	900	
PCP0557	:	KQQHKVHKYITSCVMAPVHEAVSLHVSQVWDDISPQFYATFWSLTMYDLAVPHTSYE					:	900
AF441770	:	KQQHKVHKYITSCVMAPVHEAVSLHVSQVWDDISPQFYATFWSLTMYDLAVPHTSYE					:	663
		*	920	*	940	*	960	
PCP0557	:	REVNKLKVQMKAI DDNQEMPPNKKKKKEKERCTALQDKLLEEEKKQMEHVQVRLQRLKLEK					:	960
AF441770	:	REVNKLKVQMKAI DDNQEMPPNKKKKKEKERCTALQDKLLEEEKKQMEHVQVRLQRLKLEK					:	723
		*	980	*	1000	*	1020	
PCP0557	:	DNWLLAKSTKNETITKFLQLCIFPRCIFSAIDAVYCARFVELVHQKTPNFSTLLCYDRV					:	1020
AF441770	:	DNWLLAKSTKNETITKFLQLCIFPRCIFSAIDAVYCARFVELVHQKTPNFSTLLCYDRV					:	783
		*	1040	*	1060	*	1080	
PCP0557	:	FSDIITYVASCTENEASRYGRFLCCMLETVTRWHSRATYEKECGNYPGFLTILRATGFD					:	1080
AF441770	:	FSDIITYVASCTENEASRYGRFLCCMLETVTRWHSRATYEKECGNYPGFLTILRATGFD					:	843
		*	1100	*	1120	*	1140	
PCP0557	:	GGNKADQLDYENFRHVHVKWHYKLTASVHCLETGEYTHIRNIIIVLTKILPWYPKVLNL					:	1140
AF441770	:	GGNKADQLDYENFRHVHVKWHYKLTASVHCLETGEYTHIRNIIIVLTKILPWYPKVLNL					:	903
		*	1160	*	1180	*	1200	
PCP0557	:	GQALERRVHKICQEEKEKRPDIYALAMGYSGQLKSRSYMI PENEFHHKDPPPRNAVASV					:	1200
AF441770	:	GQALERRVHKICQEEKEKRPDIYALAMGYSGQLKSRSYMI PENEFHHKDPPPRNAVASV					:	963
		*	1220	*	1240	*	1260	
PCP0557	:	QNGPGGGPSSSSIGSASKSDESSTEETDKSRERSQCGVKAVNKASSTPKGNSSNGNSGS					:	1260
AF441770	:	QNGPGGGPSSSSIGSASKSDESSTEETDKSRERSQCGVKAVNKASSTPKGNSSNGNSGS					:	1023
		*	1280	*	1300	*	1320	
PCP0557	:	NSNKAVKENDKEKGKEKEKEKEKTPATTPEARVLGKDGKEKPKEERPKNKDEKARETKER					:	1320
AF441770	:	NSNKAVKENDKEKGKEKEKEKEKTPATTPEARVLGKDGKEKPKEERPKNKDEKARETKER					:	1083
		*	1340	*	1360	*	1380	
PCP0557	:	TPKSDKEKEKFKKEEKAKDEKFKTTVPNAESKSTQEREREKEPSRERDIAKEMKSKENVK					:	1380
AF441770	:	TPKSDKEKEKFKKEEKAKDEKFKTTVPNAESKSTQEREREKEPSRERDIAKEMKSKENVK					:	1143
		*	1400	*	1420	*	1440	
PCP0557	:	GGEKTPVSGSLKSPVPRSDIPEPEREQKRRKIDTHPSPSHSSTVKDSLIELKESAKLYI					:	1440
AF441770	:	GGEKTPVSGSLKSPVPRSDIPEPEREQKRRKIDTHPSPSHSSTVKDSLIELKESAKLYI					:	1203
		*	1460	*	1480	*	1500	
PCP0557	:	NHTPPPLSKSKEREMDKKDLDSRERSREREKKDEKDRKERKRDHSNNDREVPPDLTKRR					:	1500
AF441770	:	NHTPPPLSKSKEREMDKKDLDSRERSREREKKDEKDRKERKRDHSNNDREVPPDLTKRR					:	1263

FIG. 15B

	*	1520	*	1540	*	1560	
PCP0557	:	KEENGTMGVSKHKSESPCESPYPNEKDKEKNKSKSSGKEKGSDFKSEKMDKISSGGKKE					: 1560
AF441770	:	KEENGTMGVSKHKSESPCESPYPNEKDKEKNKSKSSGKEKGSDFKSEKMDKISSGGKKE					: 1323
	*	1580	*				
PCP0557	:	SRHDKEKIEKKEKRDSSGGKEEKKHHKSSDKHR			:	1593	
AF441770	:	SRHDKEKIEKKEKRDSSGGKEEKKHHKSSDKHR			:	1356	

FIG. 15C

```

      *           20           *           40           *           60
PCP0762 : MSGEATVLAYHAPEEQEGLLVVKVEEENYVLDQDFGLQENPWSQEVFRQKFRQFSYSDST : 60
XM_085817 : MSGEATVLAYHAPEEQEGLLVVKVEEENYVLDQDFGLQENPWSQEVFRQKFRQFSYSDST : 60

      *           80           *           100          *           120
PCP0762 : GPREALSRLRELCCQWLRPEVH--SKE--QILELLMLEQFLAILPEELQAWLREHRPENG : 116
XM_085817 : GPREALSRLRELCCQWLRPEVCMCSKECMSILELLMLEQFLAILPEELQAWLREHRQRME : 120

      *           140          *           160          *           180
PCP0762 : EEAVTMLEELEKELEEP RQQDTTHGQEMFWQEMTSTGALKSLSLNSPVQPLENQCKTETQ : 176
XM_085817 : GNCDYAGGAGKNWRSQGT DAKCSGRK----- : 147

      *           200          *           220
PCP0762 : ESQAFQERDGVSLCHPGWSAVVQPRLTAAALNPWVRVILLPRPPE : 221
XM_085817 : ----- : -

```

FIG. 16

		*	20	*	40	*	60	
PCP0806	:	MGKKLDLSKLTDEEAQHVLEVVRDFDLRRKEEERLEALKGKIKKESKRELLSDTAHLN					:	60
AK022207	:	MGKKLDLSKLTDEEAQHVLEVVRDFDLRRKEEERLEALKGKIKKESKRELLSDTAHLN					:	60
		*	80	*	100	*	120	
PCP0806	:	ETHCARCLQPYQLLVNSKRQCLECGLTCKSCGRVHPPEEQGWICDPCHLARVVKIGSLEW					:	120
AK022207	:	ETHCARCLQPYQLLVNSKRQCLECGLTCKSCGRVHPPEEQGWICDPCHLARVVKIGSLEW					:	120
		*	140	*	160	*	180	
PCP0806	:	YYEHVKARFKRFGSAKVIRSLHGRLQGGAGPELISEERSGDSQTDDEGEPGSEAQAQAQ					:	180
AK022207	:	YYEHVKARFKRFGSAKVIRSLHGRLQGGAGPELISEERSGDSQTDDEGEPGSEAQAQAQ					:	180
		*	200	*	220	*	240	
PCP0806	:	PFGSKKKRLLSVHDFDFEGDSDSTQPGHSLHLSSVPEARDSPQSLTDESCSEKAAPHK					:	240
AK022207	:	PFGSKKKRLLSVHDFDFEGDSDSTQPGHSLHLSSVPEARDSPQSLTDESCSEKAAPHK					:	240
		*	260	*	280	*	300	
PCP0806	:	AEGLEEADTGASGCHSHPEEQPTISPSRHGALAECPGGSHRMALGTAAALGSNVIRN					:	300
AK022207	:	AEGLEEADTGASGCHSHPEEQPTISPSRHGALAECPGGSHRMALGTAAALGSNVIRN					:	300
		*	320	*	340	*	360	
PCP0806	:	EQLPLQYLADVDTSDEESIRAHVMASHHKKRRGRASSESQIFELNKHISAVECLLTYLEN					:	360
AK022207	:	EQLPLQYLADVDTSDEESIRAHVMASHHKKRRGRASSESQIFELNKHISAVECLLTYLEN					:	360
		*	380	*	400	*	420	
PCP0806	:	TVVPPLAKGLGAGVRTEADVEEEALRRKLEELTSNVSDQETSSEEEAAKDEKAEPNRDKS					:	420
AK022207	:	TVVPPLAKGLGAGVRTEADVEEEALRRKLEELTSNVSDQETSSEEEAAKDEKAEPNRDKS					:	420
		*	440	*	460	*	480	
PCP0806	:	VGPLPQADPEV-----					:	431
AK022207	:	VGPLPQADPEVGTAAHQTNRQEKSPQDPGDPVQYNRTTDEELSELEDRVAVTASEVQQAE					:	480
		*	500	*	520	*	540	
PCP0806	:	---SDIESRIAALRAAGLTVKPSGKPRRKSNIPLFLPRVAGKLGKRPEDPNADPSSEAKA					:	488
AK022207	:	SEVSDIESRIAALRAAGLTVKPSGKPRRKSNIPLFLPRVAGKLGKRPEDPNADPSSEAKA					:	540
		*	560	*	580	*	600	
PCP0806	:	MAVPYLLRRKFSNSLSQGGKDDDSFDRKSVYRGSLTQRNPNARKGMASHTFAKPVVAHQ					:	548
AK022207	:	MAVPYLLRRKFSNSLSQGGKDDDSFDRKSVYRGSLTQRNPNARKGMASHTFAKPVVAHQ					:	600

FIG. 17

		*	20	*	40	*	60	
XM_033473	:	MSRRKQ	RKPQQLISDCEG	PSASENGD	ASEEDHPQVCAKCCAQFTD	PTEFLAHQ	NACSTD	60
AK001276	:	MSRRKQ	RKPQQLISDCEG	PSASENGD	ASEEDHPQVCAKCCAQFTD	PTEFLAHQ	NACSTD	60
PCP0815A	:	MAHESERS	-SRLGVPCGEP	-AELGGD	ASEEDHPQVCAKCCAQFTD	PTEFLAHQ	NACSTD	58
PCP0815C	:	MAHESERS	-SRLGVPCGEP	-AELGGD	ASEEDHPQVCAKCCAQFTD	PTEFLAHQ	NACSTD	58
		*	80	*	100	*	120	
XM_033473	:	PVMV	IIGQENPNNSSASSEPR	PEGHNNPQVMDTEHSNPP	DSGSSVPTDPTWGP	PERRGEE	:	120
AK001276	:	PVMV	IIGQENPNNSSASSEPR	PEGHNNPQVMDTEHSNPP	DSGSSVPTDPTWGP	PERRGEE	:	120
PCP0815A	:	PVMV	IIGQENPNNSSASSEPR	PEGHNNPQVMDTEHSNPP	DSGSSVPTDPTWGP	PERRGEE	:	118
PCP0815C	:	PVMV	IIGQENPNNSSASSEPR	PEGHNNPQVMDTEHSNPP	DSGSSVPTDPTWGP	PERRGEE	:	118
		*	140	*	160	*	180	
XM_033473	:	SSGHFLVAAT	GTAAGGGGGLILASPKLGATPLPPESTPAPPPPPPPPP	PGVSGHLNIP	:	:	:	180
AK001276	:	SSGHFLVAAT	-----	-----	:	:	:	130
PCP0815A	:	SSGHFLVAAT	GTAAGGGGGLILASPKLGATPLPPESTPAPPPPPPPPP	PGVSGHLNIP	:	:	:	178
PCP0815C	:	SSGHFLVAAT	-----	-----	:	:	:	128
		*	200	*	220	*	240	
XM_033473	:	LILEELRVLQQRQIHQMOMTEQICRQVLLLGSLGQTVGAPASPSELPGTGTASSTKPLLP	:	:	:	:	:	240
AK001276	:	-----	:	:	:	:	:	-
PCP0815A	:	LILEELRVLQQRQIHQMOMTEQICRQVLLLGSLGQTVGAPASPSELPGTGTASSTKPLLP	:	:	:	:	:	238
PCP0815C	:	-----	:	:	:	:	:	-
		*	260	*	280	*	300	
XM_033473	:	LFSP	IKPVQTSKTLASSSSSSSSSSGAETPKQAFFHLYHPLGSQH	PFSAGGVGRSHKPTP	:	:	:	300
AK001276	:	-----	:	:	:	:	:	-
PCP0815A	:	LFSP	IKPVQTSKTLASSSSSSSSSSGAETPKQAFFHLYHPLGSQH	PFSAGGVGRSHKPTP	:	:	:	298
PCP0815C	:	-----	:	:	:	:	:	-
		*	320	*	340	*	360	
XM_033473	:	APSPALPGSTDQLIASPHLAFPSTTGLLAAQCLGAARGLEATASPGLLKPKNGSGELSYG	:	:	:	:	:	360
AK001276	:	-----	:	:	:	:	:	-
PCP0815A	:	APSPALPGSTDQLIASPHLAFPSTTGLLAAQCLGAARGLEATASPGLLKPKNGSGELSYG	:	:	:	:	:	358
PCP0815C	:	-----	:	:	:	:	:	-
		*	380	*	400	*	420	
XM_033473	:	EVMGPLEKPGGRHKCRFCAKVFGSDSALQIHLRSHTGERPYKCNVCGNRFTTRGNLKVHF	:	:	:	:	:	420
AK001276	:	-----	:	:	:	:	:	-
PCP0815A	:	EVMGPLEKPGGRHKCRFCAKVFGSDSALQIHLRSHTGERPYKCNVCGNRFTTRGNLKVHF	:	:	:	:	:	418
PCP0815C	:	-----	:	:	:	:	:	-
		*	440	*	460	*	480	
XM_033473	:	HRHREKYPHVQMNPHVPPEHLDYVITSSGLPYGMSVPPEKAEEEEATPGGGVERKPLVAS	:	:	:	:	:	480
AK001276	:	-----	:	:	:	:	:	-
PCP0815A	:	HRHREKYPHVQMNPHVPPEHLDYVITSSGLPYGMSVPPEKAEEEEATPGGGVERKPLVAS	:	:	:	:	:	478
PCP0815C	:	-----	:	:	:	:	:	-

FIG. 18A

		*	500	*	520	*	540	
XM_033473	:	TTALSATESLTL	STSAGTATAPGLPAFNKFVLMKAVEPKNKADENTPPGSEGS	AI	SGVA	:	540	
AK001276	:	-----	-----	-----	-----	:	-	
PCP0815A	:	TTALSATESLTL	STSAGTATAPGLPAFNKFVLMKAVEPKNKADENTPPGSEGS	AI	SGVA	:	538	
PCP0815C	:	-----	-----	-----	-----	:	-	
		*	560	*	580	*	600	
XM_033473	:	ESSTATRMQLSKLVTSLPSWALLTNHFKSTGSFFFPYVLEPLGASPS	ETSKLQQLVEKID	:	600			
AK001276	:	-----	-----	-----	-----	:	-	
PCP0815A	:	ESSTATRMQLSKLVTSLPSWALLTNHFKSTGSFFFPYVLEPLGASPS	ETSKLQQLVEKID	:	598			
PCP0815C	:	-----	-----	-----	-----	:	-	
		*	620	*	640	*	660	
XM_033473	:	RQGAVAVTSAASGAPTTSAPAPSSSASSGPNQCVICLRVLS	CPRALRLHYGQHGG	ERPFK	:	660		
AK001276	:	-----	-----	-----	-----	:	-	
PCP0815A	:	RQGAVAVTSAASGAPTTSAPAPSSSASSGPNQCVICLRVLS	CPRALRLHYGQHGG	ERPFK	:	658		
PCP0815C	:	-----	-----	-----	-----	:	-	
		*	680	*	700	*	720	
XM_033473	:	CKVCGRAFSTRGNLRAHFVGHKASPAARAQNSCPICQKKFTNAVT	LQQHVRMHLGGQIPN	:	720			
AK001276	:	-----	-----	-----	-----	:	-	
PCP0815A	:	CKVCGRAFSTRGNLRAHFVGHKASPAARAQNSCPICQKKFTNAVT	LQQHVRMHLGGQIPN	:	718			
PCP0815C	:	-----	-----	-----	-----	:	-	
		*	740	*	760	*	780	
XM_033473	:	GGTALPEGGGAAQENGSEQSTVSGARSFPQQSQQPSPEEELSEEEEE	EEEEEDV	TE	:	780		
AK001276	:	-----	-----	-----	-----	:	-	
PCP0815A	:	GGTALPEGGGAAQENGSEQSTVSGAGSFPQQSQQPSPEEELSEEEEE	EEEEEDV	TE	:	778		
PCP0815C	:	-----	-----	-----	-----	:	-	
		*	800	*	820	*	840	
XM_033473	:	DSLARGSES	SGGEKAISVRGDSEEASGAEEVGTVA	AAAATAGKEMDSNEKTTQQSS	LPPP	:	840	
AK001276	:	-----	-----	-----	-----	:	-	
PCP0815A	:	DSLARGSES	SGGEKAISVRGDSEEASGAEEVGTVA	AAAATAGKEMDSNEKTTQQSS	LPPP	:	838	
PCP0815C	:	-----	-----	-----	-----	:	-	
		*	860	*	880	*	900	
XM_033473	:	PPPD	SLDQPPMEQGSSGVLGGKEEGGKPERSSSPASALTPEGEATSVTLVEELS	LQ	Q	AM	:	900
AK001276	:	-----	-----	-----	-----	-----	:	-
PCP0815A	:	PPPD	SLDQPPMEQGSSGVLGGKEEGGKPERSSSPASALTPEGEATSVTLVEELS	LQ	Q	AM	:	898
PCP0815C	:	-----	-----	-----	-----	-----	:	-
		*	920	*	940	*	960	
XM_033473	:	RKEPGESSSRKACEVCGQAFPSQAAL	EEHQKTHPKEGPLFTCVFCRQGF	LERATL	KKHML	:	960	
AK001276	:	-----	-----	-----	-----	-----	:	-
PCP0815A	:	RKEPGESSSRKACEVCGQAFPSQAAL	EEHQKTHPKEGPLFTCVFCRQGF	LERATL	KKHML	:	958	
PCP0815C	:	-----	-----	-----	-----	-----	:	-

FIG. 18B


```

      *           980           *           1000           *           1020
XM_033473 : LAHHQVQPFAPHGPNIAALSLVPGCSPSITSTGLSPFPRKDDPTIP----- : 1007
AK001276  : -----EPVCGIPVKWPAHEALEFQLHLHYHSPGPTSAVWPRNCGWEGASNNGIQ : 180
PCP0815A  : LAHHQVQPFAPHGPNIAALSLVPGCSPSITSTGLSPFPRKDDPTIP----- : 1005
PCP0815C  : -----EPVCGIPVKWPAHEALEFQLHLHYHSPGPTSAVWPRNCGWEGASNNGIQ : 178

      *           1040
XM_033473 : ----- : -
AK001276  : GSQGEDSPPPISASCTQGSA : 200
PCP0815A  : ----- : -
PCP0815C  : GSQGEDSPPPISASCTQGSA : 198
```

FIG. 18C



PCP0405



PCP0459



PCP0557



PCP0664



PCP762



PCP0806



PCP0815

FIG 19

AF239045	:	MSVLI	QSVIN	YVEEENI	PALK	ALLEKCKD	VDERNE	CGQT	PLML	AAEQGN	VEIVK	ELLK	:	59
AF313464	:	MSVLI	QSVIN	YVEEENI	PALK	ALLEKCKD	VDERNE	CGQT	PLML	AAEQGN	VEIVK	ELLK	:	59
PC473	:	MSVLI	QSVIN	YVEEENI	PALK	ALLEKCKD	VDERNE	CGQT	PLML	AAEQGN	LEIVK	ELIK	:	59
AB033076	:	MSVLI	QSVIN	YVEEENI	PALK	ALLEKCKD	VDERNE	CGQT	PLML	AAEQGN	LEIVK	ELIK	:	59
XM_045362	:	MSVLI	QSVIN	YVEEENI	PALK	ALLEKCKD	VDERNE	CGQT	PLML	AAEQGN	LEIVK	ELIK	:	59

0	*	80	*	100	*	1											
AF239045	:	NGANC	NLED	LDNMT	TALIS	SASKE	GHTI	IVEEL	LKSC	ASLE	HRDM	GGMT	TALMW	ACYK	GRTD	:	118
AF313464	:	NGANC	NLED	LDNMT	TALIS	SASKE	GHTI	IVEEL	LKSC	ASLE	HRDM	GGMT	TALMW	ACYK	GRTD	:	118
PC473	:	NGANC	NLED	LDNMT	TALIS	SASKE	GHTI	IVEEL	LKSC	ASLE	HRDM	GGMT	TALMW	ACYK	GRTD	:	118
AB033076	:	NGANC	NLED	LDNMT	TALIS	SASKE	GHTI	IVEEL	LKSC	ASLE	HRDM	GGMT	TALMW	ACYK	GRTD	:	118
XM_045362	:	NGANC	NLED	LDNMT	TALIS	SASKE	GHTI	IVEEL	LKSC	ASLE	HRDM	GGMT	TALMW	ACYK	GRTD	:	118

20	*	140	*	160	*														
AF239045	:	WVLE	LLSH	GANP	SVTGL	QY	SVY	PII	MAA	GRGH	ADI	VHLL	LQNG	AKVNC	SDKY	GTTPL	VW	:	176
AF313464	:	WVLE	LLSH	GANP	SVTGL	QY	SVY	PII	MAA	GRGH	ADI	VHLL	LQNG	AKVNC	SDKY	GTTPL	VW	:	177
PC473	:	WVLE	LLSH	GANP	SVTGL	QY	SVY	PII	MAA	GRGH	ADI	VHLL	LQNG	AKVNC	SDKY	GTTPL	VW	:	177
AB033076	:	WVLE	LLSH	GANP	SVTGL	QY	SVY	PII	MAA	GRGH	ADI	VHLL	LQNG	AKVNC	SDKY	GTTPL	VW	:	176
XM_045362	:	WVLE	LLSH	GANP	SVTGL	QY	SVY	PII	MAA	GRGH	ADI	VHLL	LQNG	AKVNC	SDKY	GTTPL	VW	:	176

180	*	200	*	220	*														
AF239045	:	AARK	GHLE	CVK	HLLA	MGAD	VDQ	EGAN	SMTA	LIV	AVK	GGYT	QSV	KEIL	KRN	PVNL	TDKD	:	235
AF313464	:	AARK	GHLE	CVK	HLLA	MGAD	VDQ	EGAN	SMTA	LIV	AVK	GGYT	QSV	KEIL	KRN	PVNL	TDKD	:	236
PC473	:	AARK	GHLE	CVK	HLLA	MGAD	VDQ	EGAN	SMTA	LIV	AVK	GGYT	QSV	KEIL	KRN	PVNL	TDKD	:	236
AB033076	:	AARK	GHLE	CVK	HLLA	MGAD	VDQ	EGAN	SMTA	LIV	AVK	GGYT	QSV	KEIL	KRN	PVNL	TDKD	:	235
XM_045362	:	AARK	GHLE	CVK	HLLA	MGAD	VDQ	EGAN	SMTA	LIV	AVK	GGYT	QSV	KEIL	KRN	PVNL	TDKD	:	235

FIG 20A

AF239045	:	GNTALMIASKEGHI	*		260	*		280	*		294
AF313464	:	GNTALMIASKEGHI	IEIVQDLLDAGTYVNI	PDRSGDTVLI	GAVRGGHVEIVRALLQKYAD	:					295
PC473	:	GNTALMIASKEGHI	IEIVQDLLDAGTYVNI	PDRSGDTVLI	GAVRGGHVEIVRALLQKYAD	:					295
AB033076	:	GNTALMIASKEGHT	IEIVQDLLDAGTYVNI	PDRSGDTVLI	GAVRGGHVEIVRALLQKYAD	:					294
XM_045362	:	GNTALMIASKEGHT	IEIVQDLLDAGTYVNI	PDRSGDTVLI	GAVRGGHVEIVRALLQKYAD	:					294
AF239045	:	IDIRGQDNKKTALY	MAVEKGNATMV	RDILQCNPDTEICT	KDGETPLIKATKMRNIEVVEL	:					353
AF313464	:	IDIRGQDNKKTALY	MAVEKGNATMV	RDILQCNPDTEICT	KDGETPLIKATKMRNIEVVEL	:					354
PC473	:	IDIRGQDNKKTALY	MAVEKGNATMV	RDILQCNPDTEICT	KDGETPLIKATKMRNIEVVEL	:					354
AB033076	:	IDIRGQDNKKTALY	MAVEKGNATMV	RDILQCNPDTEICT	KDGETPLIKATKMRNIEVVEL	:					353
XM_045362	:	IDIRGQDNKKTALY	MAVEKGNATMV	RDILQCNPDTEICT	KDGETPLIKATKMRNIEVVEL	:					353
AF239045	:	LLDKGAKVSAVDKKGDT	PLHVAI	RGRSRRLAE	LLLRNPKDGRLLY	REPKNKAGET	PYNIDC	:			412
AF313464	:	LLDKGAKVSAVDKKGDT	PLHVAI	RGRSRRLAE	LLLRNPKDGRLLY	REPKNKAGET	PYNIDC	:			413
PC473	:	LLDKGAKVSAVDKKGDT	PLHVAI	RGRSRRLAE	LLLRNPKDGRLLY	REPKNKAGET	PYNIDC	:			413
AB033076	:	LLDKGAKVSAVDKKGDT	PLHVAI	RGRSRRLAE	LLLRNPKDGRLLY	REPKNKAGET	PYNIDC	:			412
XM_045362	:	LLDKGAKVSAVDKKGDT	PLHVAI	RGRSRRLAE	LLLRNPKDGRLLY	REPKNKAGET	PYNIDC	:			412
AF239045	:	SHOKSILTQIFGARHLS	PTETDGDMLGYDLY	SSALADILSEPT	MQPPICVGLYAQM	GSG	:				471
AF313464	:	SHOKSILTQIFGARHLS	PTETDGDMLGYDLY	SSALADILSEPT	MQPPICVGLYAQM	GSG	:				472
PC473	:	SHOKSILTQIFGARHLS	PTETDGDMLGYDLY	SSALADILSEPT	MQPPICVGLYAQM	GSG	:				472
AB033076	:	SHOKSILTQIFGARHLS	PTETDGDMLGYDLY	SSALADILSEPT	MQPPICVGLYAQM	GSG	:				471
XM_045362	:	SHOKSILTQIFGARHLS	PTETDGDMLGYDLY	SSALADILSEPT	MQPPICVGLYAQM	GSG	:				471

FIG 20B

AF239045	:	KSELLKKLEDEMKTFAAGQQT	*	EPLEFQFSWLI	VELTLL	CGGGLGLVFAF	VD	TNLAIAISL	:	530	
AF313464	:	KSELLKKLEDEMKTFAAGQQT	*	EPLEFQFSWLI	VELTLL	CGGGLGLVFAF	VD	TNLAIAISL	:	531	
PC473	:	KSELLKKLEDEMKTFAAGQQT	*	EPLEFQFSWLI	VELTLL	CGGGLGLVFAF	VD	TNLAIAISL	:	531	
AB033076	:	KSELLKKLEDEMKTFAAGQQT	*	EPLEFQFSWLI	VELTLL	CGGGLGLVFAF	VD	TNLAIAISL	:	530	
XM_045362	:	KSELLKKLEDEMKTFAAGQQT	*	EPLEFQFSWLI	VELTLL	CGGGLGLVFAF	VD	TNLAIAISL	:	530	
AF239045	:	SFELALIYIFFIVIFGGRREGESMNWAM	*	ALSTR	LARHIGYLELL	KL	MFVNPP	PELPEQT	:	589	
AF313464	:	SFELALIYIFFIVIFGGRREGESMNWAM	*	ALSTR	LARHIGYLELL	KL	MFVNPP	PELPEQT	:	590	
PC473	:	SFELALIYIFFIVIFGGRREGESMNWAM	*	ALSTR	LARHIGYLELL	KL	MFVNPP	PELPEQT	:	590	
AB033076	:	SFELALIYIFFIVIFGGRREGESMNWAM	*	ALSTR	LARHIGYLELL	KL	MFVNPP	PELPEQT	:	589	
XM_045362	:	SFELALIYIFFIVIFGGRREGESMNWAM	*	ALSTR	LARHIGYLELL	KL	MFVNPP	PELPEQT	:	589	
AF239045	:	TKALPVREFLTDYNRLSSVGGETSLA	*	EMIATL	SDACEREFGL	ATRLFR	VFTEESQ	GK	:	648	
AF313464	:	TKALPVREFLTDYNRLSSVGGETSLA	*	EMIATL	SDACEREFGL	ATRLFR	VFTEESQ	GK	:	649	
PC473	:	TKALPVREFLTDYNRLSSVGGETSLA	*	EMIATL	SDACEREFGL	ATRLFR	VFTEESQ	GK	:	649	
AB033076	:	TKALPVREFLTDYNRLSSVGGETSLA	*	EMIATL	SDACEREFGL	ATRLFR	VFTEESQ	GK	:	648	
XM_045362	:	TKALPVREFLTDYNRLSSVGGETSLA	*	EMIATL	SDACEREFGL	ATRLFR	VFTEESQ	GK	:	648	
AF239045	:	KKWKKTCCLPSEVIFLFI	*	IGCIIIS	GITLLAIF	RVDPKHLTV	NAVLIS	ASVVG	LAFVLM	:	707
AF313464	:	KKWKKTCCLPSEVIFLFI	*	IGCIIIS	GITLLAIF	RVDPKHLTV	NAVLIS	ASVVG	LAFVLM	:	708
PC473	:	KKWKKTCCLPSEVIFLFI	*	IGCIIIS	GITLLAIF	RVDPKHLTV	NAVLIS	ASVVG	LAFVLM	:	708
AB033076	:	KKWKKTCCLPSEVIFLFI	*	IGCIIIS	GITLLAIF	RVDPKHLTV	NAVLIS	ASVVG	LAFVLM	:	707
XM_045362	:	KKWKKTCCLPSEVIFLFI	*	IGCIIIS	GITLLAIF	RVDPKHLTV	NAVLIS	ASVVG	LAFVLM	:	707

FIG 20C

AF239045	:	CRTMMQVLD	SL	LLNSQ	RRLH	S	A	A	S	K	L	H	K	L	K	S	E	G	F	M	K	V	L	K	C	E	V	E	L	M	A	R	M	A	K	T	I	D	S	F	T	Q	N	Q	:	766									
AF313464	:	CRTMMQVLD	SL	LLNSQ	RRLH	S	A	A	S	K	L	H	K	L	K	S	E	G	F	M	K	V	L	K	C	E	V	E	L	M	A	R	M	A	K	T	I	D	S	F	T	Q	N	Q	:	767									
PC473	:	CRTMMQVLD	SL	LLNSQ	RRLH	S	A	A	S	K	L	H	K	L	K	S	E	G	F	M	K	V	L	K	C	E	V	E	L	M	A	R	M	A	K	T	I	D	S	F	T	Q	N	Q	:	767									
AB033076	:	CRTMMQVLD	SL	LLNSQ	RRLH	S	A	A	S	K	L	H	K	L	K	S	E	G	F	M	K	V	L	K	C	E	V	E	L	M	A	R	M	A	K	T	I	D	S	F	T	Q	N	Q	:	766									
XM_045362	:	CRTMMQVLD	SL	LLNSQ	RRLH	S	A	A	S	K	L	H	K	L	K	S	E	G	F	M	K	V	L	K	C	E	V	E	L	M	A	R	M	A	K	T	I	D	S	F	T	Q	N	Q	:	766									
AF239045	:	TRLVVIID	G	L	D	A	C	E	Q	D	K	V	L	Q	M	L	D	T	V	R	V	L	F	S	K	G	P	F	I	A	F	A	S	D	P	H	I	I	I	K	A	I	N	Q	N	L	N	S	V	L	R	D	:	825	
AF313464	:	TRLVVIID	G	L	D	A	C	E	Q	D	K	V	L	Q	M	L	D	T	V	R	V	L	F	S	K	G	P	F	I	A	F	A	S	D	P	H	I	I	I	K	A	I	N	Q	N	L	N	S	V	L	R	D	:	826	
PC473	:	TRLVVIID	G	L	D	A	C	E	Q	D	K	V	L	Q	M	L	D	T	V	R	V	L	F	S	K	G	P	F	I	A	F	A	S	D	P	H	I	I	I	K	A	I	N	Q	N	L	N	S	V	L	R	D	:	826	
AB033076	:	TRLVVIID	G	L	D	A	C	E	Q	D	K	V	L	Q	M	L	D	T	V	R	V	L	F	S	K	G	P	F	I	A	F	A	S	D	P	H	I	I	I	K	A	I	N	Q	N	L	N	S	V	L	R	D	:	825	
XM_045362	:	TRLVVIID	G	L	D	A	C	E	Q	D	K	V	L	Q	M	L	D	T	V	R	V	L	F	S	K	G	P	F	I	A	F	A	S	D	P	H	I	I	I	K	A	I	N	Q	N	L	N	S	V	L	R	D	:	825	
AF239045	:	SNINGHDY	M	R	N	I	V	H	L	P	V	F	L	N	S	R	G	L	S	N	A	R	K	F	L	V	T	S	A	T	N	G	D	I	T	C	S	D	T	T	G	I	Q	E	D	T	D	R	R	V	S	Q	N	:	884
AF313464	:	SNINGHDY	M	R	N	I	V	H	L	P	V	F	L	N	S	R	G	L	S	N	A	R	K	F	L	V	T	S	A	T	N	G	D	I	T	C	S	D	T	T	G	I	Q	E	D	T	D	R	R	V	S	Q	N	:	885
PC473	:	SNINGHDY	M	R	N	I	V	H	L	P	V	F	L	N	S	R	G	L	S	N	A	R	K	F	L	V	T	S	A	T	N	G	D	I	T	C	S	D	T	T	G	I	Q	E	D	A	D	R	R	V	S	Q	N	:	885
AB033076	:	SNINGHDY	M	R	N	I	V	H	L	P	V	F	L	N	S	R	G	L	S	N	A	R	K	F	L	V	T	S	A	T	N	G	D	I	T	C	S	D	T	T	G	I	Q	E	D	A	D	R	R	V	S	Q	N	:	884
XM_045362	:	SNINGHDY	M	R	N	I	V	H	L	P	V	F	L	N	S	R	G	L	S	N	A	R	K	F	L	V	T	S	A	T	N	G	D	I	T	C	S	D	T	T	G	I	Q	E	D	A	D	R	R	V	S	Q	N	:	884
AF239045	:	SLGEMTKL	G	S	K	T	A	L	N	R	R	D	T	Y	R	R	R	Q	M	Q	R	T	I	T	R	Q	M	S	F	D	I	T	K	L	L	V	T	E	D	W	F	S	D	I	S	P	Q	T	M	R	R	L	:	943	
AF313464	:	SLGEMTKL	G	S	K	T	A	L	N	R	R	D	T	Y	R	R	R	Q	M	Q	R	T	I	T	R	Q	M	S	F	D	I	T	K	L	L	V	T	E	D	W	F	S	D	I	S	P	Q	T	M	R	R	L	:	944	
PC473	:	SLGEMTKL	G	S	K	T	A	L	N	R	R	D	T	Y	R	R	R	Q	M	Q	R	T	I	T	R	Q	M	S	F	D	I	T	K	L	L	V	T	E	D	W	F	S	D	I	S	P	Q	T	M	R	R	L	:	944	
AB033076	:	SLGEMTKL	G	S	K	T	A	L	N	R	R	D	T	Y	R	R	R	Q	M	Q	R	T	I	T	R	Q	M	S	F	D	I	T	K	L	L	V	T	E	D	W	F	S	D	I	S	P	Q	T	M	R	R	L	:	943	
XM_045362	:	SLGEMTKL	G	S	K	T	A	L	N	R	R	D	T	Y	R	R	R	Q	M	Q	R	T	I	T	R	Q	M	S	F	D	I	T	K	L	L	V	T	E	D	W	F	S	D	I	S	P	Q	T	M	R	R	L	:	943	

FIG 20D

AF239045	:	NIVSVTGRLLRANQITFNWDRLASWINLTEQWPYRTSMILLYLEETEGLPDQMTLKTIY	:	1002
AF313464	:	NIVSVTGRLLRANQITFNWDRLASWINLTEQWPYRTSMILLYLEETEGLPDQMTLKTIY	:	1003
PC473	:	NIVSVTGRLLRANQISFNWDRLASWINLTEQWPYRTSMILLYLEETEGLPDQMTLKTIY	:	1003
AB033076	:	NIVSVTGRLLRANQISFNWDRLASWINLTEQWPYRTSMILLYLEETEGLPDQMTLKTIY	:	1002
XM_045362	:	NIVSVTGRLLRANQISFNWDRLASWINLTEQWPYRTSMILLYLEETEGLPDQMTLKTIY	:	1002
AF239045	:	ERISKNIPTTKDVEPLLEIDGDIRNEFEVFLSSRTPVLVARDVKTEFLPCTVNLDPKLREI	:	1061
AF313464	:	ERISKNIPTTKDVEPLLEIDGDIRNEFEVFLSSRTPVLVARDVKTEFLPCTVNLDPKLREI	:	1062
PC473	:	ERISKNIPTTKDVEPLLEIDGDIRNEFEVFLSSRTPVLVARDVKTEFLPCTVNLDPKLREI	:	1062
AB033076	:	ERISKNIPTTKDVEPLLEIDGDIRNEFEVFLSSRTPVLVARDVKTEFLPCTVNLDPKLREI	:	1061
XM_045362	:	ERISKNIPTTKDVEPLLEIDGDIRNEFEVFLSSRTPVLVARDVKTEFLPCTVNLDPKLREI	:	1061
AF239045	:	IADVRAAREQINIGGLAYPPLPLHEGPPRPPESSYQSQAPASVCSSASFNNGPPEPGGVVSPQP	:	1120
AF313464	:	IADVRAAREQINIGGLAYPPLPLHEGPPRPPESSYQSQAPASVCSSASFNNGPPEPGGVVSPQP	:	1121
PC473	:	IADVRAAREQISIGGLAYPPLPLHEGPPRPAPSSYQSQPPSVCSSTSENGPPEAGGVVSPQP	:	1121
AB033076	:	IADVRAAREQISIGGLAYPPLPLHEGPPRPAPSSYQSQPPSVCSSTSENGPPEAGGVVSPQP	:	1120
XM_045362	:	IADVRAAREQISIGGLAYPPLPLHEGPPRPAPSSYQSQPPSVCSSTSENGPPEAGGVVSPQP	:	1120
AF239045	:	HSSYSGLSGPGQHFFYNRPFEPAPYLYTPRYPGGSQHLSRSSVKTSLPRDQNNGLPCD	:	1179
AF313464	:	HSSYSGLSGPGQHFFYN	:	1138
PC473	:	HSSYSGMTGPGQHFFYN	:	1138
AB033076	:	HSSYSGMTGPGQHFFYNRPFEPAPYLYTPRYPGGSQHLSRSSVKTSLPRDQNNGLEVT	:	1179
XM_045362	:	HSSYSGMTGPGQHFFYNRPFEPAPYLYTPRYPGGSQHLSRSSVKTSLPRDQNNGLVSY	:	1179

FIG 20E

AF239045	:	SGENKQR	:	1200	*	1220	*	124	:	1230
AF313464	:	RAAV	:	1200	*	1220	*	124	:	1182
PC473	:	RGSG	:	1200	*	1220	*	124	:	1182
AB033076	:	KEDAAEGLSSPTDSSRGSG	:	1200	*	1220	*	124	:	1238
XM_045362	:	QGGCC	:	1200	*	1220	*	124	:	1184
AF239045	:	1260	:	1280	:	13	:	1289	:	
AF313464	:	1260	:	1280	:	13	:	1241	:	
PC473	:	1260	:	1280	:	13	:	1241	:	
AB033076	:	1260	:	1280	:	13	:	1297	:	
XM_045362	:	1260	:	1280	:	13	:	-	:	
AF239045	:	1320	:	1340	:	1	:	1348	:	
AF313464	:	1320	:	1340	:	1	:	1300	:	
PC473	:	1320	:	1340	:	1	:	1300	:	
AB033076	:	1320	:	1340	:	1	:	1356	:	
XM_045362	:	1320	:	1340	:	1	:	-	:	
AF239045	:	1380	:	1400	:	*	:	1407	:	
AF313464	:	1380	:	1400	:	*	:	1359	:	
PC473	:	1380	:	1400	:	*	:	1359	:	
AB033076	:	1380	:	1400	:	*	:	1415	:	
XM_045362	:	1380	:	1400	:	*	:	-	:	

FIG 20F

AF239045	:	1420	*	1440	*	1460	*	:	1466
AF313464	:							:	1418
PC473	:							:	1418
AB033076	:							:	1474
XM_045362	:							:	-
<hr/>									
AF239045	:	1480	*	1500	*	1520	*	:	1525
AF313464	:							:	1477
PC473	:							:	1477
AB033076	:							:	1533
XM_045362	:							:	-
<hr/>									
AF239045	:	1540	*	1560	*	1580	*	:	1583
AF313464	:							:	1536
PC473	:							:	1535
AB033076	:							:	1591
XM_045362	:							:	-
<hr/>									
AF239045	:	1600	*	1620	*	1640	*	:	1642
AF313464	:							:	1595
PC473	:							:	1594
AB033076	:							:	1650
XM_045362	:							:	-

FIG 20G

AF239045	:	1660	*	1680	*	1700	*	1701
AF313464	:							1654
PC473	:							1653
AB033076	:							1709
XM_045362	:							-

AF239045	:	1720	*	1740	*	1760	*	1760
AF313464	:							1713
PC473	:							1712
AB033076	:							1768
XM_045362	:							-

AF239045	:	1780	:	1762
AF313464	:		:	1715
PC473	:		:	1715
AB033076	:		:	1771
XM_045362	:		:	-

FIG 20H

```

      *           20           *           40           *           60
BCU1041 :                               P : 60
AK_014463 :                               S : 60
XM_058887 : ----- : -

      *           80           *           100          *           120
BCU1041 :       A       -       : 119
AK_014463 :       S       G       : 120
XM_058887 : ----- : -

      *           140          *           160          *           180
BCU1041 :                               -       S : 178
AK_014463 :                               V       P : 180
XM_058887 : ----- : -

      *           200          *           220          *           240
BCU1041 :                               : 238
AK_014463 :                               : 240
XM_058887 : ----- : -

      *           260          *           280          *           300
BCU1041 :                               MERRMQLVKKDNEKERHKL QGYE EEREE ELSE : 298
AK_014463 :                               MERRMQLVKRDNEKERHKL QGYEP EEEEEAEELSE : 300
XM_058887 : ----- MERRMQLVKKDNEKERHKL QGYE EEREE ELSE : 35

      *           320          *           340          *           360
BCU1041 : KIKLE QPEL ETSQ LP KPFSCGRSGKGHKRKSPFG TERK PVKKLAPEFSKVKTKT : 358
AK_014463 : KIKLERQPELCETSQALPSKPFSCGRSGKGHKRKTPFGNTERKNPVKKLAPEFSKVKTKT : 360
XM_058887 : KIKLE QPEL ETSQ LP KPFSCGRSGKGHKRKSPFG TERK PVKKLAPEFSKVKTKT : 95

      *           380          *           400          *           420
BCU1041 : PKHSPIKEEPCGSLSETVCKRELRSQETPEKPRSSVDTPPRLSTPQKGPSTHPKEKAFSS : 418
AK_014463 : PKHSPIKEEPCGSISSETVCKRELRSQETPEKPRSSVDTPPRLSTPQKGPSTHPKEKAFSS : 420
XM_058887 : PKHSPIKEEPCGSLSETVCKRELRSQETPEKPRSSVDTPPRLSTPQKGPSTHPKEKAFSS : 155

      *           440          *           460          *           480
BCU1041 : EIEDLPYLSTTMYLCRWHQPPPSPLPLRESSPKKEETVA : 478
AK_014463 : EMEDLPYLSTTMYLCRWHQPPPSPLPLRESSPKKEETVA : 480
XM_058887 : EIEDLPYLSTTMYLCRWHQPPPSPLPLRESSPKKEETVASKA----- : 198

      *           500          *           520          *           540
BCU1041 :                               : 538
AK_014463 :                               : 540
XM_058887 : ----- : -

      *           560          *           580          *           600
BCU1041 :                               T : 598
AK_014463 :                               A : 600
XM_058887 : ----- : -

      *           620          *           640          *           660
BCU1041 :       Q       ----- : 614
AK_014463 :       H       ----- : 616
XM_058887 : ----- : -

```

FIG 21

		*	20	*	40	*	60	
HUMAN	:	MGVIGIQLVVTVMMASVMQKIIPHYSLARWLLCNGSLRWYQHPTEELRILAGKQKQKGT						: 60
BCU0399BF	:	MGVIGIQLVVTVMMASVMQKIIPHYSLARWLLCNGSLRWYQHPTEELRILAGKQKQKGT						: 60
MONKEY	:	-----						: -

		*	80	*	100	*	120	
HUMAN	:	KKDRKYNCHIESKPLTIPKDIDLHLETKSVTEVDTLALHYFPEYQWLVDFTVAATVVYLV						: 120
BCU0399BF	:	KKDRKYNCHIESKPLTIPKDIDLHLETKSVTEVDTLALHYFPEYQWLVDFTVAATVVYLV						: 120
MONKEY	:	-----						: -

		*	140	*	160	*	180	
HUMAN	:	TEVYYNEMKPTQEMNISLVWCLLVLSFAIRRW-----						: 153
BCU0399BF	:	TEVYYNEMKPTQEMNISLVWCLLVLSFAIKVLFSLTTHYFKVEDGGERSVCVTFGFFFFV						: 180
MONKEY	:	-----MKPTQEMNISLVWCLLVLSFAIKVLFSLTTHYFKVEDGGERSVCVTFGFFFFV						: 53

		*	200	*	220	*	240	
HUMAN	:	-----						: -
BCU0399BF	:	KAMAVLIVTENYLEFGLETGFTNPSDSAMQFLEKQGLESQSPVSKLTFKFFLAIFCSFTG						: 240
MONKEY	:	KAMAVLIVTENYLEFGLETGFTNPSDSAMQFLEKQGLESQSPVSKLTFKFFLAIFCSLTG						: 113

		*	260	*	280	*	300	
HUMAN	:	-----						: -
BCU0399BF	:	AFLTFPGLRLAQMHLDALNLATEKITQTLLHINFLAPLFMVLWVKPITKDYIMNPPLGK						: 300
MONKEY	:	AFLTFPGLRLAQMHLDALNLATEKITQTLLHINFLAPLFMVLWVKPITKDYIMNPPLGK						: 173

		*	320	*	340	*	360	
HUMAN	:	-----						: -
BCU0399BF	:	ESIPLMTEATFDTLRLWLIILLCALRLAMMRSHLQAYLNLAQKQVDQMKKEAGRISTVEL						: 360
MONKEY	:	ESIPLMTEATFDTLRLWLIILLCALRLAMMRSHLQAYLNLAQKQVDQMKKEAGRISTVEL						: 233

		*	380	*	400	*	420	
HUMAN	:	-----						: -
BCU0399BF	:	QKMVARVFYYLCVIALQYVAPLVMLLHTLLLLKTLGNHSWGIYPEISISTLPVDNSLLSNS						: 420
MONKEY	:	QKMVARVFYYLCVIALQYVAPLVMLLHTLLLLKTLGNHSWGIYPEISISTLPADNSLLSNS						: 293

		*	440	*	460	*	480	
HUMAN	:	-----						: -
BCU0399BF	:	VYSELPESAEGKMKVTVTQITVALSSSLKNIFTPLLFRGLLSFLTWWIAACLFSTSLFGLFY						: 480
MONKEY	:	VYSELPESAEGKMKVTVTQITVALSSSLKNIFTPLLFRGLLSFLTWWIAACLFSTSLFGLFY						: 353

HUMAN	:	-----	:	-
BCU0399BF	:	HQYLTVA	:	487
MONKEY	:	HQYLTVA	:	360

FIG 22

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.